

PATENT COOPERATION TREATY

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference ESCR0001P	FOR FURTHER ACTION	see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.
International application No. PCT/US 00/ 07716	International filing date (day/month/year) 22/03/2000	(Earliest) Priority Date (day/month/year) 22/03/1999
Applicant ESCRIP, INC. et al.		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 3 sheets.

It is also accompanied by a copy of each prior art document cited in this report.

1. Basis of the report

- a. With regard to the language, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.
 - the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).
 - b. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international search was carried out on the basis of the sequence listing :
 - contained in the international application in written form.
 - filed together with the international application in computer readable form.
 - furnished subsequently to this Authority in written form.
 - furnished subsequently to this Authority in computer readable form.
 - the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
 - the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished
2. Certain claims were found unsearchable (See Box I).
3. Unity of invention is lacking (see Box II).

4. With regard to the title,

- the text is approved as submitted by the applicant.
- the text has been established by this Authority to read as follows:

5. With regard to the abstract,

- the text is approved as submitted by the applicant.
- the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. The figure of the drawings to be published with the abstract is Figure No.

- as suggested by the applicant.
- because the applicant failed to suggest a figure.
- because this figure better characterizes the invention.

1

None of the figures.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 00/07716

A. CLASSIFICATION OF SUBJECT MATTER
 IPC 7 G06F19/00 G06F17/60

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, IBM-TDB, INSPEC, COMPENDEX

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 758 095 A (ALBAUM ET AL) 26 May 1998 (1998-05-26) column 2, line 65 -column 3, line 47	1, 32, 63, 94
A	column 6, line 24 -column 20, line 34; figures 1-71 ---	2-31, 33-62, 64-93, 95-124
A	WO 95 29455 A (FILLINGANE SAM D O) 2 November 1995 (1995-11-02) column 1, line 17 -column 3, line 28 column 6, line 12 -column 9, line 29; figures 1-4 ---	1, 32, 63, 94
		-/-

 Further documents are listed in the continuation of box C. Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search	Date of mailing of the international search report
20 October 2000	30/10/2000
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl. Fax: (+31-70) 340-3016	Authorized officer Schenkels, P

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 00/07716

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	OGURA H ET AL: "Online prescription order and prescription support in an integrated hospital information system" MEDICAL INFORMATICS, GB, LONDON, vol. 10, no. 4, 1985, pages 287-299, XP002086149 ISSN: 0959-8316 page 287, line 1 -page 292, line 45; figures 1-3 -----	1, 32, 63, 94
A	US 5 666 492 A (RHODES KEITH DANIEL ET AL) 9 September 1997 (1997-09-09) abstract column 2, line 55 -column 4, line 61 -----	1, 32, 63, 94
A	US 5 542 420 A (GOLDMAN ET AL) 6 August 1996 (1996-08-06) column 1, line 8 -column 5, line 25 -----	1, 32, 63, 94

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 00/07716

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
US 5758095	A 26-05-1998	NONE		
WO 9529455	A 02-11-1995	NONE		
US 5666492	A 09-09-1997	AU 4758896 A		07-08-1996
		CA 2210469 A		25-07-1996
		EP 0811201 A		10-12-1997
		WO 9622577 A		25-07-1996
US 5542420	A 06-08-1996	AU 7092294 A		21-11-1994
		CA 2161627 A		10-11-1994
		WO 9425927 A		10-11-1994

TENT COOPERATION TREATY
PCT
 INTERNATIONAL PRELIMINARY EXAMINATION REPORT

REC'D 08 JUN 2001

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference ESCR0001P	FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No. PCT/US00/07716	International filing date (day/month/year) 22 MARCH 2000	Priority date (day/month/year) 22 MARCH 1999
International Patent Classification (IPC) or national classification and IPC IPC(7): G06F 17/60 and US Cl.: 705/3, 4		
Applicant ESCRIT, INC.		

14

<ol style="list-style-type: none"> 1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36. 2. This REPORT consists of a total of <u>4</u> sheets. <p><input type="checkbox"/> This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority. (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).</p> <p>These annexes consist of a total of <u>0</u> sheets.</p>	
<ol style="list-style-type: none"> 3. This report contains indications relating to the following items: <ul style="list-style-type: none"> I <input checked="" type="checkbox"/> Basis of the report II <input type="checkbox"/> Priority III <input type="checkbox"/> Non-establishment of report with regard to novelty, inventive step or industrial applicability IV <input type="checkbox"/> Lack of unity of invention V <input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement VI <input checked="" type="checkbox"/> Certain documents cited VII <input type="checkbox"/> Certain defects in the international application VIII <input type="checkbox"/> Certain observations on the international application 	

Date of submission of the demand 31 JULY 2000	Date of completion of this report 10 MAY 2001
Name and mailing address of the IPEA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231	Authorized officer TARIQ HAFIZ <i>James R. Matthews</i>
Facsimile No. (703) 305-3230	Telephone No. (703) 308-7808

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/US00/07716

I. Basis of the report**1. With regard to the elements of the international application:***

- the international application as originally filed
 the description:
 pages 1-47 _____, as originally filed
 pages NONE _____
 pages NONE _____, filed with the demand
- the claims:
 pages 48-76 _____, as originally filed
 pages NONE _____, as amended (together with any statement) under Article 19
 pages NONE _____, filed with the demand
 pages NONE _____, filed with the letter of _____
- the drawings:
 pages 1-58 _____, as originally filed
 pages NONE _____, filed with the demand
 pages NONE _____, filed with the letter of _____
- the sequence listing part of the
 application: NONE _____, as originally filed
 pages NONE _____, filed with the demand
 pages NONE _____, filed with the letter of _____

**2. With regard to the language, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.
These elements were available or furnished to this Authority in the following language _____ which is:**

- the language of a translation furnished for the purposes of international search (under Rule 23.1(b)).
 the language of publication of the international application (under Rule 48.3(b)).
 the language of the translation furnished for the purposes of international preliminary examination (under Rules 55.2 and, or 55.3).

3. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international

- contained in the international application in printed form.
 filed together with the international application in computer readable form.
 furnished subsequently to this Authority in written form.
 furnished subsequently to this Authority in computer readable form.
 The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
 The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

4. The amendments have resulted in the cancellation of:

- the description, pages NONE
 the claims, Nos. NONE
 the drawings, sheets fig. NONE

5. This report has been drawn as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).

* Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17).

**Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/US00/07716

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. statement

Novelty (N)	Claims 1-124	YES
	Claims NONE	NO
Inventive Step (IS)	Claims 1-124	YES
	Claims NONE	NO
Industrial Applicability (IA)	Claims 1-124	YES
	Claims NONE	NO

2. citations and explanations (Rule 70.7)

Upon consideration of the references, the Colon reference, the Parks reference, the PR Newswire reference, the Wall Street Journal reference, and the Ukens reference are not timewise applicable prior art, and therefore, claims 1-31 meet the criteria set out in PCT Article 33(2)-(4), because the prior art does not teach or fairly suggest a method for covering group members by selecting a past-due request summary and an immediately-due request summary and accessing a request detail report sorted by operator-requested information.

Likewise, the above listed references are not timewise applicable prior art, and therefore, claims 32-62 meet the criteria set out in PCT Article 33(2)-(4), because the prior art does not teach or fairly suggest a method of operating a computer system for covering group members by selecting a past-due request summary and an immediately-due request summary and accessing a request detail report sorted by operator-requested information.

Similarly, the above listed references are not timewise applicable prior art, and therefore, claims 63-93 meet the criteria set out in PCT Article 33(2)-(4), because the prior art does not teach or fairly suggest a program operating system for covering group members by selecting a past-due request summary and an immediately-due request summary and accessing a request detail report sorted by operator-requested information.

Similarly, the above listed references are not timewise applicable prior art, and therefore, claims 94-124 meet the criteria set out in PCT Article 33(2)-(4), because the prior art does not teach or fairly suggest a computing system for covering group members by selecting a past-due request summary and an immediately-due request summary and accessing a request detail report sorted by operator-requested information.

----- NEW CITATIONS -----

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/US00/07716

VI. Certain documents cited

1. Certain published documents (Rule 70.10)

Application No. Patent No.	Publication Date (day/month/year)	Filing Date (day/month/year)	Priority date (valid claim) (day/month/year)
US, A, 5,884,273	16 MARCH 1999	16 MAY 1996	
US, A, 5,737,539	07 APRIL 1998	28 OCTOBER 1994	
US, A, 5,991,731	23 NOVEMBER 1999	01 FEBRUARY 1999	
US, A, 5,845,255	01 DECEMBER 1998	02 OCTOBER 1997	

2. Non-written disclosures (Rule 70.9)

Kind of non-written disclosure	Date of non-written disclosure (day/month/year)	Date of written disclosure referring to non-written disclosure (day/month/year)

PCT
REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

For receiving Office use only

International Application No.
International Filing Date
Name of receiving office and "PCT International Application"

Applicant's or agent's file reference
(if desired) (12 characters maximum)

ESCR0001P

Box No. I TITLE OF INVENTION

METHOD AND APPARATUS FOR MEDICAL COVERING GROUP

REQUEST PROCESSING, REVIEW AND MANAGEMENT

Box No. II APPLICANT

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)

eSCRIPT, INC.
2 Scenic Court
Danville, CA 94506
United States of America

This person is also inventor.

Telephone No.

(925) 964-1300

Faxsimile No.

(561) 431-6273

Teleprinter No.

State (i.e. country) of nationality: US State (i.e. country) of residence: US

This person is applicant all designated States all designated States except the United States of America the United States of America only the States indicated in the Supplemental Box

Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)

WEINSTEIN, David
2 Scenic Court
Danville, California 94506
United States of America

This person is:

applicant only

applicant and inventor

Inventor only (If this check-box is marked, do not fill in below)

State (i.e. country) of nationality: US State (i.e. country) of residence: US

This person is applicant all designated States all designated States except the United States of America the United States of America only the States indicated in the Supplemental Box

Further applicant(s) and/or (further) inventors are indicated on a continuation sheet.

Box No. IV AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE

The person identified below is hereby/has been appointed to act on behalf of the applicant(s) before the competent International Authorities as: agent common representative

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.)

GLENN, Michael A., HENDRICKS, Donald M. and WONG, Kirk D.
HENDRICKS, Donald, M., JENNINGS, Earle, PEIL, Christopher
GLENN PATENT GROUP
Menlo Park, CA 94025
United States of California

Telephone No.

(650) 474-8400

Faxsimile No.

(650) 474-8401

Teleprinter No.

Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead indicate a special address to which correspondence should be sent.

Sheet No. 2

continuation of Box No. III FURTHER APPLICANTS AND/OR (FURTHER) INVENTORS

If none of the following sub-boxes is used, this sheet is not to be included in the request

Name and address: (Family name followed by given name; for a legal entity, full official designation.

The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)

JEISS, Robert

25 Irving Street, Apt. 7

San Francisco, California 94122

United States of California

This person is:

 applicant only applicant and inventor Inventor only (If this check-box is marked, do not fill in below)

State (i.e. country) of nationality:

US

State (i.e. country) of residence:

US

Is person is applicant

 all designated
States all designated States except
the United States of America the United States
of America only the States indicated in
the Supplemental Box

Name and address: (Family name followed by given name; for a legal entity, full official designation.

The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)

This person is:

 applicant only applicant and inventor Inventor only (If this check-box is marked, do not fill in below)

State (i.e. country) of nationality:

State (i.e. country) of residence:

Is person is applicant

 all designated
States all designated States except
the United States of America the United States
of America only the States indicated in
the Supplemental Box

Name and address: (Family name followed by given name; for a legal entity, full official designation.

The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)

This person is:

 applicant only applicant and inventor Inventor only (If this check-box is marked, do not fill in below)

State (i.e. country) of nationality:

State (i.e. country) of residence:

Is person is applicant

 all designated
States all designated States except
the United States of America the United States
of America only the States indicated in
the Supplemental Box

Name and address: (Family name followed by given name; for a legal entity, full official designation.

The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)

This person is:

 applicant only applicant and inventor Inventor only (If this check-box is marked, do not fill in below)

State (i.e. country) of nationality:

State (i.e. country) of residence:

Is person is applicant

 all designated
States all designated States except
the United States of America the United States
of America only the States indicated in
the Supplemental Box Further applicant(s) and/or (further) inventors are indicated on a continuation sheet.

DRAFT. v DESIGNATION OF STATES

the following designations are hereby made under Rule 4.9(a) (mark the applicable check-boxes; at least must be marked):

Regional Patent

- AP** ARIPO PATENT: GH Ghana, GM Gambia, KE Kenya, LS Lesotho, MW Malawi, SD Sudan, SZ Swaziland, UG Uganda, ZW Zimbabwe,
and any other State which is a contracting State of the Harare Protocol and of the PCT
- EA** Eurasian Patent: AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation,
TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT
- EP** European Patent: AT Austria, BE Belgium, CH and LI Switzerland and Liechtenstein, CY Cyprus, DE Germany, DK Denmark, ES Spain,
FI Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, NL Netherlands, PT Portugal,
SE Sweden, and any other State which is a Contracting State of the European Patent Convention and of the PCT
- OAPI** OAPI Patent: BF Burkina Faso, BJ Benin, CF Central African Republic, CG Congo, CI Cote d'Ivoire, CM Cameroon, GA Gabon, GN Guinea,
GW Guinea-Bissau, ML Mali, MR Mauritania, NE Niger, SN Senegal, TD Chad, TG Togo, and any other State which is a member State of OAPI
and a Contracting State of the PCT (if other kind of protection or treatment desired, specify on dotted line).....

National Patent (if other kind of protection or treatment desired, specify on dotted line)

- | | | |
|--|---|--|
| <input checked="" type="checkbox"/> AL Albania | <input checked="" type="checkbox"/> LT Lithuania | |
| <input checked="" type="checkbox"/> AM Armenia | <input checked="" type="checkbox"/> LU Luxembourg | |
| <input checked="" type="checkbox"/> AT Austria | <input checked="" type="checkbox"/> LV Latvia | |
| <input checked="" type="checkbox"/> AU Australia | <input checked="" type="checkbox"/> MD Republic of Moldova | |
| <input checked="" type="checkbox"/> AZ Azerbaijan | <input checked="" type="checkbox"/> MG Madagascar | |
| <input checked="" type="checkbox"/> BA Bosnia and Herzegovina | <input checked="" type="checkbox"/> MK The former Yugoslav Republic of Macedonia | |
| <input checked="" type="checkbox"/> BB Barbados | <input checked="" type="checkbox"/> MN Mongolia | |
| <input checked="" type="checkbox"/> BG Bulgaria | <input checked="" type="checkbox"/> MW Malawi | |
| <input checked="" type="checkbox"/> BR Brazil | <input checked="" type="checkbox"/> MX Mexico | |
| <input checked="" type="checkbox"/> BY Belarus | <input checked="" type="checkbox"/> NO Norway | |
| <input checked="" type="checkbox"/> CA Canada | <input checked="" type="checkbox"/> NZ New Zealand | |
| <input checked="" type="checkbox"/> CH and LI Switzerland and Liechtenstein | <input checked="" type="checkbox"/> PL Poland | |
| <input checked="" type="checkbox"/> CN China | <input checked="" type="checkbox"/> PT Portugal | |
| <input checked="" type="checkbox"/> CU Cuba | <input checked="" type="checkbox"/> RO Romania | |
| <input checked="" type="checkbox"/> CZ Czech Republic | <input checked="" type="checkbox"/> RU Russian Federation | |
| <input checked="" type="checkbox"/> DE Germany | <input checked="" type="checkbox"/> SD Sudan | |
| <input checked="" type="checkbox"/> DK Denmark | <input checked="" type="checkbox"/> SE Sweden | |
| <input checked="" type="checkbox"/> EE Estonia | <input checked="" type="checkbox"/> SG Singapore | |
| <input checked="" type="checkbox"/> ES Spain | <input checked="" type="checkbox"/> SI Slovenia | |
| <input checked="" type="checkbox"/> FI Finland | <input checked="" type="checkbox"/> SK Slovakia | |
| <input checked="" type="checkbox"/> GB United Kingdom | <input checked="" type="checkbox"/> SL Sierra Leone | |
| <input checked="" type="checkbox"/> GD Granada | <input checked="" type="checkbox"/> TJ Tajikistan | |
| <input checked="" type="checkbox"/> GE Georgia | <input checked="" type="checkbox"/> TM Turkmenistan | |
| <input checked="" type="checkbox"/> GH Ghana | <input checked="" type="checkbox"/> TR Turkey | |
| <input checked="" type="checkbox"/> GM Gambia | <input checked="" type="checkbox"/> TT Trinidad and Tobago | |
| <input checked="" type="checkbox"/> HU Hungary | <input checked="" type="checkbox"/> UA Ukraine | |
| <input checked="" type="checkbox"/> ID Indonesia | <input checked="" type="checkbox"/> UG Uganda | |
| <input checked="" type="checkbox"/> IL Israel | <input checked="" type="checkbox"/> US United States of America - Continuation-in-Part | |
| <input checked="" type="checkbox"/> IS Iceland | <input checked="" type="checkbox"/> UZ Uzbekistan | |
| <input checked="" type="checkbox"/> JP Japan | <input checked="" type="checkbox"/> VN Viet Nam | |
| <input checked="" type="checkbox"/> KE Kenya | <input checked="" type="checkbox"/> YU Yugoslavia | |
| <input checked="" type="checkbox"/> KG Kyrgyzstan | <input checked="" type="checkbox"/> ZW Zimbabwe | |
| <input checked="" type="checkbox"/> KP Democratic People's Republic of Korea | Check-boxes reserved for designating States (for the purpose
of a national patent) which have become party to the PCT after
issuance of this sheet: | |
| <input checked="" type="checkbox"/> KR Republic of Korea | <input checked="" type="checkbox"/> HR Croatia | |
| <input checked="" type="checkbox"/> KZ Kazakhstan | <input checked="" type="checkbox"/> IN India | |
| <input checked="" type="checkbox"/> LC Saint Lucia | <input checked="" type="checkbox"/> ZA South Africa | |
| <input checked="" type="checkbox"/> LK Sri Lanka | | |
| <input checked="" type="checkbox"/> LR Liberia | | |
| <input checked="" type="checkbox"/> LS Lesotho | | |

In addition to the designation made above, the applicant also makes under Rule 4.9(b) all designations which would be permitted under the PCT except
the designation(s) of _____

The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration
of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (confirmation of a designation
consists of the filing of a notice specifying that designation and the payment of the designation and confirmation fees. Confirmation must reach the receiving Office within the
15-month time limit.)

Sheet No. 4

Continuation of Box V

U.S. Serial No. 60/125,461 filed March 22, 1999 (22-03-99)

Sheet No. 5

Box No. VI PRIORITY CLAIM		Further priority claims are indicated in the Supplemental Box <input type="checkbox"/>	
The priority of the following earlier application(s) is hereby claimed:			
Country (in which or for which, the application was filed)	Filing Date (day/month/year)	Application No.	Office of Filing (only for regional or international application)
item (1) US	22-March-1999 (22-03-99)	60/125,461	
item (2)			
item (3)			
<p>Mark the following check-boxes if the certified copy of the earlier application is to be used by the Office which for the purposes of the present international application is the receiving Office (fee may be required).</p> <p><input checked="" type="checkbox"/> The receiving Office is hereby requested to prepare and transmit to the International Bureau a certified copy of the earlier application(s) identified above as item(s): (1)</p>			
Box No. VII INTERNATIONAL SEARCHING AUTHORITY Choice of International Searching Authority (ISA) (If two or more International Searching Authorities are competent to carry out the international search, indicate the Authority chosen: the two-letter code may be used): ISA /EPO Earlier Search Fill in where a search (international, international-type or other) by the International Searching Authority has already been carried out or requested and the Authority is now requested to base the international search, the extent possible, on the results of that earlier search. Identify such search or request either by reference to the relevant application (or the translation thereof) or by reference to the search request: Country (or regional Office): Date (day/month/year): Number:			
Box No. VIII CHECK LIST This international application contains the following number of sheets: 1. Request 4 sheets 2. Descripti. 47 sheets 3. Claims 29 sheets 4. Abstract 1 sheets 5. Drawings 58 sheets Total 139 sheets This international application is accompanied by the item(s) marked below: 1. <input type="checkbox"/> Separate signed power of attorney 5. <input checked="" type="checkbox"/> Fee calculation sheet 2. <input type="checkbox"/> Copy of general power of attorney 6. <input type="checkbox"/> Separate indications concerning deposited microorganisms 3. <input type="checkbox"/> Statement explaining lack of signature 7. <input type="checkbox"/> Nucleotide and/or amino acid sequence listing(diskette) 4. <input type="checkbox"/> Priority document(s) Identified in Box No. VI as item(s): <i>Unsigned Power of Attorney</i>			
Figure No. 1 of the drawings (if any) should accompany the abstract when it is published. Box No. IX SIGNATURE OF APPLICANT OR AGENT Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if such capacity is not obvious from reading the request).			
 Michael A. Glenn			

For receiving Office use only

1. Date of actual receipt of the purported international application:		2. Drawings: <input type="checkbox"/> received: <input type="checkbox"/> not received:
3. Corrected date of actual receipt due to later but timely received papers or drawings completing the purported international application:		
4. Date of timely receipt of the required corrections under PCT Article 11(2):		
5. International Searching Authority specified by the applicant: ISA /	6. Transmittal of search copy delayed until search fee is paid	

For International Bureau use only

Date of receipt of the record copy by the International Bureau:

PCT

FEE CALCULATION SHEET

Annex to the request

		International application No.												
Applicant's or agent's file reference	ESCR0001P	Date stamp of the receiving Office												
Applicant eSCRIPT, INC.														
CALCULATION OF PRESCRIBED FEES														
1 TRANSMITTAL FEES		\$ 240.00 T												
2 SEARCH FEES International search to be carried out by EPO (If two or more International Searching Authorities are competent in relation to the international application, indicate the name of the Authority which is chosen to carry out the international search.)		\$ 990.00 S												
3 INTERNATIONAL FEE Basic Fee The application contains 139 sheets														
first 30 sheets.....	\$ 427.00 b1													
109 X 10	\$ 1,090.00 b2													
remaining sheets	additional amount													
Add amounts entered at b1 and b2 and enter total at B..... \$ 1,517.00 B														
DESIGNATION FEES The application contains 50 designations														
8 X \$ 92.00	\$ 736.00 D													
#of designation fees payable (maximum 11)	amount of designation fee													
Add amounts entered at B and D and enter total at I \$ 2,253.00 I (Applicants from certain States are entitled to a reduction of 75% of the international fee. Where the applicant is (or all applicants are) so entitled, the total to be entered at I is 25% of the sum of the amounts at B and D.)														
4 FEE FOR PRIORITY DOCUMENT		\$ 15.00 P												
5 TOTAL FEES PAYABLE Add amounts entered at T,S,I and P, and enter total in the TOTAL box..... \$ 3,498.00 TOTAL														
<input type="checkbox"/> The designation fees are not paid at this time.														
MODE OF PAYMENT <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;"><input checked="" type="checkbox"/> authorization to charge</td> <td style="width: 33%;"><input type="checkbox"/> bank draft</td> <td style="width: 33%;"><input type="checkbox"/> coupons</td> </tr> <tr> <td><input type="checkbox"/> deposit account (see below)</td> <td><input type="checkbox"/> cash</td> <td><input type="checkbox"/> other (specify):</td> </tr> <tr> <td><input type="checkbox"/> cheque</td> <td></td> <td></td> </tr> <tr> <td><input type="checkbox"/> postal money order</td> <td><input type="checkbox"/> revenue stamps</td> <td></td> </tr> </table>			<input checked="" type="checkbox"/> authorization to charge	<input type="checkbox"/> bank draft	<input type="checkbox"/> coupons	<input type="checkbox"/> deposit account (see below)	<input type="checkbox"/> cash	<input type="checkbox"/> other (specify):	<input type="checkbox"/> cheque			<input type="checkbox"/> postal money order	<input type="checkbox"/> revenue stamps	
<input checked="" type="checkbox"/> authorization to charge	<input type="checkbox"/> bank draft	<input type="checkbox"/> coupons												
<input type="checkbox"/> deposit account (see below)	<input type="checkbox"/> cash	<input type="checkbox"/> other (specify):												
<input type="checkbox"/> cheque														
<input type="checkbox"/> postal money order	<input type="checkbox"/> revenue stamps													
DEPOSIT ACCOUNT AUTHORIZATION (this mode of payment may not be available at all receiving Offices) The RO/US <input checked="" type="checkbox"/> is hereby authorized to charge the total fees indicated above to my deposit account.														
<input checked="" type="checkbox"/> is hereby authorized to charge any deficiency or credit any overpayment in the total fees indicated above to my deposit account.														
<input type="checkbox"/> is hereby authorized to charge the fee for preparation and transmittal of the priority document to the International Bureau of WIPO to my deposit account.														
07-1445 Deposit Account Number	22-Mar-00 Date (day/month/year)	Signature Michael A. Glenn, Reg. 30,176												

PATENT COOPERATION TREATY

From the
INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

To: MICHAEL A. GLENN
GLENN PATENT GROUP
3475 EDISON WAY, SUITE L
MENLO PARK, CA 94025

7
PCT

NOTIFICATION OF TRANSMITTAL OF INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Rule 71.1)

Date of Mailing (day/month/year)	05 JUN 2001
-------------------------------------	--------------------

Applicant's or agent's file reference ESCR0001P	IMPORTANT NOTIFICATION	
International application No. PCT/US00/07716	International filing date (day/month/year) 22 MARCH 2000	Priority Date (day/month/year) 22 MARCH 1999
Applicant ESCRIPT, INC.		

1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.
4. **REMINDER**

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices)(Article 39(1))(see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

RECEIVED

JUN 11 2001

MICHAEL GLENN

Name and mailing address of the IPEA/ Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3230	DOCKETED By: <u>JK</u> (40101) Date: <u>6/11/01</u>
Authorized officer TARIQ HAFIZ <i>James R. Matthews</i> Telephone No. (703) 308-7808	

PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference ESCR0001P	FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No. PCT/US00/07716	International filing date (day/month/year) 22 MARCH 2000	Priority date (day/month/year) 22 MARCH 1999
International Patent Classification (IPC) or national classification and IPC IPC(7): G06F 17/60 and US Cl.: 705/3, 4		
Applicant ESCRIT, INC.		

<ol style="list-style-type: none"> This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36. This REPORT consists of a total of <u>4</u> sheets. <input type="checkbox"/> This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority. (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). These annexes consist of a total of <u>0</u> sheets. This report contains indications relating to the following items:
<ul style="list-style-type: none"> I <input checked="" type="checkbox"/> Basis of the report II <input type="checkbox"/> Priority III <input type="checkbox"/> Non-establishment of report with regard to novelty, inventive step or industrial applicability IV <input type="checkbox"/> Lack of unity of invention V <input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement VI <input checked="" type="checkbox"/> Certain documents cited VII <input type="checkbox"/> Certain defects in the international application VIII <input type="checkbox"/> Certain observations on the international application

Date of submission of the demand 31 JULY 2000	Date of completion of this report 10 MAY 2001
Name and mailing address of the IPEA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3230	Authorized officer TARIQ HAFIZ Telephone No. (703) 308-7808 <i>James R. Matthews</i>

I. Basis of the report**1. With regard to the elements of the international application:*** the international application as originally filed the description:pages 1-47, as originally filed
pages NONE, filed with the demand
pages NONE, filed with the letter of _____ the claims:pages 48-76, as originally filed
pages NONE, as amended (together with any statement) under Article 19
pages NONE, filed with the demand
pages NONE, filed with the letter of _____ the drawings:pages 1-58, as originally filed
pages NONE, filed with the demand
pages NONE, filed with the letter of _____ the sequence listing part of thedescription: NONE, as originally filed
pages NONE, filed with the demand
pages NONE, filed with the letter of _____**2. With regard to the language, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.
These elements were available or furnished to this Authority in the following language _____ which is:**

- the language of a translation furnished for the purposes of international search (under Rule 23.1(b)).
 the language of publication of the international application (under Rule 48.3(b)).
 the language of the translation furnished for the purposes of international preliminary examination (under Rules 55.2 and/or 55.3).

3. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international

- contained in the international application in printed form.
 filed together with the international application in computer readable form.
 furnished subsequently to this Authority in written form.
 furnished subsequently to this Authority in computer readable form.
 The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
 The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

4. The amendments have resulted in the cancellation of:

- the description, pages NONE
 the claims, Nos. NONE
 the drawings, sheets fig NONE

5. This report has been drawn as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).¹¹

* Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17).

¹¹ Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/US00/07716

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement**1. statement**

Novelty (N)	Claims	1-124	YES
	Claims	NONE	NO
Inventive Step (IS)	Claims	1-124	YES
	Claims	NONE	NO
Industrial Applicability (IA)	Claims	1-124	YES
	Claims	NONE	NO

2. citations and explanations (Rule 70.7)

Upon consideration of the references, the Colon reference, the Parks reference, the PR Newswire reference, the Wall Street Journal reference, and the Ukens reference are not timewise applicable prior art, and therefore, claims 1-31 meet the criteria set out in PCT Article 33(2)-(4), because the prior art does not teach or fairly suggest a method for covering group members by selecting a past-due request summary and an immediately-due request summary and accessing a request detail report sorted by operator-requested information.

Likewise, the above listed references are not timewise applicable prior art, and therefore, claims 32-62 meet the criteria set out in PCT Article 33(2)-(4), because the prior art does not teach or fairly suggest a method of operating a computer system for covering group members by selecting a past-due request summary and an immediately-due request summary and accessing a request detail report sorted by operator-requested information.

Similarly, the above listed references are not timewise applicable prior art, and therefore, claims 63-93 meet the criteria set out in PCT Article 33(2)-(4), because the prior art does not teach or fairly suggest a program operating system for covering group members by selecting a past-due request summary and an immediately-due request summary and accessing a request detail report sorted by operator-requested information.

Similarly, the above listed references are not timewise applicable prior art, and therefore, claims 94-124 meet the criteria set out in PCT Article 33(2)-(4), because the prior art does not teach or fairly suggest a computing system for covering group members by selecting a past-due request summary and an immediately-due request summary and accessing a request detail report sorted by operator-requested information.

----- NEW CITATIONS -----

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/US00/07716

VI. Certain documents cited**1. Certain published documents (Rule 70.10)**

Application No. Patent No.	Publication Date (day/month/year)	Filing Date (day/month/year)	Priority date (valid claim) (day/month/year)
US, A, 5,884,273	16 MARCH 1999	16 MAY 1996	
US, A, 5,737,539	07 APRIL 1998	28 OCTOBER 1994	
US, A, 5,991,731	23 NOVEMBER 1999	01 FEBRUARY 1999	
US, A, 5,845,255	01 DECEMBER 1998	02 OCTOBER 1997	

2. Non-written disclosures (Rule 70.9)

Kind of non-written disclosure	Date of non-written disclosure (day/month/year)	Date of written disclosure referring to non-written disclosure (day/month/year)

PATENT COOPERATION TREATY

From the INTERNATIONAL SEARCHING AUTHORITY

PCT

To:
LAW OFFICES OF MICHAEL A. GLENN
 Attn. GLENN, Michael A.
 3475 Edison Way, Ste. L
 MENLO PARK, Cal. 94025
 UNITED STATES OF AMERICA

**NOTIFICATION OF TRANSMITTAL OF
THE INTERNATIONAL SEARCH REPORT
OR THE DECLARATION**

(PCT Rule 44.1)

Date of mailing
(day/month/year)

30/10/2000

Applicant's or agent's file reference ESCR0001P	FOR FURTHER ACTION See paragraphs 1 and 4 below
International application No. PCT/US 00/07716	International filing date (day/month/year) 22/03/2000
Applicant ESCRIFT, INC. et al.	

1. The applicant is hereby notified that the International Search Report has been established and is transmitted herewith.

Filing of amendments and statement under Article 19:

The applicant is entitled, if he so wishes, to amend the claims of the International Application (see Rule 46):

When? The time limit for filing such amendments is normally 2 months from the date of transmittal of the International Search Report; however, for more details, see the notes on the accompanying sheet.

Where? Directly to the International Bureau of WIPO
 34, chemin des Colombettes
 1211 Geneva 20, Switzerland
 Facsimile No.: (41-22) 740.14.35

For more detailed instructions, see the notes on the accompanying sheet.

2. The applicant is hereby notified that no International Search Report will be established and that the declaration under Article 17(2)(a) to that effect is transmitted herewith.

3. **With regard to the protest** against payment of (an) additional fee(s) under Rule 40.2, the applicant is notified that:

the protest together with the decision thereon has been transmitted to the International Bureau together with the applicant's request to forward the texts of both the protest and the decision thereon to the designated Offices.

no decision has been made yet on the protest; the applicant will be notified as soon as a decision is made.

4. **Further action(s):** The applicant is reminded of the following:

Shortly after **18 months** from the priority date, the international application will be published by the International Bureau. If the applicant wishes to avoid or postpone publication, a notice of withdrawal of the international application, or of the priority claim, must reach the International Bureau as provided in Rules 90bis.1 and 90bis.3, respectively, before the completion of the technical preparations for international publication.

Within **19 months** from the priority date, a demand for international preliminary examination must be filed if the applicant wishes to postpone the entry into the national phase until 30 months from the priority date (in some Offices even later).

Within **20 months** from the priority date, the applicant must perform the prescribed acts for entry into the national phase before all designated Offices which have not been elected in the demand or in a later election within 19 months from the priority date or could not be elected because they are not bound by Chapter II.

Name and mailing address of the International Searching Authority  European Patent Office, P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Marja Brouwers
---	--

NOTES TO FORM PCT/ISA/220

These Notes are intended to give the basic instructions concerning the filing of amendments under article 19. The Notes are based on the requirements of the Patent Cooperation Treaty, the Regulations and the Administrative Instructions under that Treaty. In case of discrepancy between these Notes and those requirements, the latter are applicable. For more detailed information, see also the PCT Applicant's Guide, a publication of WIPO.

In these Notes, "Article", "Rule", and "Section" refer to the provisions of the PCT, the PCT Regulations and the PCT Administrative Instructions respectively.

INSTRUCTIONS CONCERNING AMENDMENTS UNDER ARTICLE 19

The applicant has, after having received the international search report, one opportunity to amend the claims of the international application. It should however be emphasized that, since all parts of the international application (claims, description and drawings) may be amended during the international preliminary examination procedure, there is usually no need to file amendments of the claims under Article 19 except where, e.g. the applicant wants the latter to be published for the purposes of provisional protection or has another reason for amending the claims before international publication. Furthermore, it should be emphasized that provisional protection is available in some States only.

What parts of the international application may be amended?

Under Article 19, only the claims may be amended.

During the international phase, the claims may also be amended (or further amended) under Article 34 before the International Preliminary Examining Authority. The description and drawings may only be amended under Article 34 before the International Examining Authority.

Upon entry into the national phase, all parts of the international application may be amended under Article 28 or, where applicable, Article 41.

When? Within 2 months from the date of transmittal of the international search report or 16 months from the priority date, whichever time limit expires later. It should be noted, however, that the amendments will be considered as having been received on time if they are received by the International Bureau after the expiration of the applicable time limit but before the completion of the technical preparations for international publication (Rule 46.1).

Where not to file the amendments?

The amendments may only be filed with the International Bureau and not with the receiving Office or the International Searching Authority (Rule 46.2).

Where a demand for international preliminary examination has been/is filed, see below.

How? Either by cancelling one or more entire claims, by adding one or more new claims or by amending the text of one or more of the claims as filed.

A replacement sheet must be submitted for each sheet of the claims which, on account of an amendment or amendments, differs from the sheet originally filed.

All the claims appearing on a replacement sheet must be numbered in Arabic numerals. Where a claim is cancelled, no renumbering of the other claims is required. In all cases where claims are renumbered, they must be renumbered consecutively (Administrative Instructions, Section 205(b)).

The amendments must be made in the language in which the international application is to be published.

What documents must/may accompany the amendments?

Letter (Section 205(b)):

The amendments must be submitted with a letter.

The letter will not be published with the international application and the amended claims. It should not be confused with the "Statement under Article 19(1)" (see below, under "Statement under Article 19(1)").

The letter must be in English or French, at the choice of the applicant. However, if the language of the international application is English, the letter must be in English; if the language of the international application is French, the letter must be in French.

NOTES TO FORM PCT/ISA/220 (continued)

The letter must indicate the differences between the claims as filed and the claims as amended. It must, in particular, indicate, in connection with each claim appearing in the international application (it being understood that identical indications concerning several claims may be grouped), whether

- (i) the claim is unchanged;
- (ii) the claim is cancelled;
- (iii) the claim is new;
- (iv) the claim replaces one or more claims as filed;
- (v) the claim is the result of the division of a claim as filed.

The following examples illustrate the manner in which amendments must be explained in the accompanying letter:

1. [Where originally there were 48 claims and after amendment of some claims there are 51]:
"Claims 1 to 29, 31, 32, 34, 35, 37 to 48 replaced by amended claims bearing the same numbers; claims 30, 33 and 36 unchanged; new claims 49 to 51 added."
2. [Where originally there were 15 claims and after amendment of all claims there are 11]:
"Claims 1 to 15 replaced by amended claims 1 to 11."
3. [Where originally there were 14 claims and the amendments consist in cancelling some claims and in adding new claims]:
"Claims 1 to 6 and 14 unchanged; claims 7 to 13 cancelled; new claims 15, 16 and 17 added." or
"Claims 7 to 13 cancelled; new claims 15, 16 and 17 added; all other claims unchanged."
4. [Where various kinds of amendments are made]:
"Claims 1-10 unchanged; claims 11 to 13, 18 and 19 cancelled; claims 14, 15 and 16 replaced by amended claim 14; claim 17 subdivided into amended claims 15, 16 and 17; new claims 20 and 21 added."

"Statement under article 19(1)" (Rule 46.4)

The amendments may be accompanied by a statement explaining the amendments and indicating any impact that such amendments might have on the description and the drawings (which cannot be amended under Article 19(1)).

The statement will be published with the international application and the amended claims.

It must be in the language in which the international application is to be published.

It must be brief, not exceeding 500 words if in English or if translated into English.

It should not be confused with and does not replace the letter indicating the differences between the claims as filed and as amended. It must be filed on a separate sheet and must be identified as such by a heading, preferably by using the words "Statement under Article 19(1)."

It may not contain any disparaging comments on the international search report or the relevance of citations contained in that report. Reference to citations, relevant to a given claim, contained in the international search report may be made only in connection with an amendment of that claim.

Consequence if a demand for international preliminary examination has already been filed

If, at the time of filing any amendments under Article 19, a demand for international preliminary examination has already been submitted, the applicant must preferably, at the same time of filing the amendments with the International Bureau, also file a copy of such amendments with the International Preliminary Examining Authority (see Rule 62.2(a), first sentence).

Consequence with regard to translation of the international application for entry into the national phase

The applicant's attention is drawn to the fact that, where upon entry into the national phase, a translation of the claims as amended under Article 19 may have to be furnished to the designated/elected Offices, instead of, or in addition to, the translation of the claims as filed.

For further details on the requirements of each designated/elected Office, see Volume II of the PCT Applicant's Guide.

L 4737364

PATENT COOPERATION TREATY

PCT

NOTIFICATION OF THE RECORDING
OF A CHANGE(PCT Rule 92bis.1 and
Administrative Instructions, Section 422)

Date of mailing (day/month/year) 03 September 2001 (03.09.01)	From the INTERNATIONAL BUREAU
--	-------------------------------

To:

GLENN, Michael, A.
Glenn Patent Group
3475 Edison Way, Ste. L
Menlo Park, CA 94025
ETATS-UNIS D'AMERIQUE

Applicant's or agent's file reference ESCR0001P	IMPORTANT NOTIFICATION
--	-------------------------------

International application No. PCT/US00/07716	International filing date (day/month/year) 22 March 2000 (22.03.00)
---	--

1. The following indications appeared on record concerning:

the applicant the inventor the agent the common representative

Name and Address GLENN, Michael, A. Glenn Patent Group Menlo Park, CA 94025 United States of America	State of Nationality	State of Residence
	Telephone No. (650) 474-8400	
	Facsimile No. (650) 474-8401	
	Teleprinter No.	

2. The International Bureau hereby notifies the applicant that the following change has been recorded concerning:

the person the name the address the nationality the residence

Name and Address GLENN, Michael, A. Glenn Patent Group 3475 Edison Way, Ste. L Menlo Park, CA 94025 United States of America	State of Nationality	State of Residence
	Telephone No. (650) 474-8400	
	Facsimile No. (650) 474-8401	
	Teleprinter No.	

3. Further observations, if necessary:
--

4. A copy of this notification has been sent to:
--

<input checked="" type="checkbox"/> the receiving Office	<input type="checkbox"/> the designated Offices concerned
<input type="checkbox"/> the International Searching Authority	<input checked="" type="checkbox"/> the elected Offices concerned
<input type="checkbox"/> the International Preliminary Examining Authority	<input type="checkbox"/> other:

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Facsimile No.: (41-22) 740.14.35	Authorized officer Beatrix LARGO Telephone No.: (41-22) 338.83.38
---	---

PARENT COOPERATION TREATY

From the INTERNATIONAL BUREAU

PCT

NOTIFICATION OF ELECTION
(PCT Rule 61.2)Date of mailing (day/month/year)
19 June 2001 (19.06.01)

To:

Commissioner
 US Department of Commerce
 United States Patent and Trademark
 Office, PCT
 2011 South Clark Place Room
 CP2/5C24
 Arlington, VA 22202
 ETATS-UNIS D'AMERIQUE

in its capacity as elected Office

International application No.
PCT/US00/07716Applicant's or agent's file reference
ESCR0001PInternational filing date (day/month/year)
22 March 2000 (22.03.00)Priority date (day/month/year)
22 March 1999 (22.03.99)

Applicant

WEINSTEIN, David et al

1. The designated Office is hereby notified of its election made:

 in the demand filed with the International Preliminary Examining Authority on:

31 July 2000 (31.07.00)

 in a notice effecting later election filed with the International Bureau on:

2. The election
-
- was

 was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO
34, chemin des Colombettes
1211 Geneva 20, Switzerland

Facsimile No.: (41-22) 740.14.35

Authorized officer

Claudio Borton

Telephone No.: (41-22) 338.83.38

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : G06F 19/00		A2	(11) International Publication Number: WO 00/57341 (43) International Publication Date: 28 September 2000 (28.09.00)
(21) International Application Number: PCT/US00/07716 (22) International Filing Date: 22 March 2000 (22.03.00) (30) Priority Data: 60/125,461 22 March 1999 (22.03.99) US		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(63) Related by Continuation (CON) or Continuation-in-Part (CIP) to Earlier Application US 60/125,461 (CIP) Filed on 22 March 2000 (22.03.00)			
(71) Applicant (for all designated States except US): ESCRIPT, INC. [US/US]; 2 Scenic Court, Danville, CA 94506 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): WEINSTEIN, David [US/US]; 2 Scenic Court, Danville, CA 94506 (US). REISS, Robert [US/US]; 225 Irving Street, Apartment 7, San Francisco, CA 94122 (US).		Published <i>Without international search report and to be republished upon receipt of that report.</i>	
(74) Agents: GLENN, Michael, A. et al.; Glenn Patent Group, Menlo Park, CA 94025 (US).			

(54) Title: METHOD AND APPARATUS FOR MEDICAL COVERING GROUP REQUEST PROCESSING, REVIEW AND MANAGEMENT

	Advertising Space	
	Group Monitor For: East Bay Clinic 1006	
	Inbox For:	1002 1004 Immediates Days Late Futures 1008
	Smith, William	1010 5 1012 2 1014 51 1016
	Doctor, Joe	1020 12 3 9
	Surgeon, Frank	1022 0 0 0
	OBG, Louis	1024 0 0 0
	Welby, John	1026 6 1 5 1030
	Rx InBox for: Smith, William W (IMMEDIATES)	
	PATIENT, SUSIE K 1040 PCP SMITH 1042 MRF 00 000000-86-XX 1058 2 days 1052 CIPRO 500MG TABLET 1044 Qty 10 Fill 2/11/99 1050 TAKE 1 TABLET 2 TIMES A DAY FOR 5 DAYS 1048 1046 Change/Details FORWARD from YUN, SMITH MD RESIDENT- FAMILY PRACTICE 1054 PERSON, MARK S 1060 PCP SMITH 1062 MRF 00 000000-75-XX 1078 BECLOVENT INHALER 1064 QTY 16.8 1066 Fill 2/13/97 1070 INHALE 2 PUFFS 2 TIMES DAILY, RINSE MOUTH AFTER USE (GENERIC FOR VANCERIL) 1072 1068 HEALTHY, LAURA J PCP SMITH MRF 00 000000-16-XX HYDROCHLOROTHIAZIDE 25MG TB QTY 100 Fill 11/17/98	

(57) Abstract

Certain embodiments include a method for a first covering group member belonging to a covering group of using a request list containing a request list component for each of the covering group members. The covering group containing at least two covering group members. Each of the request list components further contains a request summary collection containing at least a past-due request summary and a immediately-due request summary. The method includes the user performing the following. Selecting a second of the covering group members belonging to the covering group. Selecting a first of the summaries of the request summary collection contained in the request list component for the second covering group member. Perceiving a request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising a requestor name, a requested item, a request response list containing at least two request responses.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	VN	Viet Nam
CF	Central African Republic	JP	Japan	NL	Netherlands	YU	Yugoslavia
CG	Congo	KE	Kenya	NO	Norway	ZW	Zimbabwe
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand		
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

METHOD AND APPRATUS FOR MEDICAL COVERING GROUP REQUEST PROCESSING, REVIEW AND MANAGEMENT

This application claims priority to U.S. provisional application no. 60/125,461, filed March 22, 1999, entitled "On-line Prescription Service".

5

Technical field

Embodiments relate to the field of medical prescriptions, medical laboratory tests and physician referrals. In particular, certain embodiments relate to interactive tools for the prescribing practitioners, pharmacists and medical care management of prescriptions. In particular, certain embodiments relate to interactive tools for primary care providers, medical consultants and medical care management of medical referrals. In particular, certain embodiments relate to interactive tools for prescribing practitioners, medical laboratories and medical care management of laboratory tests.

Background Art

15 Traditionally, the process of creating and refilling prescriptions entails an enormous waste of time and effort. New prescriptions, are often hand-written on pieces of paper and then hand carried by the patient to the pharmacist. There are no readily available mechanisms efficiently checking that the prescription is on a list of medications covered by the patient's insurer(known herein as the FORMULARY).
20 Conflicts with FORMULARY compliance are usually first noted at the pharmacy, often leading to several phone calls between the pharmacist and physician and resulting in wasting the patient's, physician's and pharmacist's time. The decision to use non-FORMULARY compliant drugs often brings the patient into this process, usually adding to the time and overhead required to complete the process of starting
25 a new prescription.

What is needed is an optimized procedure minimizing the physician's time and maximizing the reliability of the process. What is needed includes automated FORMULARY compliance review. What is further needed is optimized reliable communication between physician and pharmacy.

Prescription refill requests are also written on pieces of paper, which are then submitted for approval to someone of prescription authority, usually a physician. They are often found in stacks on a physician's desk. These stacks of paper have a large potential for getting lost, with vital time critical prescription refill slips of paper looking no different from prescription refill requests which are not needed for days.

5 While the prescription may have been reviewed for FORMULARY compliance, these other procedural problems are again a large waste of time. They render the quality of service a result of near random acts of administration, dependent upon someone reviewing the refill requests, after which, something may happen. What is

10 needed is a time-efficient process for refill requests prioritizing the refill requests for the authorizing physician.

Additionally, there is the issue of whether a physician can be available for prescription prefill or refill authorization. There are times when physicians are unavailable, attending conferences, important personal or family events, etc.

15 Physicians have evolved a covering group mechanism, where two or more doctors will belong to a covering group, and if one physician is not available, the others have authorization to order prescription refills. However, the system has some major problems. There are now multiple piles of slips of paper. There is no ready way to know where these piles are located or which ones among them are time-critical.

20 There is no ready way to know the location of patient medical files needed for these requests, any of the covering physicians may have them. This situation again leads to a great deal of waste and confusion. What is needed is an efficient refill authorization procedure accessible by every member of the covering group, presenting a prioritized list of pending refill requests, supporting authorization with

25 automated FORMULARY compliance.

Once the refill order has been authorized, a second ordeal of waste and confusion takes place. A pharmacy must be contacted, usually be telephone or FAX, again tying up the prescriber and/or their staff to insure that the pharmacy got the message, etc. It should be noted that physicians in managed care settings are required to see 25-35 patients per day to "earn their pay". The physicians' expertise is taken away from the pressing health problems for which their skills are most vitally needed by these procedural inefficiencies. The inefficiencies just described

cost everyone, the physician's income, the patient's time, and the required bureaucratic overhead (expense) at the pharmacy and physician's office. Optimized, reliable communication between physician and pharmacy is again needed.

Another problem related to this is the medical management issue: which physicians
5 are unresponsive to this vital paperwork activity. No one can readily extract performance information from such a situation as it currently exists. What is needed is a tracking mechanism efficiently extracting information of physician responsiveness.

A related situation involves referrals to specialists in managed care settings. The
10 process begins with the patient's primary care provider filling out a request form for a specialist to examine a patient. This request form is tangible paper, which is physically picked up and taken to an administrator who approves and schedules the specialist consultation, assuming the primary care provider has followed certain guidelines. Once this has happened, the specialist at the appointed time sees the
15 patient, and may prescribe a medication. Today, there is no efficient mechanism for feedback from the specialist to the primary care provider. What is needed is an efficient referral procedure automating the communication, the redundant human entry and the compliance confirmation of the various steps in this process. What is further needed is an efficient feedback mechanism from the specialist to the primary
20 care provider.

Again, there is the issue of whether a physician can be available to authorize referrals or respond to requests from specialists. The covering groups are also used for these situations. Again, there are multiple piles of slips of paper. Again, there is no ready way to know where these piles are located or which ones among them are
25 time-critical. Again, there is no ready way to know the location of patient medical files needed for these requests, any of the covering physicians may have them. Again, the situation leads to a great deal of waste and confusion. What is needed is an efficient referral review and authorization procedure accessible by every member of the covering group, presenting a prioritized list of pending referral requests and
30 supporting authorization.

A related situation involves lab results. As before, a form is filled out. The issue of whether the test is covered by insurance must be addressed before the test is performed, usually by an administrator approving the request. The medical lab receives the approved request form, often this is hand carried by the patient. The 5 lab then takes the required samples, often sending these medical samples to a regional lab where the actual results are generated. Once the results are back, the lab distributes them to the requesting physicians. If something is significantly deviant, a physician may well need to make a timely judgement call to safeguard the patient's health. Even though the people carrying out this process are dedicated, 10 the process itself is cumbersome, often requiring people to physically process and transport lots of pieces of paper to achieve a result in a timely and reliable fashion. What is needed is an efficient referral procedure automating the communication, the redundant human entry and the compliance confirmation of the various steps in this process.

15 Again, there is the issue of whether a physician can be available to authorize and review lab tests. The covering groups are also used for these situations. Again, there are multiple piles of slips of paper. Again, there is no ready way to know where these piles are located or which ones among them are time-critical. Again, there is no ready way to know the location of patient medical files needed for these 20 requests and reviews, any of the covering physicians may have them. Again, the situation leads to a great deal of waste and confusion. The problem of an untimely lab result review can jeopardize a patient's health, perhaps even be life-threatening. What is needed is an efficient laboratory test review and authorization procedure accessible by every member of the covering group, presenting a prioritized list of 25 pending laboratory test reviews and requests, and supporting authorization with automated insurance compliance.

While certain inventions have been patented which aid in creating prescriptions (see U.S. patent 5,737,539 and U.S. patent 5,845,255), these inventions do not address covering group authorization, management nor refills. They also do not support 30 batch authorization of prescriptions. Prescriptions are treated as essentially isolated events in what is often very much a covering group environment. These vital

activities are left to the clumsy, paper intensive approaches of the past, which waste so much time and money for everyone involved.

To summarize, there is a strong and consistent need for an optimized process of communication, compliance review, decision-making, and progress monitoring for both the individual physician, specialist, the covering group they belong to, medical administration, pharmacies and labs regarding prescription refills, physician referrals and lab tests. The results of satisfying these needs will be lower health care costs and improved health care quality for patients. The results of satisfying these needs will further reduce waste for the managed care systems, physicians, pharmacists, medical labs, and their offices. The results of satisfying these needs will further increase the revenue of many physicians who are currently inundated with paperwork, which gets in the way of their practice and their income.

Summary of the invention

Certain embodiments include a method for a first covering group member belonging to a covering group using a request list containing a request list component for each of the covering group members. The covering group containing at least two covering group members. Each of the request list components further contains a request summary collection containing at least a past-due request summary and an immediately-due request summary.

The method includes the user performing the following. Selecting a second of the covering group members belonging to the covering group. Selecting a first of the summaries of the request summary collection contained in the request list component for the second covering group member. Perceiving a request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising a requestor name, a requested item and a request response list containing at least two request responses.

Such embodiments advantageously support one member of the covering group viewing the prioritized request summaries of other covering group members, or themselves. Such embodiments further advantageously support one member

viewing request detail reports of a selected request summary of other group covering members, or themselves.

Certain embodiments include a method of operating a computer system by a first covering group member belonging to a covering group interacting with a request list.

- 5 The method includes the user performing the following. Selecting a second of the covering group members belonging to the covering group. Selecting a first of the summaries of the request summary collection contained in the request list component for the second covering group member. Perceiving a request detail report for the first summary of the request summary collection contained in the
- 10 request list component for the second covering group member containing at least one request report comprising a requestor name, a requested item and a request response list containing at least two request responses.

Such embodiments advantageously support one member of the covering group viewing the prioritized request summaries of other covering group members, or themselves. Such embodiments further advantageously support one member viewing request detail reports of a selected request summary of other group covering members, or themselves.

Certain embodiments include selecting a first of the request responses of the request detail report for the first summary of the first summary component to create a preliminary request response of the first summary of the first summary component. Such embodiments advantageously support selection of request responses in a user efficient fashion.

Certain embodiments include selecting to send at least one of the preliminary request responses. Such embodiments advantageously support authorization through communication by sending at least one of the preliminary request responses.

Certain further embodiments include selecting to send at least one of the preliminary request responses comprising selecting to send at least all of the preliminary request responses of the first summary component. Such embodiments

advantageously support authorization through communication by sending at least all of the preliminary request responses of one of the summary components.

Certain further embodiments include selecting to send at least one of the preliminary request responses comprising selecting to send at least all of the preliminary request responses. Such embodiments advantageously support authorization through sending all of the preliminary request responses at one time.

Certain embodiments include the requested item being a prescription and the request summary collection further containing a future-due request summary. Such embodiments advantageously support prescription request processing.

10 Certain further embodiments include selecting the first request response of the request detail report for the first summary of the first summary component to create the preliminary request response of the first summary of the first summary component comprised of selecting to create a view of medication history response. Such embodiments support selective viewing of a patient's medication history
15 response.

Certain further embodiments include selecting the first request response of the request detail report for the first summary of the first summary component to create the preliminary request response of the first summary of the first summary component further comprised of selecting to create a view of appointment history
20 response. Such embodiments support selective viewing of a patient's appointment history response.

Certain further embodiments include selecting the first request response of the request detail report for the first summary of the first summary component to create the preliminary request response of the first summary of the first summary
25 component further comprised of selecting to create a change prescription response. Such embodiments advantageously support changing a prescription in response to a prescription refill request.

Certain further embodiments include selecting the first request response of the request detail report for the first summary of the first summary component to create
30 the preliminary request response of the first summary of the first summary

component comprised of selecting to create a hold prescription response. Such embodiments advantageously support communicating that a physician has issued a hold on the prescription request. This informs the pharmacy that it has been noted and to expect response soon.

5 Certain further embodiments include selecting the first request response of the request detail report for the first summary of the first summary component to create the preliminary request response of the first summary of the first summary component further comprised of selecting to create a view pharmacy message response. Such embodiments advantageously support pharmacy feedback to the
10 prescribing physician or their covering group member. Further, this directly and efficiently supports the pharmacy passing on the comments and requests of the patient or the patient's insurer.

15 Certain further embodiments include selecting the first request response of the request detail report for the first summary of the first summary component to create the preliminary request response of the first summary of the first summary component selecting to create a forward to primary care provider response. Such embodiments advantageously support forwarding a request response to the primary care provider.

20 Certain further embodiments include selecting the first request response of the request detail report for the first summary of the first summary component to create the preliminary request response of the first summary of the first summary component further comprised of selecting to create a fill prescription response. Such embodiments advantageously support authorization of a prescription refill request.

25 Certain further embodiments include selecting to create the fill prescription response further comprised of selecting to fill the prescription response in terms of units. Such embodiments advantageously support refilling the prescription in terms of units.

30 Certain further embodiments include selecting to fill the prescription response in terms of units comprised of selecting to fill the prescription response in terms of one unit of the prescription. Such embodiments advantageously support single unit refills.

Certain further embodiments include selecting to fill the prescription response in terms of units comprised of selecting to fill the prescription response in terms of at least two units of the prescription. Such embodiments advantageously support multiple unit refills.

- 5 Certain embodiments include selecting to create the fill prescription response comprised of selecting to fill the fill prescription response in terms of time duration. Such embodiments advantageously support refill authorizations extending over a duration of time.

10 Certain further embodiments include selecting to create a new prescription. Such embodiments advantageously support incorporation of new prescriptions into the covering group monitoring system.

15 Certain further embodiments include selecting to create the new prescription comprised of the following. Selecting a patient identifier associated with the new prescription to create a patient with the new prescription. Selecting a medication associated with the new prescription to create a medication with the new prescription. Selecting a dosage associated with the new prescription to create a dosage with the new prescription. Selecting a prescription unit number associated with the new prescription to create a number of units with the new prescription. Selecting a prescription direction associated with the new prescription to create a direction with the new prescription. Selecting a pharmacy for filling the prescription to create a filling pharmacy for the new prescription. And authorizing the new prescription, with the patient identifier, with the medication, with the dosage, with the number of units, with the direction at the filling pharmacy. Such embodiments advantageously support physician-efficient prescription creations within the covering 20 group monitor.

25

30 Certain further embodiments include selecting the patient identifier associated with the new prescription to create the patient with the new prescription comprised of the following. Perceiving a patient identifier list containing at least one patient identifier. Selecting a first of the patient identifiers of the patient identifier list to create the patient with the new prescription. Such embodiments advantageously support perception of a patient identifier list and selecting a patient identifier from that

perceived list. This minimizes the paper shuffling and potential for inaccurate typing the patient identifier.

Certain further embodiments include selecting the medication associated with the new prescription to create the medication with the new prescription comprised of the following. Perceiving a medication list containing at least two medications. Selecting a first of the medications of the medication list to create the medication with the new prescription. Such embodiments advantageously support perceiving a medication list and selecting a medication from that medication list. Such embodiments may further provide information upon FORMULARY compliance and insurer coverage.

- 10 Certain further embodiments include selecting the dosage associated with the new prescription to create the dosage with the new prescription comprised of the following. Perceiving a dosage list containing at least one dosage. Selecting a first of the dosages of the dosage list to create the dosage with the new prescription. Such embodiments advantageously support a dosage list and selecting a dosage
15 from the dosage list.

Certain further embodiments include selecting a prescription unit number associated with the new prescription to create a number of units with the new prescription comprised of the following. Perceiving a number of units list containing at least one number of units. Selecting a first of the number of units of the number of units list to create the number of units with the new prescription. Such embodiments advantageously support perceiving a numbers of units list and selecting from that list.

20 Certain further embodiments include selecting a prescription direction associated with the new prescription to create a direction with the new prescription comprised of the following. Perceiving a direction list containing at least one direction. Selecting a first of the directions of the direction list to create the direction with the new prescription. Such embodiments advantageously support perceiving standard directions for a medication for various conditions and selecting directions in keeping with the medication and patient's condition.

- 25 30 Certain further embodiments include selecting a pharmacy for filling the prescription to create a filling pharmacy for the new prescription comprised of the following.

Perceiving a pharmacy list containing at least one pharmacy. Selecting a first of the pharmacies of the pharmacy list to create the pharmacy with the new prescription. Such embodiments advantageously support perceiving the pharmacy list and selecting a pharmacy from that list.

5 Certain further embodiments include the pharmacy list being annotated with patient pharmacy preferences and history. Such embodiments advantageously support optimizing the patient's time in picking up prescriptions.

10 Certain further embodiments include authorizing the new prescription with the patient identifier, medication, dosage, number of units, and direction at the filling 15 pharmacy comprised of sending the new prescription with the patient identifier, medication, dosage, number of units and direction to the filling pharmacy. Such embodiments advantageously support authorizing communicating the prescription to the pharmacy.

15 Certain further embodiments include authorizing the new prescription with the patient identifier, medication, dosage, number of units, direction at the filling 20 pharmacy is comprised of sending the new prescription with the patient identifier, medication, dosage, number of units, direction at the filling pharmacy to a physician. Such embodiments advantageously support authorization including sending the prescription request to another physician for authorization. This is particularly beneficial in situations where a consulting physician wishes a patient's primary care provider to review the prescription before authorizing the pharmacy to fill the 25 prescription.

Certain further embodiments include where the requested item is a referral and the request summary collection further contains a referral result summary. Such 25 embodiments advantageously support covering group monitoring of referrals. Such embodiments also advantageously support the covering group monitoring of referral results, thus improving the quality of health care in such covering group environments.

30 Certain further embodiments include where the requested item is a laboratory test and the request summary collection further contains a test result summary. Such embodiments advantageously support covering group monitoring of laboratory test

requests. Such embodiments also advantageously support the covering group monitoring of laboratory test results, thus improving the quality of health care in such covering group environments.

Certain further embodiments include selecting the first request responses of the request detail report for the first summary of the first summary component to create a preliminary request response of the first summary of the first summary component which is comprised of at least one of the following. Acoustically selecting the first request responses of the request detail report for the first summary of the first summary component to create a preliminary request response of the first summary of the first summary component. Visually selecting the first request responses of the request detail report for the first summary of the first summary component to create a preliminary request response of the first summary of the first summary component.

Such embodiments advantageously support both acoustic and visual selection of request responses. As used herein, a visual response includes but is not limited to tactile stimulus of a visual surface, such as a touch pad or transparent touch screen and the use of a pointing device such as a mouse or pen type device.

Certain further embodiments include perceiving the request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member comprised of the following. Hearing the request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising the requestor name, the requested item, the request response list containing at least two request responses. Seeing the request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising the requestor name, the requested item, the request response list containing at least two request responses.

Such embodiments advantageously support both hearing and/or seeing the request detail report. Such embodiments additionally support the physician or medical practitioner when their eyes are committed to some task, such as driving a car.

While they cannot reasonably or ethically take their eyes off the traffic, they do have the time to hear a request detail report.

These and other advantages of the present invention will become apparent upon reading the following detailed descriptions and studying the various figures of the drawings.

Brief Description of the Drawings

Figure 1 depicts a viewing region including a group monitor for prescriptions for a covering group, in accordance with certain embodiments;

Figure 2 depicts a viewing region including a group monitor for prescriptions and referrals for a covering group, in accordance with certain embodiments;

Figure 3 depicts a viewing region including a group monitor for prescriptions and referrals for a covering group, in accordance with certain embodiments;

Figure 4 depicts a usage flowchart performing a method for the first covering group member belonging to the covering group using the request list contains the request list component for each covering group member, in accordance with using certain usage embodiments;

Figure 5A depicts a detail flowchart of user operation 2000 of Figure 4 further performing a method for the first covering group member belonging to the covering group using the request list containing the request list component for each covering group member, in accordance with certain embodiments;

Figure 5B depicts a detail flowchart of user operation 2000 of Figure 4 further performing a method for the first covering group member belonging to the covering group using the request list containing the request list component for each covering group member in accordance with certain embodiments;

Figure 5C depicts a detail flowchart of user operation 2052 of Figure 5B performing selecting to send at least all of the preliminary request responses of the first summary component in accordance with certain embodiments;

Figure 6A depicts a detail flowchart of user operation 2052 of Figure 5B performing selecting to send at least all of the preliminary request responses in accordance with certain embodiments;

5 Figure 6B depicts a detail flowchart of user operation 2032 of Figure 5A performing selecting to create a view of medication history response in accordance with certain embodiments;

Figure 6C depicts a detail flowchart of user operation 2032 of Figure 5A performing selecting to create a view of appointment history response in accordance with certain embodiments;

10 Figure 7A depicts a detail flowchart of user operation 2032 of Figure 5A performing selecting to create a change prescription response in accordance with certain embodiments;

15 Figure 7B depicts a detail flowchart of user operation 2032 of Figure 5A performing selecting to create a hold prescription response in accordance with certain embodiments;

Figure 7C depicts a detail flowchart of user operation 2032 of Figure 5A performing selecting to create a view pharmacy message response in accordance with certain embodiments;

20 Figure 8A depicts a detail flowchart of user operation 2032 of Figure 5A performing selecting to create a forward to primary care provider response in accordance with certain embodiments;

Figure 8B depicts a detail flowchart of user operation 2032 of Figure 5A performing selecting to create a fill prescription response in accordance with certain embodiments;

25 Figure 8C depicts a detail flowchart of user operation 2232 of Figure 8B performing selecting to fill the prescription response in terms of units in accordance with certain embodiments;

Figure 9A depicts a detail flowchart of user operation 2252 of Figure 8C performing selecting to fill the prescription response in terms of one unit of the prescription in accordance with certain embodiments;

5 Figure 9B depicts a detail flowchart of user operation 2252 of Figure 8C performing selecting to fill the prescription response in terms of at least two units of the prescription in accordance with certain embodiments;

Figure 10A depicts a detail flowchart of user operation 2232 of Figure 8B performing selecting to fill the fill prescription response in terms of time duration in accordance with certain embodiments;

10 Figure 10B depicts a detail flowchart of user operation 2000 of Figure 4 further performing a method for the first covering group member belonging to the covering group of using the request list containing the request list component for each covering group member in accordance with certain embodiments, in accordance with certain embodiments;

15 Figure 11 depicts a detail flowchart of user operation 2332 of Figure 10B further performing selecting to create the new prescription in accordance with certain embodiments;

20 Figure 12A depicts a detail flowchart of user operation 2352 of Figure 11 performing selecting a patient identifier associated with the new prescription to create a patient with the new prescription in accordance with certain embodiments;

Figure 12B depicts a detail flowchart of user operation 2362 of Figure 11 performing selecting the medication associated with the new prescription to create the medication with the new prescription in accordance with certain embodiments;

25 Figure 13A depicts a detail flowchart of user operation 2372 of Figure 11 performing selecting the dosage associated with the new prescription to create the dosage with the new prescription in accordance with certain embodiments;

Figure 13B depicts a detail flowchart of user operation 2362 of Figure 11 performing selecting a prescription unit number associated with the new prescription to create a number of units with the new prescription in accordance with certain embodiments;

Figure 14A depicts a detail flowchart of user operation 2392 of Figure 14A performing selecting a prescription direction associated with the new prescription to create a direction with the new prescription in accordance with certain embodiments;

- 5 Figure 14B depicts a detail flowchart of user operation 2402 of Figure 11 performing selecting a pharmacy for filling the prescription to create a filling pharmacy for the new prescription in accordance with certain embodiments;

Figure 15A depicts a detail flowchart of user operation 2412 of Figure 11 performing sending the new prescription with the patient identifier, with the medication, with the dosage, the number of units and with the direction to the filling pharmacy in accordance with certain embodiments;

10 Figure 15B depicts a detail flowchart of user operation 2412 of Figure 11 performing sending the new prescription with the patient identifier, with the medication, with the dosage, with the number of units and with the direction at the filling pharmacy to a physician in accordance with certain embodiments;

15 Figure 16 depicts a system block diagram for a computing system supporting the first covering group member interacting with a request list containing a request list component for each of the covering group members of the covering group;

Figure 17 depicts a viewing region component supporting changing a prescription, 20 in accordance with certain embodiments;

Figure 18 depicts a viewing region component supporting viewing a patient medical history, in accordance with certain embodiments;

Figure 19 depicts a viewing region component supporting viewing a patient appointment history, in accordance with certain embodiments;

25 Figure 20 depicts a viewing region component supporting starting a new prescription, in accordance with certain embodiments;

Figure 21 depicts a viewing region component supporting creating a new prescription by selecting a patient, in accordance with certain embodiments;

Figure 22 depicts a viewing region component supporting creating a new prescription showing the selected patient, in accordance with certain embodiments;

Figure 23 depicts a viewing region component supporting creating a new prescription by selecting a pharmacy, in accordance with certain embodiments;

- 5 Figure 24 depicts a viewing region component supporting creating a new prescription showing the selected patient and the selected pharmacy, in accordance with certain embodiments;

Figure 25 depicts a viewing region component supporting creating a new prescription by selecting a medication, in accordance with certain embodiments;

- 10 Figure 26 depicts a viewing region component supporting creating a new prescription showing the selected patient, the selected pharmacy and selected medication, in accordance with certain embodiments;

Figure 27 depicts a viewing region component supporting creating a new

prescription showing the selected patient, the selected pharmacy and selected

- 15 medication, with directions and number of units, ready for authorization, in accordance with certain embodiments;

Figure 28 depicts a viewing region component supporting creating a prior authorization request form for FORMULARY override for a new prescription, in accordance with certain embodiments;

- 20 Figure 29 depicts a viewing region component supporting a prescription InBox Monitor of prescribing practitioners for use in health management and pharmacies, in accordance with certain embodiments;

Figure 30 depicts a viewing region component supporting a pharmacy prescription lookup, in accordance with certain embodiments;

- 25 Figure 31 depicts a viewing region component supporting a pharmacy prescription lookup response, in accordance with certain embodiments;

Figure 32 depicts a viewing region component including a group monitor for prescriptions and referrals for a covering group with a New Referral link, in accordance with certain embodiments;

5 Figure 33 depicts a viewing region component supporting selecting the patient for the new referral, in accordance with certain embodiments;

Figure 34 depicts a viewing region component supporting selecting the department-referral type of the new referral for the selected patient, in accordance with certain embodiments;

10 Figure 35 depicts a viewing region component supporting pre-requisite check-off given the department-referral type of the new referral for the selected patient, in accordance with certain embodiments;

Figure 36 depicts a viewing region component supporting a consultant approval queue for referral requests, in accordance with certain embodiments;

15 Figure 37 depicts a viewing region component supporting a referral request form with pre-requisite check-off given the department-referral type of the new referral for the selected patient, in accordance with certain embodiments;

Figure 38 depicts a viewing region component supporting an appointment center queue for referral requests, in accordance with certain embodiments;

20 Figure 39 depicts a viewing region component supporting an appointment request from a consulting medical practitioner with the department-referral type of the new referral for the selected patient, in accordance with certain embodiments;

Figure 40 depicts a viewing region component supporting a consultant approval queue for referral requests, in accordance with certain embodiments;

25 Figure 41 depicts a viewing region component supporting a referral pending appointment with consulting medical practitioner form, showing the department-referral type, prerequisite check-off list of the referral for the selected patient, in accordance with certain embodiments;

Figure 42 depicts a viewing region component supporting a referral inbox based upon a referral group monitor, in accordance with certain embodiments;

5 Figure 43 depicts a viewing region component supporting a consultant encounter report with the department-referral type for the selected patient, and the results of the encounter, in accordance with certain embodiments;

Figure 44 depicts a viewing region component supporting a referral results summary based upon a referral group monitor, in accordance with certain embodiments;

Figure 45 depicts a viewing region component supporting referral lookup, in accordance with certain embodiments;

10 Figure 46 depicts a viewing region component supporting viewing a patient referral history, in accordance with certain embodiments;

Figure 47 depicts a viewing region component supporting viewing a consultant encounter report referenced by a selecting a link of the patient referral history of Figure 46, in accordance with certain embodiments;

15 Figure 48 depicts a viewing region component supporting a referral volume report generator, in accordance with certain embodiments;

Figure 49 depicts a viewing region component supporting a referral volume report resulting from the parameterization of the referral volume report generator associated with Figure 48, in accordance with certain embodiments;

20 Figure 50 depicts a viewing region component supporting a referral time lapse report generator, in accordance with certain embodiments;

Figure 51 depicts a viewing region component supporting a referral time lapse report resulting from the parameterization of the referral time lapse report generator associated with Figure 50, in accordance with certain embodiments;

25 Figure 52 depicts a viewing region component supporting a referral time lapse report detail resulting from the selecting an underlined entry in the table of Figure 51, in accordance with certain embodiments;

Figure 53 depicts a viewing region component supporting a referral pending appointment with consultant form, in accordance with certain embodiments;

Figure 54 depicts a viewing region component supporting a referral report selector, in accordance with certain embodiments;

5 Figure 55 depicts a viewing region component supporting a referral report on OBG consultations by medical indication selected from the referral report selector of Figure 54, in accordance with certain embodiments;

10 Figure 56 depicts a viewing region component supporting a referral report on OBG consultations by length of wait for consultation selected from the referral report selector of Figure 54, in accordance with certain embodiments;

Figure 57 depicts a viewing region component supporting a referral report on the number of referrals by medical practitioner/department selected from the referral report selector of Figure 54, in accordance with certain embodiments;

15 Figure 58A depicts a detail flowchart of user operation 2032 of Figure 5A further performing selecting the first request responses of the request detail report for the first summary of the first summary component to create a preliminary request response of the first summary of the first summary component in accordance with certain embodiments; and

20 Figure 58B depicts a detail flowchart of user operation 2012 of Figure 4 performing perceiving the request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising the requestor name, the requested item, the request response list containing at least two request responses in accordance with certain embodiments.

25 Detailed Description of the Invention

As used herein a computer system comprises at least one computer accessibly coupled to a computer memory. In certain embodiments, a computer system comprises at least two computers, each with separate accessibly coupled computer

memories. In certain embodiments, a computer system comprises at least two computers, each sharing an accessibly coupled computer memory.

As used herein, accessibly coupled computer memory includes at least a non-volatile memory. The non-volatile memory may be comprised of more than one non-volatile memory component. Access to a non-volatile memory component may be further organized about a file management system. Accessibly coupled memory may further include a volatile memory. Volatile memory may be comprised of more than one volatile memory component. Volatile memory components may include but are not limited to static RAM and various forms of Dynamic RAM. Access to a volatile memory component may be further organized as a cache memory interface to an often larger and slower memory component, which may be either volatile or non-volatile. The cache memory interface may be further multi-leveled, where successive levels of the cache memory incorporate a slower memory transfer rate to (an often) larger amount of memory.

As used herein, computer refers to an instruction-processing computer, an inference engine or an analog computer. An instruction-processing computer as used herein refers to either a Single Instruction Single Datapath (SISD) computer, Single Instruction Multiple Datapath (SIMD) computer, Multiple Instruction Single Datapath (MISD) computer, or a Multiple Instruction Multiple Datapath (MIMD) computer.

Examples of SISD computers include microprocessors. Microprocessors as used herein, include but are not limited to super-scalar microprocessors, which concurrently execute components of several successive instructions of a single instruction stream involving a single datapath. Instruction processing mechanisms include but are not limited to native code execution mechanisms such as found in a 80x086 microprocessor, byte code interpreters such as JAVA and MPEG 4 use, threaded execution structures such as FORTH and Postscript use, or combinations of the above.

As used herein, inference engines operate upon a fact based and an inference rule collection. Execution of inference engines may be based upon unification processes, constraint satisfaction mechanisms and neural network threshold-stimuli mechanisms. Instructions as used herein for such inference engines would include the facts and inference rules presented to the inference engine.

As used herein, the term computer will further refer to information access, communication and analysis tools employing at least one computer in their internal operations. Such computers include but are not limited to desk top computers, portable, notebook and handheld computers, personal digital assistants and telephones with built-in messaging and/or browsing capabilities. Note that telephones may be either wireline or wireless.

Web browsers are software tools that have been in widespread use since the early 1990's. Most popular tools of this kind, including Microsoft's Internet Explorer™ and Netscape's Navigator™, support what is known as plug-ins. These plug-ins provide the ability to significantly extend the software linked to the browser, often providing additional file format capabilities (JPEG, MPEG and MP3 readers-players, for example).

Most popular tools of this kind also include the ability to execute a variety of interpreted computer languages include HTML (Hyper Text Markup Language) and JAVA™. Further note that JAVA possesses a complete windowing object class, so that entire applications could be written in JAVA and run on essentially any computer supporting a web browser with a JAVA execution engine.

Based upon these observations, embodiments assume operating platforms including but not limited to browsers, meaning a software tool executing on at least a user operated computer supporting plug-ins and the execution of languages such as JAVA. Certain embodiments will further use a browser capable of communication with other computers.

As used herein a thin client application is an embodiment assuming operating platforms such as a browser, meaning a software tool executing on at least a user operated computer supporting plug-ins and the execution of languages such as JAVA. It may further utilize communication with other computers in performing the tasks involving the relevant embodiments.

As used herein networks include but are not limited communicative couplings of computers employing wireline and/or wireless physical transport layers. In certain further embodiments, communications between computers communicatively coupled to a network may further employ a messaging protocol. In certain further

embodiments, network communications between computers communicatively coupled employ a messaging protocol compatible with TCP-IP. In certain further embodiments, network communications between computers communicatively coupled employ messaging protocols compatible with Internet.

- 5 Certain embodiments include a method for a first covering group member belonging to a covering group using a request list containing a request list component for each of the covering group members. The covering group contains at least two covering group members. Each of the request list components further contains a request summary collection containing at least a past-due request summary and a
10 immediately-due request summary.

Figure 1 depicts a viewing region including a group monitor for prescriptions for a covering group, in accordance with certain embodiments.

- Region **1000** includes a designation of the covering group being viewed. The column header **1002** is "InBox For", which indicates that for each successive row, this column entry will identify the medical practitioner responsible for that row's request summary. The column header **1004** is "Immediates", which indicates that for each successive row, this column entry will identify number of prescription requests for that row's request summary which are due currently. The column header **1006** is "Days Late", which indicates that for each successive row, this column entry will identify the number of days past due of the oldest prescription request in the Immediate request queue for that row's request summary. The column header **1008** is "Futures", which indicates that for each successive row, this column entry will identify the number of request responses not yet due for that row's request summary, known as futures.
20

- 25 The line starting with "Smith, William" **1010** in the "InBox For" column designates that this request summary line is for William Smith. The bolding of the lettering indicates that the result summary list for William Smith has been selected. The number "5" further labeled **1012** indicates that there are 5 request responses currently due for William Smith. The number "2" further labeled **1014** indicates that
30 there are 2 request responses past due for William Smith. The number "51" further

labeled **1016** indicates that there are 51 request responses due in the future for William Smith.

- The line starting with "Doctor, Joe" **1020** in the "InBox For" column designates that this request summary line is for Joe Doctor. The line starting with "Surgeon, Frank" **1022** in the "InBox For" column designates that this request summary line is for Frank Surgeon. The line starting with "OBG, Louis" **1024** in the "InBox For" column designates that this request summary line is for Louis OBG. The line starting with "Welby, John" **1026** in the "InBox For" column designates that this request summary line is for John Welby.
- 5 Note that the user has selected the first line of the request summary table, referring to William Smith. By selecting the "Immediates" heading, the region **1030** displays "Rx InBox for: Smith, William W (Immediates)". The request details which follow below region **1030** are from the immediately pending, or currently due, response requests.
- 10 The first response request is for "PATIENT, SUSIE K.", labeled **1040**, whose primary care provider is Smith, labeled **1042**. The medication is "CIPRO 500 MCG TABLET" labeled **1044**, with a prescribed quantity of 10 units labeled **1046**. The directions **1048** are "TAKE 1 TABLET 2 TIMES A DAY FOR 5 DAYS". The prescription was filled "2/11/99", labeled **1050**. Label **1052** indicates a link to change and/or examine the details of the prescription. Label **1054** indicates that this response request was forwarded from "YUN, SMITH MD RESIDENT OF FAMILY PRACTICE". Label **1058** indicates a pull-down menu to select a request response from a response list.
- 15 The second response request is for "PERSON, MARK S", labeled **1060**, whose primary care provider is Smith, labeled **1062**. The medication is "BECLOVENT INHALER" labeled **1064**, with a prescribed quantity of 16.8 units labeled **1066**. The directions **1068** are "INHALE 2 PUFFS 2 TIMES DAILY, RINSE MOUTH AFTER USE (GENERIC FOR VANCERIL)". The prescription was filled "2/13/99", labeled **1070**. Label **1072** indicates a link to change and/or examine the details of the prescription.
- 20
- 25
- 30

Link **1080** indicates how to select creating a new prescription, in certain further embodiments.

In certain further embodiments, selecting a patient's name may act as a link to the patient's medical database. In certain further embodiments, selecting a medical practitioner's name may act as a link to the practitioner's email. In certain further embodiments, selecting a medication label may act as a link to the medication database.

Figure **2** depicts a viewing region including a group monitor for prescriptions and referrals for a covering group, in accordance with certain embodiments.

Region **1090** designates a prescription group monitor being viewed. The column header **1002** is "InBox For", which indicates that for each successive row, this column entry will identify the medical practitioner responsible for that row's request summary. The column header **1004** is "Immediates", which indicates that for each successive row, this column entry will identify number of prescription requests for that row's request summary which are due currently. The column header **1006** is "Days Late", which indicates that for each successive row, this column entry will identify the number of days past due of the oldest prescription request in the Immediate request queue for that row's request summary. The column header **1008** is "Futures", which indicates that for each successive row, this column entry will identify the number of request responses not yet due for that row's request summary, known as futures.

Region **1200** designates a referral group monitor being viewed. The column header **1202** is "Action Items", which indicates that for each successive row, this column entry will identify number of referral requests for that row's request summary which are due currently. The column header **1204** is "Days Late", which indicates that for each successive row, this column entry will identify the number of action item responses which are past due for that row's request summary. The column header **1206** is "Encounter Results", which indicates that for each successive row, this column entry will identify the number of encounter result reports available for review for that row's request summary.

The line starting with "Welby, John" **1100** in the "InBox For" column designates that this request summary line is for William Smith. The bolding of the lettering indicates that the result summary list for William Smith has been selected. The number "3" further labeled **1102** indicates that there are 3 request responses currently due for William Smith. The number "0" further labeled **1104** indicates that all immediate response requests are current for William Smith. The number "11" further labeled **1106** indicates that there are 11 request responses due in the future for John Welby. The number "3" further labeled **1108** indicates that there are 3 referral requests currently due for William Smith. The number "0" further labeled **1110** indicates that there are 0 request responses past due for William Smith. The number "2" further labeled **1112** indicates that there are 2 encounter reports ready for review by John Welby.

Item **1210** entitled "Create a New Referral" is a link to creating a new referral.

The first response request is for "PATIENT, KENNETH K.", labeled **1140**, whose primary care provider is WELBY, labeled **1142**. The medication is "DOXEAPHIN HCL CAP 10 MG" labeled **1144**, with a prescribed quantity of 60 units labeled **1146**. The directions **1148** are "TAKE 1 TABLET 2 TIMES A DAY". The prescription was filled "12/11/98", labeled **1050**. Label **1054** indicates that this response request was forwarded from "YUN, SMITH MD RESIDENT OF FAMILY PRACTICE".

10 Label **1052** indicates collection of responses which can be quickly made. The 1, 2, 3, 4 bubbles can be selected, which would indicate 1, 2, 3 or 4, respectively, refills were authorized. Selecting the bubbles associated with "1 yr" and "2 yr" indicate that refills were authorized for the respective time duration. Selecting the bubble next to "PCP" forwards the prescription refill request to the primary care provider.

15 Selecting the bubble next to "Hold" sends a Hold message to the pharmacy, indicating that there thought or review will be shortly given to this request before authorization. Selecting the "Med" opens the patient's medication history. Selecting the "Appt." opens the patient's appointment history. Selecting the "Chg Rx" opens the window for changing the prescription.

20 Figure **3** depicts a viewing region including a group monitor for prescriptions and referrals for a covering group, in accordance with certain embodiments.

Region **1090** designates a prescription group monitor being viewed. The column header **1002** is "InBox For", which indicates that for each successive row, this column entry will identify the medical practitioner responsible for that row's request summary. The column header **1004** is "Immediates", which indicates that for each successive row, this column entry will identify number of prescription requests for that row's request summary which are due currently. The column header **1006** is "Days Late", which indicates that for each successive row, this column entry will identify the number of days past due of the oldest prescription request in the Immediate request queue for that row's request summary. The column header **1008** is "Futures", which indicates that for each successive row, this column entry will identify the number of request responses not yet due for that row's request summary, known as futures.

Region **1300** designates a lab test group monitor being viewed. The column header **1302** is "Action Items", which indicates that for each successive row, this column entry will identify number of referral requests for that row's request summary which are due currently. The column header **1304** is "Days Late", which indicates that for each successive row, this column entry will identify the number of days late the oldest action item is in the action item requests for that row's request summary. The column header **1306** is "Lab Results", which indicates that for each successive row, this column entry will identify the number of lab result reports available for review for that row's request summary.

The line starting with "Welby, John" **1100** in the "InBox For" column designates that this request summary line is for William Smith. The bolding of the lettering indicates that the result summary list for William Smith has been selected. The number "3" further labeled **1102** indicates that there are 3 request responses currently due for William Smith. The number "0" further labeled **1104** indicates that all immediate response requests are current for William Smith. The number "11" further labeled **1106** indicates that there are 11 request responses due in the future for John Welby.

The number "3" further labeled **1310** indicates that there are 3 lab test requests currently due for William Smith. The number "0" further labeled **1312** indicates that

all action items are current for William Smith. The number "2" further labeled **1112** indicates that there are 2 lab reports ready for review by John Welby.

Figure 4 depicts a usage flowchart performing a method for the first covering group member belonging to the covering group using the request list contains the request list component for each covering group member, in accordance with using certain usage embodiments.
5

User operation **2000** starts the usage of this flowchart. Arrow **2002** directs the usage flow from user operation **2000** to user operation **2004**. User operation **2004** performs selecting a second of the covering group members belonging to the
10 covering group. Arrow **2006** directs usage from user operation **2004** to user operation **2008**. User operation **2008** performs selecting a first of the summaries of the request summary collection contained in the request list component for the second covering group member. Arrow **2010** directs usage from user operation **2008** to user operation **2012**. User operation **2012** performs perceiving a request
15 detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising a requestor name, a requested item, a request response list containing at least two request responses. Arrow **2014** directs usage from user operation **2012** to user operation **2016**. User operation **2016** terminates
20 the usage of this flowchart.

Certain embodiments include a method of operating a computer system by a first covering group member belonging to a covering group interacting with a request list.

Figure 4 also depicts a flowchart performing a method of operating a computer system by a first covering group member belonging to a covering group interacting
25 with a request list in accordance with certain operational embodiments.

Figure 5A depicts a detail flowchart of user operation **2000** of Figure 4 further performing a method for the first covering group member belonging to the covering group using the request list containing the request list component for each covering group member, in accordance with certain embodiments.

Arrow 2030 directs the usage flow from starting user operation 2000 to user operation 2032. User operation 2032 performs selecting a first of the request responses of the request detail report for the first summary of the first summary component to create a preliminary request response of the first summary of the first summary component. Arrow 2034 directs usage from user operation 2032 to user operation 2036. User operation 2036 terminates the usage of this flowchart.

Figure 5A also depicts a detail flowchart of operation 2000 of Figure 4 further performing a method of operating a computer system by a first covering group member belonging to a covering group interacting with a request list in accordance with certain operational embodiments.

Figure 5B depicts a detail flowchart of user operation 2000 of Figure 4 further performing a method for the first covering group member belonging to the covering group using the request list containing the request list component for each covering group member in accordance with certain embodiments.

Arrow 2050 directs the usage flow from starting user operation 2000 to user operation 2052. User operation 2052 performs selecting to send at least one of the preliminary request responses. Arrow 2054 directs usage from user operation 2052 to user operation 2056. User operation 2056 terminates the usage of this flowchart.

Figure 5B also depicts a detail flowchart of operation 2000 of Figure 4 further performing a method of operating a computer system by a first covering group member belonging to a covering group interacting with a request list in accordance with certain operational embodiments.

Figure 5C depicts a detail flowchart of user operation 2052 of Figure 5B performing selecting to send at least all of the preliminary request responses of the first summary component in accordance with certain embodiments.

Arrow 2070 directs the usage flow from starting user operation 2052 to user operation 2072. User operation 2072 performs selecting to send at least all of the preliminary request responses of the first summary component. Arrow 2074 directs usage from user operation 2072 to user operation 2076. User operation 2076 terminates the usage of this flowchart.

Figure 5C also depicts a detail flowchart of operation 2052 of Figure 5B performing selecting to send at least all of the preliminary request responses of the first summary component in accordance with certain operational embodiments.

Figure 6A depicts a detail flowchart of user operation 2052 of Figure 5B performing
5 selecting to send at least all of the preliminary request responses in accordance with certain embodiments.

Arrow 2090 directs the usage flow from starting user operation 2052 to user operation 2092. User operation 2092 performs selecting to send at least all of the preliminary request responses. Arrow 2094 directs usage from user operation 2092
10 to user operation 2096. User operation 2096 terminates the usage of this flowchart.

Figure 6A also depicts a detail flowchart of operation 2052 of Figure 5B performing selecting to send at least all of the preliminary request responses in accordance with certain operational embodiments.

Figure 6B depicts a detail flowchart of user operation 2032 of Figure 5A performing
15 selecting to create a view of medication history response in accordance with certain embodiments.

Arrow 2110 directs the usage flow from starting user operation 2032 to user operation 2112. User operation 2112 performs selecting to create a view of medication history response. Arrow 2114 directs usage from user operation 2112 to
20 user operation 2116. User operation 2116 terminates the usage of this flowchart.

Figure 6B also depicts a detail flowchart of operation 2032 of Figure 5A performing selecting to create a view of medication history response in accordance with certain operational embodiments.

Figure 6C depicts a detail flowchart of user operation 2032 of Figure 5A performing
25 selecting to create a view of appointment history response in accordance with certain embodiments.

Arrow 2130 directs the usage flow from starting user operation 2032 to user operation 2132. User operation 2132 performs selecting to create a view of

appointment history response. Arrow **2134** directs usage from user operation **2132** to user operation **2136**. User operation **2136** terminates the usage of this flowchart.

Figure **6C** also depicts a detail flowchart of operation **2032** of Figure **5A** performing selecting to create a view of appointment history response in accordance with certain operational embodiments.
5

Figure **7A** depicts a detail flowchart of user operation **2032** of Figure **5A** performing selecting to create a change prescription response in accordance with certain embodiments.

Arrow **2150** directs the usage flow from starting user operation **2032** to user operation **2152**. User operation **2152** performs selecting to create a change prescription response. Arrow **2154** directs usage from user operation **2152** to user operation **2156**. User operation **2156** terminates the usage of this flowchart.
10

Figure **7A** also depicts a detail flowchart of operation **2032** of Figure **5A** performing selecting to create a change prescription response in accordance with certain operational embodiments.
15

Figure **7B** depicts a detail flowchart of user operation **2032** of Figure **5A** performing selecting to create a hold prescription response in accordance with certain embodiments.

Arrow **2170** directs the usage flow from starting user operation **2032** to user operation **2172**. User operation **2172** performs selecting to create a hold prescription response. Arrow **2174** directs usage from user operation **2172** to user operation **2176**. User operation **2176** terminates the usage of this flowchart.
20

Figure **7B** also depicts a detail flowchart of operation **2032** of Figure **5A** performing selecting to create a hold prescription response in accordance with certain operational embodiments.
25

Figure **7C** depicts a detail flowchart of user operation **2032** of Figure **5A** performing selecting to create a view pharmacy message response in accordance with certain embodiments.

Arrow **2190** directs the usage flow from starting user operation **2032** to user operation **2192**. User operation **2192** performs selecting to create a view pharmacy message response. Arrow **2194** directs usage from user operation **2192** to user operation **2196**. User operation **2196** terminates the usage of this flowchart.

- 5 Figure **7C** also depicts a detail flowchart of operation **2032** of Figure **5A** performing selecting to create a view pharmacy message response in accordance with certain operational embodiments.

Figure **8A** depicts a detail flowchart of user operation **2032** of Figure **5A** performing selecting to create a forward to primary care provider response in accordance with
10 certain embodiments.

Arrow **2210** directs the usage flow from starting user operation **2032** to user operation **2212**. User operation **2212** performs selecting to create a forward to primary care provider response. Arrow **2214** directs usage from user operation **2212** to user operation **2216**. User operation **2216** terminates the usage of this
15 flowchart.

Figure **8A** also depicts a detail flowchart of operation **2032** of Figure **5A** performing selecting to create a forward to primary care provider response in accordance with certain operational embodiments.

Figure **8B** depicts a detail flowchart of user operation **2032** of Figure **5A** performing
20 selecting to create a fill prescription response in accordance with certain
 embodiments.

Arrow **2230** directs the usage flow from starting user operation **2032** to user operation **2232**. User operation **2232** performs selecting to create a fill prescription response. Arrow **2234** directs usage from user operation **2232** to user operation
25 **2236**. User operation **2236** terminates the usage of this flowchart.

Figure **8B** also depicts a detail flowchart of operation **2032** of Figure **5A** performing selecting to create a fill prescription response in accordance with certain operational
 embodiments.

Figure 8C depicts a detail flowchart of user operation 2232 of Figure 8B performing selecting to fill the prescription response in terms of units in accordance with certain embodiments.

Arrow 2250 directs the usage flow from starting user operation 2232 to user operation 2252. User operation 2252 performs selecting to fill the prescription response in terms of units. Arrow 2254 directs usage from user operation 2252 to user operation 2256. User operation 2256 terminates the usage of this flowchart.

Figure 8C also depicts a detail flowchart of operation 2232 of Figure 8B performing selecting to fill the prescription response in terms of units in accordance with certain operational embodiments.

Figure 9A depicts a detail flowchart of user operation 2252 of Figure 8C performing selecting to fill the prescription response in terms of one unit of the prescription in accordance with certain embodiments.

Arrow 2270 directs the usage flow from starting user operation 2252 to user operation 2272. User operation 2272 performs selecting to fill the prescription response in terms of one unit of the prescription. Arrow 2274 directs usage from user operation 2272 to user operation 2276. User operation 2276 terminates the usage of this flowchart.

Figure 9A also depicts a detail flowchart of operation 2252 of Figure 8C performing selecting to fill the prescription response in terms of one unit of the prescription in accordance with certain operational embodiments.

Figure 9B depicts a detail flowchart of user operation 2252 of Figure 8C performing selecting to fill the prescription response in terms of at least two units of the prescription in accordance with certain embodiments.

Arrow 2290 directs the usage flow from starting user operation 2252 to user operation 2292. User operation 2292 performs selecting to fill the prescription response in terms of at least two units of the prescription. Arrow 2294 directs usage from user operation 2292 to user operation 2296. User operation 2296 terminates the usage of this flowchart.

Figure 9B also depicts a detail flowchart of operation 2252 of Figure 8C performing selecting to fill the prescription response in terms of at least two units of the prescription in accordance with certain operational embodiments.

Figure 10A depicts a detail flowchart of user operation 2232 of Figure 8B 5 performing selecting to fill the fill prescription response in terms of time duration in accordance with certain embodiments.

Arrow 2310 directs the usage flow from starting user operation 2232 to user operation 2312. User operation 2312 performs selecting to fill the fill prescription response in terms of time duration. Arrow 2314 directs usage from user operation 10 2312 to user operation 2316. User operation 2316 terminates the usage of this flowchart.

Figure 10A also depicts a detail flowchart of operation 2232 of Figure 8B performing selecting to fill the fill prescription response in terms of time duration in accordance with certain operational embodiments.

15 Figure 10B depicts a detail flowchart of user operation 2000 of Figure 4 further performing a method for the first covering group member belonging to the covering group of using the request list containing the request list component for each covering group member in accordance with certain embodiments, in accordance with certain embodiments.

20 Arrow 2330 directs the usage flow from starting user operation 2000 to user operation 2332. User operation 2332 performs selecting to create a new prescription. Arrow 2334 directs usage from user operation 2332 to user operation 2336. User operation 2336 terminates the usage of this flowchart.

25 Figure 10B also depicts a detail flowchart of operation 2000 of Figure 4 performing a method of operating a computer system by a first covering group member belonging to a covering group interacting with a request list in accordance with certain operational embodiments.

Figure 11 depicts a detail flowchart of user operation 2332 of Figure 10B further 30 performing selecting to create the new prescription in accordance with certain embodiments.

Arrow **2350** directs the usage flow from starting user operation **2332** to user operation **2352**. User operation **2352** performs selecting a patient identifier associated with the new prescription to create a patient with the new prescription. Arrow **2354** directs usage from user operation **2352** to user operation **2356**. User operation **2356** terminates the usage of this flowchart.

5 Arrow **2360** directs the usage flow from user operation **2332** to user operation **2362**. User operation **2362** performs selecting a medication associated with the new prescription to create a medication with the new prescription. Arrow **2364** directs usage from user operation **2362** to user operation **10B**. User operation **10B** terminates the usage of this operational flowchart.

10 Arrow **2370** directs the usage flow from user operation **2332** to user operation **2372**. User operation **2372** performs selecting a dosage associated with the new prescription to create a dosage with the new prescription. Arrow **2374** directs usage from user operation **2372** to user operation **10B**. User operation **10B** terminates the usage of this flowchart.

15 Arrow **2380** directs the usage flow from user operation **2332** to user operation **2382**. User operation **2382** performs selecting a prescription unit number associated with the new prescription to create a number of units with the new prescription. Arrow **2384** directs usage from user operation **2382** to user operation **10B**. User operation **10B** terminates the usage of this flowchart.

20 Arrow **2390** directs the usage flow from user operation **2332** to user operation **2392**. User operation **2392** performs selecting a prescription direction associated with the new prescription to create a direction with the new prescription. Arrow **2394** directs usage from user operation **2392** to user operation **10B**. User operation **10B** terminates the usage of this flowchart.

25 Arrow **2400** directs the usage flow from user operation **2332** to user operation **2402**. User operation **2402** performs selecting a pharmacy for filling the prescription to create a filling pharmacy for the new prescription. Arrow **2404** directs usage from user operation **2402** to user operation **10B**. User operation **10B** terminates the usage of this flowchart.

Arrow **2410** directs the usage flow from user operation **2332** to user operation **2412**. User operation **2412** performs authorizing the new prescription with the patient identifier, with the medication, with the dosage, with the number of units, with the direction at the filling pharmacy. Arrow **2414** directs usage from user operation **2412** to user operation **10B**. User operation **10B** terminates the usage of this flowchart.

Figure **11** also depicts a detail flowchart of operation **2332** of Figure **10B** further performing selecting to create the new prescription in accordance with certain operational embodiments.

Figure **12A** depicts a detail flowchart of user operation **2352** of Figure **11** performing selecting a patient identifier associated with the new prescription to create a patient with the new prescription in accordance with certain embodiments.

Arrow **2430** directs the usage flow from starting user operation **2352** to user operation **2432**. User operation **2432** performs perceiving a patient identifier list containing at least one patient identifier. Arrow **2434** directs usage from user operation **2432** to user operation **2436**. User operation **2436** performs selecting a first of the patient identifiers of the patient identifier list to create the patient with the new prescription. Arrow **2438** directs usage from user operation **2436** to user operation **2440**. User operation **2440** terminates the usage of this flowchart.

Figure **12A** also depicts a detail flowchart of operation **2352** of Figure **11** further performing selecting the patient identifier associated with the new prescription to create a patient with the new prescription in accordance with certain operational embodiments.

Figure **12B** depicts a detail flowchart of user operation **2362** of Figure **11** performing selecting the medication associated with the new prescription to create the medication with the new prescription in accordance with certain embodiments.

Arrow **2450** directs the usage flow from starting user operation **2362** to user operation **2452**. User operation **2452** performs perceiving a medication list containing at least two medications. Arrow **2454** directs usage from user operation **2452** to user operation **2456**. User operation **2456** performs selecting a first of the

medications of the medication list to create the medication with the new prescription. Arrow **2458** directs usage from user operation **2456** to user operation **2460**. User operation **2460** terminates the usage of this flowchart.

Figure **12B** also depicts a detail flowchart of operation **2362** of Figure **11** further performing selecting the medication associated with the new prescription to create the medication with the new prescription in accordance with certain operational embodiments.

Figure **13A** depicts a detail flowchart of user operation **2372** of Figure **11** performing selecting the dosage associated with the new prescription to create the dosage with the new prescription in accordance with certain embodiments.

Arrow **2470** directs the usage flow from starting user operation **2372** to user operation **2472**. User operation **2472** performs perceiving a dosage list containing at least one dosage. Arrow **2474** directs usage from user operation **2472** to user operation **2476**. User operation **2476** performs selecting a first of the dosages of the dosage list to create the dosage with the new prescription. Arrow **2478** directs usage from user operation **2476** to user operation **2480**. User operation **2480** terminates the usage of this flowchart.

Figure **13A** also depicts a detail flowchart of operation **2372** of Figure **11** further performing selecting the dosage associated with the new prescription to create the dosage with the new prescription in accordance with certain operational embodiments.

Figure **13B** depicts a detail flowchart of user operation **2362** of Figure **11** performing selecting a prescription unit number associated with the new prescription to create a number of units with the new prescription in accordance with certain embodiments.

Arrow **2510** directs the usage flow from starting user operation **2362** to user operation **2512**. User operation **2512** performs perceiving a number of units list containing at least one number of units. Arrow **2514** directs usage from user operation **2512** to user operation **2516**. User operation **2516** performs selecting a first of the number of units of the number of units list to create the number of units

with the new prescription. Arrow **2518** directs usage from user operation **2516** to user operation **2520**. User operation **2520** terminates the usage of this flowchart.

Figure **13B** also depicts a detail flowchart of operation **2362** of Figure **11** further performing selecting a prescription unit number associated with the new prescription to create a number of units with the new prescription in accordance with certain operational embodiments.

Figure **14A** depicts a detail flowchart of user operation **2392** of Figure **14A** performing selecting a prescription direction associated with the new prescription to create a direction with the new prescription in accordance with certain embodiments.

Arrow **2530** directs the usage flow from starting user operation **2392** to user operation **2532**. User operation **2532** performs perceiving a direction list containing at least one direction. Arrow **2534** directs usage from user operation **2532** to user operation **2536**. User operation **2536** performs selecting a first of the directions of the direction list to create the direction with the new prescription. Arrow **2538** directs usage from user operation **2536** to user operation **2540**. User operation **2540** terminates the usage of this flowchart.

Figure **14A** also depicts a detail flowchart of operation **2392** of Figure **14A** further performing selecting a prescription direction associated with the new prescription to create a direction with the new prescription in accordance with certain operational embodiments.

Figure **14B** depicts a detail flowchart of user operation **2402** of Figure **11** performing selecting a pharmacy for filling the prescription to create a filling pharmacy for the new prescription in accordance with certain embodiments.

Arrow **2550** directs the usage flow from starting user operation **2402** to user operation **2552**. User operation **2552** performs perceiving a pharmacy list containing at least one pharmacy. Arrow **2554** directs usage from user operation **2552** to user operation **2556**. User operation **2556** performs selecting a first of the pharmacies of the pharmacy list to create the pharmacy with the new prescription.

Arrow **2558** directs usage from user operation **2556** to user operation **2560**. User operation **2560** terminates the usage of this flowchart.

Figure **14B** depicts a detail flowchart of operation **2402** of Figure **11** further performing selecting a pharmacy for filling the prescription to create a filling 5 pharmacy for the new prescription in accordance with certain operational embodiments.

Figure **15A** depicts a detail flowchart of user operation **2412** of Figure **11** performing sending the new prescription with the patient identifier, with the medication, with the dosage, the number of units and with the direction to the filling pharmacy in 10 accordance with certain embodiments.

Arrow **2570** directs the usage flow from starting user operation **2412** to user operation **2572**. User operation **2572** performs sending the new prescription with the patient identifier, with the medication, with the dosage, with the number of units, with the direction to the filling pharmacy. Arrow **2574** directs usage from user 15 operation **2572** to user operation **2576**. User operation **2576** terminates the usage of this flowchart.

Figure **15A** also depicts a detail flowchart of operation **2412** of Figure **11** performing sending the new prescription with the patient identifier, with the medication, with the dosage, the number of units and with the direction to the filling pharmacy in 20 accordance with certain operational embodiments.

Figure **15B** depicts a detail flowchart of user operation **2412** of Figure **11** performing sending the new prescription with the patient identifier, with the medication, with the dosage, with the number of units and with the direction at the filling pharmacy to a physician in accordance with certain embodiments.

25 Arrow **2590** directs the usage flow from starting user operation **2412** to user operation **2592**. User operation **2592** performs sending the new prescription with the patient identifier, with the medication, with the dosage, with the number of units, with the direction at the filling pharmacy to a physician. Arrow **2594** directs usage from user operation **2592** to user operation **2596**. User operation **2596** terminates 30 the usage of this flowchart.

Figure 15B also depicts a detail flowchart of operation 2412 of Figure 11 performing sending the new prescription with the patient identifier, with the medication, with the dosage, with the number of units and with the direction at the filling pharmacy to a physician in accordance with certain operational embodiments.

- 5 Figure 16 depicts a system block diagram for a computing system supporting the first covering group member interacting with a request list containing a request list component for each of the covering group members of the covering group.

In certain embodiments, the computing system comprises a computer 3120 operated 3110 by group member 3100 with accessibly coupled 3130 computer memory 3140 containing at least part of a program operating system executing within a browser operational platform 3160 supporting the first group member interaction.

10 In certain further embodiments, the computing system comprises a second computer 3220 operated 3210 by client 3200 with accessibly coupled 3230 computer memory 3240 containing at least part of a program operating system executing within a browser operational platform 3260 supporting the first group member interaction. Computer 3120 is communicatively coupled to computer 3220 via network 3330.

15 In certain further embodiments, the client 3220 may be someone working at a pharmacy. In certain other further embodiments, the client 3220 may be another group member. In certain other further embodiments, the client 3220 may be someone working at a care providers staff. In certain other further embodiments, the client 3220 may be a health care manager. In certain other further embodiments, the client 3220 may be someone working at a medical laboratory. In certain other further embodiments, the client 3220 may be a health care administrator. In certain other further embodiments, the client 3220 may be someone scheduling appointments for one or more members of the covering group.

20 In certain further embodiments, network 3330 is communicatively coupled 3310 to server system 3300. Server system 3300 contains 3360 at least one server computer 3320, which is accessibly coupled 3330 to computer memory 3340. In certain further embodiments, computer memory 3340 contains program code

segments as part of the system level program operating system **3360** supporting the first covering group member interaction with the request list. In certain further embodiments, the program operating system program code segments are further organized for interaction in a fashion comparable to a web site **3360** as seen by the 5 browser operational platform **3160** residing in the group member **3100** operated **3110** computer **3120**.

In certain further embodiments, server system **3300** generates the request list. In certain further embodiments, server system **3300** generates at least one of the request list components. In certain further embodiments, server system **3300** 10 generates all request list components. In certain further embodiments, server system **3300** generates at least one of the request detail reports. In certain further embodiments, server system **3300** generates all request detail reports.

In certain further embodiments, server system **3300** generates the medication history for a selected patient by the first covering group member. In certain further 15 embodiments, server system **3300** generates the appointment history for a selected patient by the first covering group member.

In certain further embodiments, server system **3300** generates a medication list for the first covering group member. In certain further embodiments, server system **3300** generates an annotated medication list for the first covering group member. In 20 certain further embodiments, the annotated medication list contains insurer compliance annotations.

In certain further embodiments, server system **3300** communicates **3410** with database server **3400** to retrieve information to generate a medication list for the first covering group member. In certain further embodiments, server system **3300** 25 communicates **3410** with database server **3400** to retrieve information to generate an annotated medication list for the first covering group member. In certain further embodiments, the annotated medication list contains insurer compliance annotations. In certain further embodiments, database server **3400** may in turn access **3430** database **3420**. In certain further embodiments, database server **3400** 30 may in turn access **3430** several different databases **3420**. In certain further

embodiments, database 3420 may contain at least summary information provided by an insurer.

Figure 17 depicts a viewing region component supporting changing a prescription, in accordance with certain embodiments.

- 5 Figure 18 depicts a viewing region component supporting viewing a patient medical history, in accordance with certain embodiments.

Figure 19 depicts a viewing region component supporting viewing a patient appointment history, in accordance with certain embodiments.

- 10 Figure 20 depicts a viewing region component supporting starting a new prescription, in accordance with certain embodiments.

Figure 21 depicts a viewing region component supporting creating a new prescription by selecting a patient, in accordance with certain embodiments.

Figure 22 depicts a viewing region component supporting creating a new prescription showing the selected patient, in accordance with certain embodiments.

- 15 Figure 23 depicts a viewing region component supporting creating a new prescription by selecting a pharmacy, in accordance with certain embodiments.

Figure 24 depicts a viewing region component supporting creating a new prescription showing the selected patient and the selected pharmacy, in accordance with certain embodiments.

- 20 Figure 25 depicts a viewing region component supporting creating a new prescription by selecting a medication, in accordance with certain embodiments.

Figure 26 depicts a viewing region component supporting creating a new prescription showing the selected patient, the selected pharmacy and selected medication, in accordance with certain embodiments.

- 25 Figure 27 depicts a viewing region component supporting creating a new prescription showing the selected patient, the selected pharmacy and selected

medication, with directions and number of units, ready for authorization, in accordance with certain embodiments.

Figure 28 depicts a viewing region component supporting creating a prior authorization request form for FORMULARY override for a new prescription, in
5 accordance with certain embodiments.

Figure 29 depicts a viewing region component supporting a prescription InBox Monitor of prescribing practitioners for use in health management and pharmacies, in accordance with certain embodiments.

Figure 30 depicts a viewing region component supporting a pharmacy prescription
10 lookup, in accordance with certain embodiments.

Figure 31 depicts a viewing region component supporting a pharmacy prescription lookup response, in accordance with certain embodiments.

Figure 32 depicts a viewing region component including a group monitor for prescriptions and referrals for a covering group with a New Referral link, in
15 accordance with certain embodiments.

Figure 33 depicts a viewing region component supporting selecting the patient for the new referral, in accordance with certain embodiments.

Figure 34 depicts a viewing region component supporting selecting the department-referral type of the new referral for the selected patient, in accordance with certain
20 embodiments.

Figure 35 depicts a viewing region component supporting pre-requisite check-off given the department-referral type of the new referral for the selected patient, in accordance with certain embodiments.

Figure 36 depicts a viewing region component supporting a consultant approval queue for referral requests, in accordance with certain embodiments.
25

Figure 37 depicts a viewing region component supporting a referral request form with pre-requisite check-off given the department-referral type of the new referral for the selected patient, in accordance with certain embodiments.

Figure 38 depicts a viewing region component supporting an appointment center queue for referral requests, in accordance with certain embodiments.

Figure 39 depicts a viewing region component supporting an appointment request from a consulting medical practitioner with the department-referral type of the new referral for the selected patient, in accordance with certain embodiments.
5

Figure 40 depicts a viewing region component supporting a consultant approval queue for referral requests, in accordance with certain embodiments.

Figure 41 depicts a viewing region component supporting a referral pending appointment with consulting medical practitioner form, showing the department-referral type, prerequisite check-off list of the referral for the selected patient, in
10 accordance with certain embodiments.

Figure 42 depicts a viewing region component supporting a referral inbox based upon a referral group monitor, in accordance with certain embodiments.

Figure 43 depicts a viewing region component supporting a consultant encounter report with the department-referral type for the selected patient, and the results of
15 the encounter, in accordance with certain embodiments.

Figure 44 depicts a viewing region component supporting a referral results summary based upon a referral group monitor, in accordance with certain embodiments.

Figure 45 depicts a viewing region component supporting referral lookup, in
20 accordance with certain embodiments.

Figure 46 depicts a viewing region component supporting viewing a patient referral history, in accordance with certain embodiments.

Figure 47 depicts a viewing region component supporting viewing a consultant encounter report referenced by a selecting a link of the patient referral history of
25 Figure 46, in accordance with certain embodiments.

Figure 48 depicts a viewing region component supporting a referral volume report generator, in accordance with certain embodiments.

Figure 49 depicts a viewing region component supporting a referral volume report resulting from the parameterization of the referral volume report generator associated with Figure 48, in accordance with certain embodiments.

5 Figure 50 depicts a viewing region component supporting a referral time lapse report generator, in accordance with certain embodiments.

Figure 51 depicts a viewing region component supporting a referral time lapse report resulting from the parameterization of the referral time lapse report generator associated with Figure 50, in accordance with certain embodiments.

10 Figure 52 depicts a viewing region component supporting a referral time lapse report detail resulting from the selecting an underlined entry in the table of Figure 51, in accordance with certain embodiments.

Figure 53 depicts a viewing region component supporting a referral pending appointment with consultant form, in accordance with certain embodiments.

15 Figure 54 depicts a viewing region component supporting a referral report selector, in accordance with certain embodiments.

Figure 55 depicts a viewing region component supporting a referral report on OBG consultations by medical indication selected from the referral report selector of Figure 54, in accordance with certain embodiments.

20 Figure 56 depicts a viewing region component supporting a referral report on OBG consultations by length of wait for consultation selected from the referral report selector of Figure 54, in accordance with certain embodiments.

Figure 57 depicts a viewing region component supporting a referral report on the number of referrals by medical practitioner/department selected from the referral report selector of Figure 54, in accordance with certain embodiments.

25 Figure 58A depicts a detail flowchart of user operation 2032 of Figure 5A further performing selecting the first request responses of the request detail report for the first summary of the first summary component to create a preliminary request

response of the first summary of the first summary component in accordance with certain embodiments.

Arrow 2610 directs the usage flow from starting user operation 2032 to user operation 2612. User operation 2612 performs acoustically selecting the first request responses of the request detail report for the first summary of the first summary component to create a preliminary request response of the first summary of the first summary component is comprised of a member. Arrow 2614 directs usage from user operation 2612 to user operation 2616. User operation 2616 terminates the usage of this flowchart.

- 10 Arrow 2620 directs the usage flow from user operation 2032 to user operation 2622. User operation 2622 performs visually selecting the first request responses of the request detail report for the first summary of the first summary component to create a preliminary request response of the first summary of the first summary component is comprised of a member. Arrow 2624 directs usage from user operation 2622 to
15 user operation 2616. User operation 2616 terminates the usage of this flowchart.

Figure 58A depicts a detail flowchart of operation 2032 of Figure 5A further performing selecting the first request responses of the request detail report for the first summary of the first summary component to create a preliminary request response of the first summary of the first summary component in accordance with
20 certain operational embodiments.

Figure 58B depicts a detail flowchart of user operation 2012 of Figure 4 performing perceiving the request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising the requestor name, the
25 requested item, the request response list containing at least two request responses in accordance with certain embodiments.

Arrow 2630 directs the usage flow from starting user operation 2012 to user operation 2632. User operation 2632 performs hearing the request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising the requestor name, the requested item, the request response list
30

containing at least two request responses. Arrow 2634 directs usage from user operation 2632 to user operation 2636. User operation 2636 terminates the usage of this flowchart.

Arrow 2640 directs the usage flow from user operation 2012 to user operation 2642.

- 5 User operation 2642 performs seeing the request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising the requestor name, the requested item, the request response list containing at least two request responses. Arrow 2644 directs usage from user operation 2642 to
10 user operation 2636. User operation 2636 terminates the usage of this flowchart.

Figure 58B depicts a detail flowchart of operation 2012 of Figure 4 performing perceiving the request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising the requestor name, the requested item, the request response list containing at least two request responses in accordance with certain operational embodiments.

15 The preceding embodiments have been provided by way of example and are not meant to constrain the scope of the following claims.

Claims

1. A method for a first covering group member belonging to a covering group containing at least two covering group members of using a request list containing a request list component for each of said covering group members of said covering group, each of said request list components further containing a request summary collection containing at least a past-due request summary and a immediately-due request summary, comprising the steps of:

selecting a second of said covering group members belonging to said covering group;

10 selecting a first of said summaries of said request summary collection contained in said request list component for said second covering group member; and

15 perceiving a request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising a requestor name, a requested item, a request response list containing at least two request responses.

2. A method as recited in Claim 1, further comprising the step of:

20 selecting a first of said request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component.

3. A method as recited in Claim 2, further comprising the step of:

selecting to send at least one of said preliminary request responses.

4. A method as recited in Claim 3,

25 wherein selecting to send at least one of said preliminary request responses further comprises the step of

selecting to send at least all of said preliminary request responses of said first summary component.

5. A method as recited in Claim 3,

30 wherein selecting to send at least one of said preliminary request responses further comprises the step of

selecting to send at least all of said preliminary request responses.

6. A method as recited in Claim 3,
wherein said requested item is a prescription; and
wherein said request summary collection further containing a future-due
5 request summary.

7. A method as recited in Claim 6,
wherein selecting said first request response of said request detail report for
said first summary of said first summary component to create said preliminary
request response of said first summary of said first summary component is
10 comprised of the step of
selecting to create a view of medication history response.

8. A method as recited in Claim 6,
wherein selecting said first request response of said request detail report for
said first summary of said first summary component to create said preliminary
15 request response of said first summary of said first summary component is further
comprised of the step of
selecting to create a view of appointment history response.

9. A method as recited in Claim 6,
wherein selecting said first request response of said request detail report for
20 said first summary of said first summary component to create said preliminary
request response of said first summary of said first summary component is further
comprised of the step of
selecting to create a change prescription response.

10. A method as recited in Claim 6,
25 wherein selecting said first request response of said request detail report for
said first summary of said first summary component to create said preliminary
request response of said first summary of said first summary component is further
comprised of the step of
selecting to create a hold prescription response.

30 11. A method as recited in Claim 6,

wherein selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of the step of

5 selecting to create a view pharmacy message response.

12. A method as recited in Claim 6,

wherein selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of the step of

10 selecting to create a forward to primary care provider response.

13. A method as recited in Claim 6,

wherein selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of the step of

15 selecting to create a fill prescription response.

14. A method as recited in Claim 13,

wherein selecting to create said fill prescription response is further comprised
20 of the step of

selecting to fill said prescription response in terms of units.

15. A method as recited in Claim 13,

wherein selecting to fill said prescription response in terms of units is comprised of the step of

25 selecting to fill said prescription response in terms of one unit of said prescription.

16. A method as recited in Claim 14,

wherein selecting to fill said prescription response in terms of units is comprised of the step of

30 selecting to fill said prescription response in terms of at least two units of said prescription.

17. A method as recited in Claim 13,
wherein selecting to create said fill prescription response is further comprised
of the step of
selecting to fill said fill prescription response in terms of time duration.

5 18. A method as recited in Claim 6, further comprising the step of
selecting to create a new prescription.

19. A method as recited in Claim 18,
wherein selecting to create said new prescription is comprised of the steps of
selecting a patient identifier associated with said new prescription to create a
10 patient with said new prescription;

selecting a medication associated with said new prescription to create a
medication with said new prescription;

selecting a dosage associated with said new prescription to create a dosage
with said new prescription;

15 selecting a prescription unit number associated with said new prescription to
create a number of units with said new prescription;

selecting a prescription direction associated with said new prescription to
create a direction with said new prescription;

selecting a pharmacy for filling said prescription to create a filling pharmacy
20 for said new prescription; and

authorizing said new prescription with said patient identifier, with said
medication, with said dosage, with said number of units, with said direction at said
filling pharmacy.

25 20. A method as recited in Claim 19,

wherein selecting said patient identifier associated with said new prescription
to create said patient with said new prescription is comprised of the steps of
perceiving a patient identifier list containing at least one patient identifier; and
selecting a first of said patient identifiers of said patient identifier list to create
said patient with said new prescription.

30 21. A method as recited in Claim 19,

wherein selecting said medication associated with said new prescription to create said medication with said new prescription is comprised of the steps of
perceiving a medication list containing at least two medications; and
selecting a first of said medications of said medication list to create said
5 medication with said new prescription.

22. A method as recited in Claim 19,

wherein selecting said dosage associated with said new prescription to create said dosage with said new prescription is comprised of the steps of
perceiving a dosage list containing at least one dosage; and
10 selecting a first of said dosages of said dosage list to create said dosage with
said new prescription.

23. A method as recited in Claim 19,

wherein selecting a prescription unit number associated with said new
prescription to create a number of units with said new prescription is comprised of
15 the steps of
perceiving a number of units list containing at least one number of units; and
selecting a first of said number of units of said number of units list to create
said number of units with said new prescription.

24. A method as recited in Claim 19,

wherein selecting a prescription direction associated with said new
prescription to create a direction with said new prescription is comprised of the
steps of
perceiving a direction list containing at least one direction; and
25 selecting a first of said directions of said direction list to create said direction
with said new prescription.

25. A method as recited in Claim 19,

wherein selecting a pharmacy for filling said prescription to create a filling
pharmacy for said new prescription is comprised of the steps of
perceiving a pharmacy list containing at least one pharmacy; and
30 selecting a first of said pharmacies of said pharmacy list to create said
pharmacy with said new prescription.

26. A method as recited in Claim 19,

wherein authorizing said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction at said filling pharmacy is comprised of the step of

5 sending said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction to said filling pharmacy.

27. A method as recited in Claim 19,

wherein authorizing said new prescription with said patient identifier, with 10 said medication, with said dosage, with said number of units, with said direction at said filling pharmacy is comprised of the step of

sending said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction at said filling pharmacy to a physician.

15 28. A method as recited in Claim 6,

wherein said requested item is a referral; and

wherein said request summary collection further containing a referral result summary.

29. A method as recited in Claim 6,

20 wherein said requested item is a laboratory test; and

wherein said request summary collection further containing a test result summary.

30. A method as recited in Claim 2,

wherein selecting said first request responses of said request detail report for 25 said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member of the collection comprising the steps of

acoustically selecting said first request responses of said request detail report for said first summary of said first summary component to create a 30 preliminary request response of said first summary of said first summary component is comprised of a member; and

visually selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member.

5 31. A method as recited in Claim 1,

wherein perceiving said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at 10 least two request responses is comprised of the steps of

hearing said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at least 15 two request responses; and

seeing said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at least 20 two request responses.

32. A method of operating a computer system by a first covering group member belonging to a covering group containing at least two covering group members interacting with a request list containing a request list component for each of said covering group members of said covering group, each of said request list components further containing a request summary collection containing at least a past-due request summary and a immediately-due request summary, comprising the steps of:

selecting a second of said covering group members belonging to said covering group;

30 selecting a first of said summaries of said request summary collection contained in said request list component for said second covering group member; and

perceiving a request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising a requestor name, a requested item, a request response list containing at least two
5 request responses.

33. A method as recited in Claim 32, further comprising the step of:

selecting a first of said request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component.

10 34. A method as recited in Claim 33, further comprising the step of:

selecting to send at least one of said preliminary request responses.

35. A method as recited in Claim 34, further comprising the step of:

wherein selecting to send at least one of said preliminary request responses further comprises

15 selecting to send at least all of said preliminary request responses of said first summary component.

36. A method as recited in Claim 34,

wherein selecting to send at least one of said preliminary request responses further comprises the step of

20 selecting to send at least all of said preliminary request responses.

37. A method as recited in Claim 34,

wherein said requested item is a prescription; and

wherein said request summary collection further containing a future-due request summary.

25 38. A method as recited in Claim 37,

wherein selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is comprised of the step of

30 selecting to create a view of medication history response.

39. A method as recited in Claim 37,

wherein selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of the step of

selecting to create a view of appointment history response.

40. A method as recited in Claim 37,

wherein selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of the step of

selecting to create a change prescription response.

41. A method as recited in Claim 37,

wherein selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of the step of

selecting to create a hold prescription response.

42. A method as recited in Claim 37,

wherein selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of the step of

selecting to create a view pharmacy message response.

43. A method as recited in Claim 37,

wherein selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of the step of

selecting to create a forward to primary care provider response.

44. A method as recited in Claim 37,

wherein selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of the step of

- 5 selecting to create a fill prescription response.
45. A method as recited in Claim 44,
 wherein selecting to create said fill prescription response is further comprised of the step of
 selecting to fill said prescription response in terms of units.
- 10 46. A method as recited in Claim 44,
 wherein selecting to fill said prescription response in terms of units is comprised of the step of
 selecting to fill prescription in terms of one unit of said prescription.
- 15 47. A method as recited in Claim 45,
 wherein selecting to fill said prescription response in terms of units is comprised of the step of
 selecting to fill prescription in terms of at least two units of said prescription.
- 20 48. A method as recited in Claim 44,
 wherein selecting to create said fill prescription response is further comprised of the step of
 selecting to fill prescription in terms of time duration.
49. A method as recited in Claim 37, further comprising the step of
 selecting to create a new prescription.
- 25 50. A method as recited in Claim 49,
 wherein selecting to create said new prescription is comprised of the steps of
 selecting a patient identifier associated with said new prescription to create a patient with said new prescription;
 selecting a medication associated with said new prescription to create a medication with said new prescription;

selecting a dosage associated with said new prescription to create a dosage with said new prescription;

selecting a prescription unit number associated with said new prescription to create a number of units with said new prescription;

5 selecting a prescription direction associated with said new prescription to create a direction with said new prescription;

selecting a pharmacy for filling said prescription to create a filling pharmacy for said new prescription; and

10 authorizing said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction at said filling pharmacy.

51. A method as recited in Claim 50,

wherein selecting said patient identifier associated with said new prescription to create said patient with said new prescription is comprised of the steps of

15 perceiving a patient identifier list containing at least one patient identifier; and

selecting a first of said patient identifiers of said patient identifier list to create said patient with said new prescription.

52. A method as recited in Claim 50,

wherein selecting said medication associated with said new prescription to

20 create said medication with said new prescription is comprised of the steps of

perceiving a medication list containing at least two medications; and

selecting a first of said medications of said medication list to create said medication with said new prescription.

53. A method as recited in Claim 50,

25 wherein selecting said dosage associated with said new prescription to create said dosage with said new prescription is comprised of the steps of

perceiving a dosage list containing at least one dosage; and

selecting a first of said dosages of said dosage list to create said dosage with said new prescription.

30 54. A method as recited in Claim 50,

wherein selecting a prescription unit number associated with said new prescription to create a number of units with said new prescription is comprised of the steps of

perceiving a number of units list containing at least one number of units; and

5 selecting a first of said number of units of said number of units list to create said number of units with said new prescription.

55. A method as recited in Claim 50,

wherein selecting a prescription direction associated with said new prescription to create a direction with said new prescription is comprised of the
10 steps of

perceiving a direction list containing at least one direction; and

selecting a first of said directions of said direction list to create said direction with said new prescription.

56. A method as recited in Claim 50,

15 wherein selecting a pharmacy for filling said prescription to create a filling pharmacy for said new prescription is comprised of

perceiving a pharmacy list containing at least one pharmacy; and

selecting a first of said pharmacies of said pharmacy list to create said
pharmacy with said new prescription.

20 57. A method as recited in Claim 50,

wherein authorizing said new prescription with said patient identifier, with
said medication, with said dosage, with said number of units, with said direction at
said filling pharmacy is comprised of the step of

sending said new prescription with said patient identifier, with said
medication, with said dosage, with said number of units, with said direction to said
filling pharmacy.

58. A method as recited in Claim 50,

wherein authorizing said new prescription with said patient identifier, with
said medication, with said dosage, with said number of units, with said direction at
30 said filling pharmacy is comprised of the step of

sending said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction at said filling pharmacy to a physician.

59. A method as recited in Claim 37,

wherein said requested item is a referral; and

wherein said request summary collection further containing a referral result summary.

60. A method as recited in Claim 37,

wherein said requested item is a laboratory test; and

10 wherein said request summary collection further containing a test result summary.

61. A method as recited in Claim 33,

wherein selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member of the collection comprising the steps of

15 acoustically selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member; and

20 visually selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member.

25 62. A method as recited in Claim 32,

wherein perceiving said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at 30 least two request responses is comprised of the steps of

hearing said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at least 5 two request responses; and

seeing said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at least 10 two request responses.

63. A program operating system residing in computer memory accessibly coupled to at least a computer operated by a first covering group member belonging to a covering group containing at least two covering group members supporting said first covering group member interacting with a request list containing a request list 15 component for each of said covering group members of said covering group, each of said request list components further containing a request summary collection containing at least a past-due request summary and a immediately-due request summary, comprising:

a program code segment supporting selecting a second of said covering 20 group members belonging to said covering group;

a program code segment supporting selecting a first of said summaries of said request summary collection contained in said request list component for said second covering group member; and

a program code segment supporting perceiving a request detail report for 25 said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising a requestor name, a requested item, a request response list containing at least two request responses.

64. A program operating system as recited in Claim 63, further comprising:

30 a program code segment supporting selecting a first of said request responses of said request detail report for said first summary of said first summary

component to create a preliminary request response of said first summary of said first summary component.

65. A program operating system as recited in Claim 64, further comprising:
a program code segment supporting selecting to send at least one of said
5 preliminary request responses.

66. A program operating system as recited in Claim 65, further comprising:
wherein said program code segment supporting selecting to send at least
one of said preliminary request responses further comprises
a program code segment supporting selecting to send at least all of said
10 preliminary request responses of said first summary component.

67. A program operating system as recited in Claim 65,
wherein said program code segment supporting selecting to send at least
one of said preliminary request responses further comprises
a program code segment supporting selecting to send at least all of said
15 preliminary request responses.

68. A program operating system as recited in Claim 65,
wherein said requested item is a prescription; and
wherein said request summary collection further containing a future-due
request summary.

20 69. A program operating system as recited in Claim 68,
wherein said program code segment supporting selecting said first request
response of said request detail report for said first summary of said first summary
component to create said preliminary request response of said first summary of said
first summary component is comprised of
25 a program code segment supporting selecting to create a view of medication
history response.

70. A program operating system as recited in Claim 68,
wherein said program code segment supporting selecting said first request
response of said request detail report for said first summary of said first summary

component to create said preliminary request response of said first summary of said first summary component is further comprised of

a program code segment supporting selecting to create a view of appointment history response.

5 71. A program operating system as recited in Claim 68,

wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of

10 a program code segment supporting selecting to create a change prescription response.

72. A program operating system as recited in Claim 68,

wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of

a program code segment supporting selecting to create a hold prescription response.

73. A program operating system as recited in Claim 68,

20 wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of

a program code segment supporting selecting to create a view pharmacy message response.

74. A program operating system as recited in Claim 68,

wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of

a program code segment supporting selecting to create a forward to primary care provider response.

75. A program operating system as recited in Claim 68,

wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of

a program code segment supporting selecting to create a fill prescription response.

10 76. A program operating system as recited in Claim 75,

wherein said program code segment supporting selecting to create said fill prescription response is further comprised of

a program code segment supporting selecting to fill said prescription response in terms of units.

15 77. A program operating system as recited in Claim 75,

wherein said program code segment supporting selecting to fill said prescription response in terms of units is comprised of

a program code segment supporting selecting to fill prescription in terms of one unit of said prescription.

20 78. A program operating system as recited in Claim 76,

wherein said program code segment supporting selecting to fill said prescription response in terms of units is comprised of

a program code segment supporting selecting to fill prescription in terms of at least two units of said prescription.

25 79. A program operating system as recited in Claim 75,

wherein said program code segment supporting selecting to create said fill prescription response is further comprised of

a program code segment supporting selecting to fill prescription in terms of time duration.

30 80. A program operating system as recited in Claim 68, further comprising

a program code segment supporting selecting to create a new prescription.

81. A program operating system as recited in Claim 80,

wherein said program code segment supporting selecting to create said new prescription is comprised of the steps of

5 a program code segment supporting selecting a patient identifier associated with said new prescription to create a patient with said new prescription;

a program code segment supporting selecting a medication associated with said new prescription to create a medication with said new prescription;

10 a program code segment supporting selecting a dosage associated with said new prescription to create a dosage with said new prescription;

a program code segment supporting selecting a prescription unit number associated with said new prescription to create a number of units with said new prescription;

15 a program code segment supporting selecting a prescription direction associated with said new prescription to create a direction with said new prescription;

a program code segment supporting selecting a pharmacy for filling said prescription to create a filling pharmacy for said new prescription; and

20 a program code segment supporting authorizing said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction at said filling pharmacy.

82. A program operating system as recited in Claim 81,

wherein said program code segment supporting selecting said patient identifier associated with said new prescription to create said patient with said new 25 prescription is comprised of the steps of

a program code segment supporting perceiving a patient identifier list containing at least one patient identifier; and

a program code segment supporting selecting a first of said patient identifiers of said patient identifier list to create said patient with said new prescription.

30 83. A program operating system as recited in Claim 81,

wherein said program code segment supporting selecting said medication associated with said new prescription to create said medication with said new prescription is comprised of the steps of

5 a program code segment supporting perceiving a medication list containing at least two medications; and

a program code segment supporting selecting a first of said medications of said medication list to create said medication with said new prescription.

84. A program operating system as recited in Claim 81,

10 wherein said program code segment supporting selecting said dosage associated with said new prescription to create said dosage with said new prescription is comprised of the steps of

a program code segment supporting perceiving a dosage list containing at least one dosage; and

15 a program code segment supporting selecting a first of said dosages of said dosage list to create said dosage with said new prescription.

85. A program operating system as recited in Claim 81,

wherein said program code segment supporting selecting a prescription unit number associated with said new prescription to create a number of units with said new prescription is comprised of the steps of

20 a program code segment supporting perceiving a number of units list containing at least one number of units; and

a program code segment supporting selecting a first of said number of units of said number of units list to create said number of units with said new prescription.

86. A program operating system as recited in Claim 81,

25 wherein said program code segment supporting selecting a prescription direction associated with said new prescription to create a direction with said new prescription is comprised of the steps of

a program code segment supporting perceiving a direction list containing at least one direction; and

30 a program code segment supporting selecting a first of said directions of said direction list to create said direction with said new prescription.

87. A program operating system as recited in Claim 81,
wherein said program code segment supporting selecting a pharmacy for
filling said prescription to create a filling pharmacy for said new prescription is
comprised of

5 a program code segment supporting perceiving a pharmacy list containing at
least one pharmacy; and

a program code segment supporting selecting a first of said pharmacies of
said pharmacy list to create said pharmacy with said new prescription.

88. A program operating system as recited in Claim 81,

10 wherein said program code segment supporting authorizing said new
prescription with said patient identifier, with said medication, with said dosage, with
said number of units, with said direction at said filling pharmacy is comprised of

a program code segment supporting sending said new prescription with said
patient identifier, with said medication, with said dosage, with said number of units,
15 with said direction to said filling pharmacy.

89. A program operating system as recited in Claim 81,

wherein said program code segment supporting authorizing said new
prescription with said patient identifier, with said medication, with said dosage, with
said number of units, with said direction at said filling pharmacy is comprised of

20 a program code segment supporting sending said new prescription with said
patient identifier, with said medication, with said dosage, with said number of units,
with said direction at said filling pharmacy to a physician.

90. A program operating system as recited in Claim 68,

wherein said requested item is a referral; and

25 wherein said request summary collection further containing a referral result
summary.

91. A program operating system as recited in Claim 68,

wherein said requested item is a laboratory test; and

30 wherein said request summary collection further containing a test result
summary.

92. A program operating system as recited in Claim 64,

wherein said program code segment supporting selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member of the collection comprising the steps of

a program code segment supporting acoustically selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member; and

10 a program code segment supporting visually selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member.

93. A program operating system as recited in Claim 63,

15 wherein said program code segment supporting perceiving said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at least two request responses is comprised of the steps of

20 a program code segment supporting hearing said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at least two request responses; and

25 a program code segment supporting seeing said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at least two request responses.

30 94. A computing system containing at least one computer operated by a first covering group member belonging to a covering group containing at least two

covering group members supporting said first covering group member interacting with a request list containing a request list component for each of said covering group members of said covering group, each of said request list components further containing a request summary collection containing at least a past-due request
5 summary and a immediately-due request summary, comprising:

at least a computer operated by said first covering group member accessibly coupled to a computer memory;

wherein a program operating system residing in said computer memory accessibly coupled to at least one of said computers of said computing system is
10 further comprised of:

a program code segment supporting selecting a second of said covering group members belonging to said covering group;

a program code segment supporting selecting a first of said summaries of
15 said request summary collection contained in said request list component for said second covering group member; and

a program code segment supporting perceiving a request detail report for
said first summary of said request summary collection contained in said request list
component for said second covering group member containing at least one request
report comprising a requestor name, a requested item, a request response list
20 containing at least two request responses.

95. A computer system as recited in Claim 94, further comprising:

a program code segment supporting selecting a first of said request
responses of said request detail report for said first summary of said first summary
component to create a preliminary request response of said first summary of said
25 first summary component.

96. A computing system as recited in Claim 95, further comprising:

a program code segment supporting selecting to send at least one of said
preliminary request responses.

97. A computing system as recited in Claim 96, further comprising:

30 wherein said program code segment supporting selecting to send at least
one of said preliminary request responses further comprises

a program code segment supporting selecting to send at least all of said preliminary request responses of said first summary component.

98. A computing system as recited in Claim 96,

wherein said program code segment supporting selecting to send at least one of said preliminary request responses further comprises

a program code segment supporting selecting to send at least all of said preliminary request responses.

99. A computing system as recited in Claim 96,

wherein said requested item is a prescription; and

10 wherein said request summary collection further containing a future-due request summary.

100. A computing system as recited in Claim 99,

wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is comprised of

a program code segment supporting selecting to create a view of medication history response.

101. A computing system as recited in Claim 99,

20 wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of

a program code segment supporting selecting to create a view of appointment history response.

102. A computing system as recited in Claim 99,

wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said 30 first summary component is further comprised of

a program code segment supporting selecting to create a change prescription response.

103. A computing system as recited in Claim 99,

wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of

a program code segment supporting selecting to create a hold prescription response.

10 104. A computing system as recited in Claim 99,

wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of

15 a program code segment supporting selecting to create a view pharmacy message response.

105. A computing system as recited in Claim 99,

wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of

a program code segment supporting selecting to create a forward to primary care provider response.

106. A computing system as recited in Claim 99,

25 wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of

a program code segment supporting selecting to create a fill prescription response.

30 107. A computing system as recited in Claim 106,

wherein said program code segment supporting selecting to create said fill prescription response is further comprised of

a program code segment supporting selecting to fill said prescription response in terms of units.

5 108. A computing system as recited in Claim 106,

wherein said program code segment supporting selecting to fill said prescription response in terms of units is comprised of

a program code segment supporting selecting to fill prescription in terms of one unit of said prescription.

10 109. A computing system as recited in Claim 107,

wherein said program code segment supporting selecting to fill said prescription response in terms of units is comprised of

a program code segment supporting selecting to fill prescription in terms of at least two units of said prescription.

15 110. A computing system as recited in Claim 106,

wherein said program code segment supporting selecting to create said fill prescription response is further comprised of

a program code segment supporting selecting to fill prescription in terms of time duration.

20 111. A computing system as recited in Claim 99, further comprising

a program code segment supporting selecting to create a new prescription.

112. A computing system as recited in Claim 111,

wherein said program code segment supporting selecting to create said new prescription is comprised of the steps of

25 a program code segment supporting selecting a patient identifier associated with said new prescription to create a patient with said new prescription;

a program code segment supporting selecting a medication associated with said new prescription to create a medication with said new prescription;

30 a program code segment supporting selecting a dosage associated with said new prescription to create a dosage with said new prescription;

a program code segment supporting selecting a prescription unit number associated with said new prescription to create a number of units with said new prescription;

5 a program code segment supporting selecting a prescription direction associated with said new prescription to create a direction with said new prescription;

a program code segment supporting selecting a pharmacy for filling said prescription to create a filling pharmacy for said new prescription; and

10 a program code segment supporting authorizing said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction at said filling pharmacy.

113. A computing system as recited in Claim 112,

wherein said program code segment supporting selecting said patient identifier associated with said new prescription to create said patient with said new 15 prescription is comprised of the steps of

a program code segment supporting perceiving a patient identifier list containing at least one patient identifier; and

a program code segment supporting selecting a first of said patient identifiers of said patient identifier list to create said patient with said new prescription.

20 114. A computing system as recited in Claim 112,

wherein said program code segment supporting selecting said medication associated with said new prescription to create said medication with said new 25 prescription is comprised of the steps of

a program code segment supporting perceiving a medication list containing at least two medications; and

a program code segment supporting selecting a first of said medications of said medication list to create said medication with said new prescription.

115. A computing system as recited in Claim 112,

wherein said program code segment supporting selecting said dosage 30 associated with said new prescription to create said dosage with said new prescription is comprised of the steps of

a program code segment supporting perceiving a dosage list containing at least one dosage; and

a program code segment supporting selecting a first of said dosages of said dosage list to create said dosage with said new prescription.

5 116. A computing system as recited in Claim 112,

wherein said program code segment supporting selecting a prescription unit number associated with said new prescription to create a number of units with said new prescription is comprised of the steps of

10 a program code segment supporting perceiving a number of units list containing at least one number of units; and

a program code segment supporting selecting a first of said number of units of said number of units list to create said number of units with said new prescription.

117. A computing system as recited in Claim 112,

15 wherein said program code segment supporting selecting a prescription direction associated with said new prescription to create a direction with said new prescription is comprised of the steps of

a program code segment supporting perceiving a direction list containing at least one direction; and

20 a program code segment supporting selecting a first of said directions of said direction list to create said direction with said new prescription.

118. A computing system as recited in Claim 112,

wherein said program code segment supporting selecting a pharmacy for filling said prescription to create a filling pharmacy for said new prescription is comprised of

25 a program code segment supporting perceiving a pharmacy list containing at least one pharmacy; and

a program code segment supporting selecting a first of said pharmacies of said pharmacy list to create said pharmacy with said new prescription.

119. A computing system as recited in Claim 112,

wherein said program code segment supporting authorizing said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction at said filling pharmacy is comprised of

5 a program code segment supporting sending said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction to said filling pharmacy.

120. A computing system as recited in Claim 112,

wherein said program code segment supporting authorizing said new prescription with said patient identifier, with said medication, with said dosage, with 10 said number of units, with said direction at said filling pharmacy is comprised of

a program code segment supporting sending said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction at said filling pharmacy to a physician.

121. A computing system as recited in Claim 99,

15 wherein said requested item is a referral; and

wherein said request summary collection further containing a referral result summary.

122. A computing system as recited in Claim 99,

wherein said requested item is a laboratory test; and

20 wherein said request summary collection further containing a test result summary.

123. A computing system as recited in Claim 95,

wherein said program code segment supporting selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member of the collection comprising the steps of

a program code segment supporting acoustically selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member; and

a program code segment supporting visually selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member.

5 124. A computing system as recited in Claim 94,

wherein said program code segment supporting perceiving said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at least two request responses is comprised of the steps of

10 a program code segment supporting hearing said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at least two request responses; and

15 a program code segment supporting seeing said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at least two request responses.


 script 		<input style="width: 100%; height: 100%;" type="button" value="Advertising Space"/>																	
Group Monitor For: East Bay Clinic 1000 <input style="width: 100px; height: 20px; float: left; margin-right: 10px;" type="button" value="Inbox For"/> <input style="width: 100px; height: 20px; float: left; margin-right: 10px;" type="button" value="1002"/> <input style="width: 100px; height: 20px; float: left; margin-right: 10px;" type="button" value="1004"/> <input style="width: 100px; height: 20px; float: left; margin-right: 10px;" type="button" value="Immediate"/> <input style="width: 100px; height: 20px; float: left; margin-right: 10px;" type="button" value="Days Late"/> <input style="width: 100px; height: 20px; float: left; margin-right: 10px;" type="button" value="Futures"/> <input style="width: 100px; height: 20px; float: left; margin-right: 10px;" type="button" value="1008"/>																			
<u>Smith, William</u> 1010 5 1012 2 1014 51 1016 <u>Doctor, Joe</u> 1020 12 3 9 <u>Surgeon, Frank</u> 1022 0 0 0 <u>OBG, Louis</u> 1024 0 0 0 <u>Welby, John</u> 1026 6 1 5 1030																			
Rx InBox for: Smith, William W (IMMEDIATES)																			
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; padding: 5px;">1058</td> <td style="width: 10%; padding: 5px;">PATIENT, SUSIE K 1040</td> <td style="width: 10%; padding: 5px;">PCP SMITH 1042</td> <td style="width: 10%; padding: 5px;">MR# 00 000000-86-XX</td> </tr> <tr> <td colspan="2" style="padding: 5px;">2 days <input style="width: 100px; height: 20px;" type="button" value="1052"/></td> <td style="padding: 5px;">CIPRO 500MG TABLET 1044</td> <td style="padding: 5px;">Qty 10 Fill 2/11/99 1050</td> </tr> <tr> <td colspan="2" style="padding: 5px;"><u>Change/Details</u></td> <td style="padding: 5px;">TAKE 1 TABLET 2 TIMES A DAY FOR 5 DAYS 1048</td> <td style="padding: 5px;">1046</td> </tr> <tr> <td colspan="4" style="padding: 5px;">FORWARD from YUN, SMITH MD RESIDENT- FAMILY PRACTICE 1034</td> </tr> </table>				1058	PATIENT, SUSIE K 1040	PCP SMITH 1042	MR# 00 000000-86-XX	2 days <input style="width: 100px; height: 20px;" type="button" value="1052"/>		CIPRO 500MG TABLET 1044	Qty 10 Fill 2/11/99 1050	<u>Change/Details</u>		TAKE 1 TABLET 2 TIMES A DAY FOR 5 DAYS 1048	1046	FORWARD from YUN, SMITH MD RESIDENT- FAMILY PRACTICE 1034			
1058	PATIENT, SUSIE K 1040	PCP SMITH 1042	MR# 00 000000-86-XX																
2 days <input style="width: 100px; height: 20px;" type="button" value="1052"/>		CIPRO 500MG TABLET 1044	Qty 10 Fill 2/11/99 1050																
<u>Change/Details</u>		TAKE 1 TABLET 2 TIMES A DAY FOR 5 DAYS 1048	1046																
FORWARD from YUN, SMITH MD RESIDENT- FAMILY PRACTICE 1034																			
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; padding: 5px;">1078</td> <td style="width: 10%; padding: 5px;">PERSON, MARK S 1060</td> <td style="width: 10%; padding: 5px;">PCP SMITH 1062</td> <td style="width: 10%; padding: 5px;">MR# 00 000000-75-XX</td> </tr> <tr> <td colspan="2" style="padding: 5px;"><u>Change/Details</u></td> <td style="padding: 5px;">*BECLOVENT INHALER* 1064</td> <td style="padding: 5px;">QTY 16.8 1066 Fill 2/13/97 1070</td> </tr> <tr> <td colspan="4" style="padding: 5px;">INHALE 2 PUFFS 2 TIMES DAILY, RINSE MOUTH AFTER USE (GENERIC FOR VANCERIL) 1072</td> </tr> </table>				1078	PERSON, MARK S 1060	PCP SMITH 1062	MR# 00 000000-75-XX	<u>Change/Details</u>		*BECLOVENT INHALER* 1064	QTY 16.8 1066 Fill 2/13/97 1070	INHALE 2 PUFFS 2 TIMES DAILY, RINSE MOUTH AFTER USE (GENERIC FOR VANCERIL) 1072							
1078	PERSON, MARK S 1060	PCP SMITH 1062	MR# 00 000000-75-XX																
<u>Change/Details</u>		*BECLOVENT INHALER* 1064	QTY 16.8 1066 Fill 2/13/97 1070																
INHALE 2 PUFFS 2 TIMES DAILY, RINSE MOUTH AFTER USE (GENERIC FOR VANCERIL) 1072																			
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; padding: 5px;">1068</td> <td style="width: 10%; padding: 5px;">HEALTHY, LAURA J</td> <td style="width: 10%; padding: 5px;">PCP SMITH</td> <td style="width: 10%; padding: 5px;">MR# 00 000000-16-XX</td> </tr> <tr> <td colspan="2" style="padding: 5px;"><u>Change/Details</u></td> <td style="padding: 5px;">HYDROCHLOROTHIAZIDE 25MG TB</td> <td style="padding: 5px;">QTY 100 Fill 11/17/98</td> </tr> </table>				1068	HEALTHY, LAURA J	PCP SMITH	MR# 00 000000-16-XX	<u>Change/Details</u>		HYDROCHLOROTHIAZIDE 25MG TB	QTY 100 Fill 11/17/98								
1068	HEALTHY, LAURA J	PCP SMITH	MR# 00 000000-16-XX																
<u>Change/Details</u>		HYDROCHLOROTHIAZIDE 25MG TB	QTY 100 Fill 11/17/98																

FIG. 1

RX In Box™					
<input type="button" value="REFRESH"/>	<input type="button" value="UNDO"/>	<input type="button" value="INBOX"/>	<input type="button" value="FUTURES"/>	<input type="button" value="LOGOFF"/>	
<input type="button" value="script"/>	1004	1090			
<input type="button" value="Inbox For"/>	1002	Prescription Group Monitor			
<input type="button" value="Immediates"/>		Days Late	Futures		
<input type="button" value="DOCTOR, JOHN"/>	1090	9	4	1006	22
<input type="button" value="WELBY, JOHN"/>	1100	3	1102	0	1106
<input type="button" value="DOCTOR, PAUL"/>		1	0	1104	12
<input type="button" value="PHYSICIAN, DOUGLAS"/>	3	0	2		
<u>My Futures</u>					
<u>WELBY, JOHN IMMEDIATES</u>					
<u>1120</u>					
<input type="checkbox"/> 02 <input type="checkbox"/> 03 <input type="checkbox"/> 04 <input type="checkbox"/> 1 yr <input type="checkbox"/> 2 yr <input type="checkbox"/> PCP <input type="checkbox"/> Hold <u>Med Appl.</u> <u>Chg Rx</u>					
<u>PATIENT, KENNETH K.</u> <u>DOXEPIN HCL CAP 10 MG</u> <u>TAKE 1 CAPSULE 2 TIMES A DAY</u> <u>Forward from MCCOY, BONES E. MD FAMILY PRACTICE</u>					
<u>1140</u> <u>1144</u> <u>PCP WELBY</u> <u>1148</u> <u>1154</u> <u>1150</u>					
<u>MR#00 000XXX-XX-XX</u> <u>Qty 100</u> <u>Fill 12/18/97</u> <u>MR#00 000XXX-XX-XX</u> <u>Qty 60</u> <u>Fill 12/11/98</u>					
<u>PERSON, MARGARET</u> <u>SULINDAC 200MG TABLET</u> <u>TAKE 1 TABLET 2 TIMES A DAY WITH MEALS FOR INFLAMMATION (GENERIC FOR CLINORIL)</u>					
<u>PCP WELBY</u> <u>AMITRPTYLINE 25 MG TABLET</u> <u>TAKE 1 TABLET AT BEDTIME WITH 100MG TABLET (GENERIC FOR ELAVIL)</u>					
<u>Pharmacy Message</u> <u>Med Appl. Chg Rx</u> <input type="button" value="SEND"/>					

FIG. 2

eScript Labs			
	<u>NEW LABS</u>	<u>ACTION ITEMS</u>	<u>RESULTS</u> <u>LOGOFF</u>
Labs InBox for John Welby	1400	1402	1404
Group Monitor	1300		1090
1002 1302 Labs Group Monitor	1306	Prescription Group Monitor	
Inbox For Action Items Days Late	Lab Results	Immediates Days Late	Futures 1008
SCOTT SAM T	0 1304 2	1004 9	4 1006 22
WELBY JOHN	1 0 2	3 1102 0	1104 11 1106
1100 GRIFFITH SUZY L	3 1310 0	1314 0	1 0 12
<u>Lab Results</u>			
Review Forward Request Appt	1326 Seen: 2/23/00	MR# 00-01-98777	
1320 1322 1324	Wellton, Patricia Lab Results	CBC	
	Consulting Physician: Rogers, Karen	1328	
Review Forward Request Appt	1328 Seen: 2/24/00	MR# 00-02-63388	
	Smith, Allan Lab Results	HIV	
	Consulting Physician: Smith, Michael		
Review Forward Request Appt	1328 Seen: 2/25/00	MR# 00-92-00232	
	Fields, Sally W Lab Results	Liver Function	
	Consulting Physician: West, Tina		
<u>ACTION ITEMS</u> <u>RESULTS</u> <u>LOGOFF</u>			
1402	1404		

FIG. 3
















Fig. 4









ESCR0001




Fig. 9A




Fig. 9B

ESCR0001




Fig. 10A




Fig. 10B




Fig. 11




Fig. 12A




Fig. 12B




Fig. 13A




Fig. 13B




Fig. 14A






Fig. 14B

ESCR0001






Fig. 16


Change Prescription					
<input type="checkbox"/> 	<input type="checkbox"/> 	<input type="checkbox"/> SEND	<input type="checkbox"/> CANCEL	<input type="checkbox"/> BACK	
PATIENT	PATIENT, JAMES C.	PCP WELBY	DOB 03/01/40	MR#00 000XXX-XX-XX	
DRUG	AMITRPTYLINE 25 MG TABLET	Qty 60	Fill 12/24/98	Presc 6/11/97	
SIG	TAKE 1 TABLET AT BEDTIME WITH 100MG TABLET (GENERIC FOR ELAVIL)				
PHARM	Riverside Outpatient (24hr)	RX# 119845476	Ph: (909) 353-4045	Fax: (909) 353-3045	
DOCTOR	WELBY, MARCUS JR M	MD FAMILY PRACTICE			
Med Appl					
		Qty 60	Fill 12/24/98		
Pharmacy Message MEDS FELL IN TOILET PLS STAT. O1 O2 O 3 O4 O5 O6 O7 O8 O9 O1YR O2YR OHold OPCP ODo Not Fill					
Rx Change (prescription changes and denial reasons only)					
<input type="checkbox"/> Change quantity to 20					
<input type="checkbox"/> Nurse Message (appointments requests, doctor change requests etc.)					
<input type="checkbox"/> Patient needs appointment.					
<input type="checkbox"/> SEND	<input type="checkbox"/> CANCEL	<input type="checkbox"/> 100Day	<input type="checkbox"/> Chg Qty	<input type="checkbox"/> Chg Sig	<input type="checkbox"/> Appt
				<input type="checkbox"/> Chart	

FIG. 17



Patient Medication History					
		script	BACK		
O1 O2 O3 O4 O1yr O2yr OPPCPO Hold Appt Chg Rx	PATIENT, JAMES C. AMITRIPTYLINE 25 MG TABLET TAKE 1 TABLET AT BEDTIME WITH 100MG TABLET (GENERIC FOR ELAVIL)	PCP WELBY	DOB 03/01/40	MR#00 000XXX-XX-XX Qty 60	Fill 12/24/98
[SEND]					
12/29/98 RX PROFILE PAGE 1					
Lakeview Pharmacy Run time: 08:22 PM					
Sort 1: DATE DISPENSED (DESCENDING) sort 2: RX# (DESCENDING)					
Status: ACTIVE and INACTIVE Products ALL					
PATIENT, JAMES C 00 000XXX-XX-XX Last Disp Date Range 12/29/97 - THE END					
RX#	PRODUCT	DT WRITTEN	EXPIRE DATE	QTY	WRITTEN
	DOCTOR	NBR REFILLS	DAYS SPLY	MIN REF	REF DAYS
119845476(A)	WELBY, MARCUS JR M	10	06/11/97	---	07/07/00
				60	60
				57	57
SIG: 1T HS WITH 100MG TABLET GELAV					
1. 06/11/97	60	XXX	AMITRIPTYLINE 25 MG T RIVERSIDE ME		
2. 07/03/97	60	XXX	AMITRIPTYLINE 25 MG T RIVERSIDE ME		
3. 09/10/97	60	XXX	AMITRIPTYLINE 25 MG T RIVERSIDE ME		
4. 11/11/97	60	XXX	AMITRIPTYLINE 25 MG T RIVERSIDE ME		
5. 01/05/98	60	RAL	AMITRIPTYLINE 25 MG T CENTRAL REFI		
6. 03/02/98	60	DTI	AMITRIPTYLINE 25 MG T CENTRAL REFI		

FIG. 18

Patient Appointment History					
<input type="button" value="BACK"/> <input type="button" value="SEND"/>					
<p>PATIENT, JAMES C. PCP WELBY DOB 03/01/40 MR#00 000XXX-XX-XX O1 O2 O3 O4 AMITRPTYLINE 25 MG TABLET Qty 60 Fill 12/24/98 O1yr O2yr OPCPOHold TAKE 1 TABLET AT BEDTIME WITH 100MG TABLET (GENERIC FOR ELAVIL) Appl Chg Rx</p>					
<p>MEM CURR APPTS 12/29/1998 08:12P</p>					
<p>MR# 00 XXXXXX NAME PATIENT, JAMES C SEX M-DT O3 25 1960 AGE 38 19 ANYWHERE LN DAY W (909) 555-1212 CORONA, CA 91720 EVE H (909) 555-1212 PCP WELBY RMK WIFE/MRS. PATIENT UPDT: 14SEP1998 VL2</p>					
<p>HIST: Y LAST PE: 25JUL 1998 A) A T-DATE 12AUG1998 RI: COLO GIWTL GI REF-DR: WELBY RIV 26AUG199</p>					
<p>HISTORY/CANCELLED APPTS: 3-DKA 34-HIST 0-CURR 1-WL PAGE 1 CONT A) S R 05NOV1998 015 0830A 090 EEG ETEC1 NEU RIV 06OCT1998 DMB T-DATE 13SEP 1998 RI REF-DR RMKS 1 SLOT EEG P/REF CC FRM 10/9 CONFIRMED W/PT V. B) M R 29OCT1998 015 01:15P 060 COLOWELBY GI RIV 14OCT1998 SSS T-DATE 12AUG1998 RI REF-DR RMKS: V.</p>					

FIG. 19

RxInbox	NewRx	History	Administration	Help																																																													
NewRx Compose	<input type="button" value="SEND"/> <input type="button" value="CANCEL"/>																																																																
<table border="1"> <tr> <td>PHYSICIAN</td> <td>AGENT</td> </tr> <tr> <td><input type="text" value="Welby, John M"/> <input type="button" value="▼"/></td> <td>Dr. John M Welby</td> </tr> <tr> <td><input type="button" value="NEW"/></td> <td><input type="button" value="EDIT"/></td> <td><input type="button" value="FIND"/></td> </tr> <tr> <td colspan="3">PATIENT</td> </tr> <tr> <td colspan="3">Pick a patient</td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>PHARMACY</td> <td>FIND</td> </tr> <tr> <td colspan="2">Pick a pharmacy</td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>MEDICATION</td> <td>FIND</td> </tr> <tr> <td colspan="2">Pick a medication</td> </tr> <tr> <td>QTY <input type="text"/> REFILLS <input type="text"/> zero</td> <td>▼</td> <td>May Substitute:</td> <td>yes <input type="radio"/></td> <td>no <input type="radio"/></td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>SIG</td> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="3"></td> </tr> <tr> <td colspan="5">NOTE</td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="2"></td> </tr> </table> </td> </tr> </table> </td> </tr> </table> </td> </tr> </table></td></tr></table>					PHYSICIAN	AGENT	<input type="text" value="Welby, John M"/> <input type="button" value="▼"/>	Dr. John M Welby	<input type="button" value="NEW"/>	<input type="button" value="EDIT"/>	<input type="button" value="FIND"/>	PATIENT			Pick a patient			<table border="1"> <tr> <td>PHARMACY</td> <td>FIND</td> </tr> <tr> <td colspan="2">Pick a pharmacy</td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>MEDICATION</td> <td>FIND</td> </tr> <tr> <td colspan="2">Pick a medication</td> </tr> <tr> <td>QTY <input type="text"/> REFILLS <input type="text"/> zero</td> <td>▼</td> <td>May Substitute:</td> <td>yes <input type="radio"/></td> <td>no <input type="radio"/></td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>SIG</td> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="3"></td> </tr> <tr> <td colspan="5">NOTE</td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="2"></td> </tr> </table> </td> </tr> </table> </td> </tr> </table> </td> </tr> </table>					PHARMACY	FIND	Pick a pharmacy		<table border="1"> <tr> <td>MEDICATION</td> <td>FIND</td> </tr> <tr> <td colspan="2">Pick a medication</td> </tr> <tr> <td>QTY <input type="text"/> REFILLS <input type="text"/> zero</td> <td>▼</td> <td>May Substitute:</td> <td>yes <input type="radio"/></td> <td>no <input type="radio"/></td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>SIG</td> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="3"></td> </tr> <tr> <td colspan="5">NOTE</td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="2"></td> </tr> </table> </td> </tr> </table> </td> </tr> </table>					MEDICATION	FIND	Pick a medication		QTY <input type="text"/> REFILLS <input type="text"/> zero	▼	May Substitute:	yes <input type="radio"/>	no <input type="radio"/>	<table border="1"> <tr> <td>SIG</td> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="3"></td> </tr> <tr> <td colspan="5">NOTE</td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="2"></td> </tr> </table> </td> </tr> </table>					SIG	◀	▶				NOTE					<table border="1"> <tr> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="2"></td> </tr> </table>					◀	▶		
PHYSICIAN	AGENT																																																																
<input type="text" value="Welby, John M"/> <input type="button" value="▼"/>	Dr. John M Welby																																																																
<input type="button" value="NEW"/>	<input type="button" value="EDIT"/>	<input type="button" value="FIND"/>																																																															
PATIENT																																																																	
Pick a patient																																																																	
<table border="1"> <tr> <td>PHARMACY</td> <td>FIND</td> </tr> <tr> <td colspan="2">Pick a pharmacy</td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>MEDICATION</td> <td>FIND</td> </tr> <tr> <td colspan="2">Pick a medication</td> </tr> <tr> <td>QTY <input type="text"/> REFILLS <input type="text"/> zero</td> <td>▼</td> <td>May Substitute:</td> <td>yes <input type="radio"/></td> <td>no <input type="radio"/></td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>SIG</td> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="3"></td> </tr> <tr> <td colspan="5">NOTE</td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="2"></td> </tr> </table> </td> </tr> </table> </td> </tr> </table> </td> </tr> </table>					PHARMACY	FIND	Pick a pharmacy		<table border="1"> <tr> <td>MEDICATION</td> <td>FIND</td> </tr> <tr> <td colspan="2">Pick a medication</td> </tr> <tr> <td>QTY <input type="text"/> REFILLS <input type="text"/> zero</td> <td>▼</td> <td>May Substitute:</td> <td>yes <input type="radio"/></td> <td>no <input type="radio"/></td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>SIG</td> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="3"></td> </tr> <tr> <td colspan="5">NOTE</td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="2"></td> </tr> </table> </td> </tr> </table> </td> </tr> </table>					MEDICATION	FIND	Pick a medication		QTY <input type="text"/> REFILLS <input type="text"/> zero	▼	May Substitute:	yes <input type="radio"/>	no <input type="radio"/>	<table border="1"> <tr> <td>SIG</td> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="3"></td> </tr> <tr> <td colspan="5">NOTE</td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="2"></td> </tr> </table> </td> </tr> </table>					SIG	◀	▶				NOTE					<table border="1"> <tr> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="2"></td> </tr> </table>					◀	▶																				
PHARMACY	FIND																																																																
Pick a pharmacy																																																																	
<table border="1"> <tr> <td>MEDICATION</td> <td>FIND</td> </tr> <tr> <td colspan="2">Pick a medication</td> </tr> <tr> <td>QTY <input type="text"/> REFILLS <input type="text"/> zero</td> <td>▼</td> <td>May Substitute:</td> <td>yes <input type="radio"/></td> <td>no <input type="radio"/></td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>SIG</td> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="3"></td> </tr> <tr> <td colspan="5">NOTE</td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="2"></td> </tr> </table> </td> </tr> </table> </td> </tr> </table>					MEDICATION	FIND	Pick a medication		QTY <input type="text"/> REFILLS <input type="text"/> zero	▼	May Substitute:	yes <input type="radio"/>	no <input type="radio"/>	<table border="1"> <tr> <td>SIG</td> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="3"></td> </tr> <tr> <td colspan="5">NOTE</td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="2"></td> </tr> </table> </td> </tr> </table>					SIG	◀	▶				NOTE					<table border="1"> <tr> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="2"></td> </tr> </table>					◀	▶																													
MEDICATION	FIND																																																																
Pick a medication																																																																	
QTY <input type="text"/> REFILLS <input type="text"/> zero	▼	May Substitute:	yes <input type="radio"/>	no <input type="radio"/>																																																													
<table border="1"> <tr> <td>SIG</td> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="3"></td> </tr> <tr> <td colspan="5">NOTE</td> </tr> <tr> <td colspan="5"> <table border="1"> <tr> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="2"></td> </tr> </table> </td> </tr> </table>					SIG	◀	▶				NOTE					<table border="1"> <tr> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="2"></td> </tr> </table>					◀	▶																																											
SIG	◀	▶																																																															
NOTE																																																																	
<table border="1"> <tr> <td>◀</td> <td>▶</td> </tr> <tr> <td colspan="2"></td> </tr> </table>					◀	▶																																																											
◀	▶																																																																

FIG. 20

RxInbox	NewRx	History	Administration	Help
Patient Search	CANCEL			
	LASTNAME: <input type="text"/>	FIRSTNAME: <input type="text"/>	<u>GO</u>	
	1-30 OF 30			
Brown, Thomas J DOB: 09/30/1962 Brown, Wendy B DOB: 06/06/1966 Cabrita, Francisco G DOB: 02/08/1950 Cisneros, Teresa H DOB: 02/08/1950 Edelman, Lawrence P DOB: 05/08/1965 Fernow, Mark F DOB: 06/30/1958 Flowers, Frank S DOB: 07/03/1956 Flowers, Susan S DOB: 12/20/1960 Green, Michelle K DOB: 12/21/1963 Green, Paul J DOB: 12/21/1963 Josephs, Robert A DOB: 03/09/1938 Just, Victoria E DOB: 08/08/1944 Long, Gary I DOB: 11/01/1961 Marans, Robert G DOB: 03/09/1957 Minardi, Paul M DOB: 03/09/1964 Nagle, Mark C DOB: 04/21/1967 Newman, Leonard S DOB: 02/01/1967 Racek, John O DOB: 07/09/1968 Roopesh, Zimmer T DOB: 01/09/1952 Siegel, Kendra J DOB: 01/09/1968 Simpson, Roger D DOB: 06/02/1952 Stone, Melissa S DOB: 10/02/1958 Terry, Cynthia D DOB: 12/01/1964 Tolet, James DOB: 02/03/1955 Tomei, Howard L DOB: 02/28/1959 Valenzuela, Steven S DOB: 08/09/1964 Wells, David DOB: 08/22/1955 Wellton, Patricia A DOB: 04/02/1966 Wilder, Jeanne K DOB: 03/03/1966 Williams, Susan E DOB: 04/30/1946				
	1-30 OF 30			

FIG. 21

RxInbox	NewRx	History	Administration	Help																								
<div style="text-align: center;"> <u>SEND CANCEL</u> </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">PHYSICIAN</td> <td style="width: 15%;">AGENT</td> </tr> <tr> <td>Welby, John M <input checked="" type="checkbox"/></td> <td>Dr. John M Welby</td> </tr> <tr> <td colspan="2" style="text-align: right; padding-right: 10px;"> NEW EDIT FIND </td> </tr> <tr> <td colspan="2"> PATIENT Welton, Patricia A DOB: 4/2/1946 PH: (415) 222-8080 (HEALTH NET) </td> </tr> <tr> <td colspan="2" style="text-align: right; padding-right: 10px;"> FIND </td> </tr> <tr> <td colspan="2"> PHARMACY <u>Pick a pharmacy</u> </td> </tr> <tr> <td colspan="2" style="text-align: right; padding-right: 10px;"> FIND </td> </tr> <tr> <td colspan="2"> MEDICATION <u>Pick a medication</u> </td> </tr> <tr> <td colspan="2" style="text-align: right; padding-right: 10px;"> QTY <input type="checkbox"/> REFILLS <input type="checkbox"/> <input type="checkbox"/> </td> </tr> <tr> <td colspan="2" style="text-align: right; padding-right: 10px;"> May Substitute: yes <input checked="" type="radio"/> no <input type="radio"/> </td> </tr> <tr> <td colspan="2"> SIG <input type="text"/> </td> </tr> <tr> <td colspan="2"> NOTE <input type="text"/> </td> </tr> </table>					PHYSICIAN	AGENT	Welby, John M <input checked="" type="checkbox"/>	Dr. John M Welby	NEW EDIT FIND		PATIENT Welton, Patricia A DOB: 4/2/1946 PH: (415) 222-8080 (HEALTH NET)		FIND		PHARMACY <u>Pick a pharmacy</u>		FIND		MEDICATION <u>Pick a medication</u>		QTY <input type="checkbox"/> REFILLS <input type="checkbox"/> <input type="checkbox"/>		May Substitute: yes <input checked="" type="radio"/> no <input type="radio"/>		SIG <input type="text"/>		NOTE <input type="text"/>	
PHYSICIAN	AGENT																											
Welby, John M <input checked="" type="checkbox"/>	Dr. John M Welby																											
NEW EDIT FIND																												
PATIENT Welton, Patricia A DOB: 4/2/1946 PH: (415) 222-8080 (HEALTH NET)																												
FIND																												
PHARMACY <u>Pick a pharmacy</u>																												
FIND																												
MEDICATION <u>Pick a medication</u>																												
QTY <input type="checkbox"/> REFILLS <input type="checkbox"/> <input type="checkbox"/>																												
May Substitute: yes <input checked="" type="radio"/> no <input type="radio"/>																												
SIG <input type="text"/>																												
NOTE <input type="text"/>																												

FIG. 22

RxInbox	NewRx	History	Administration	Help
Pharmacy Search				
CANCEL				
NAME: STREET:	PHONE: FAX:	GO		
SEARCH RESULTS				
1-15 OF 15				
CHILDRENS CLINIC PHARMACY 727 52ND STREET, OAKLAND CA		PH: 5104289029	FX: 5104289029	map
KAISER DELTA SQUARE PHARMACY 3624 DELTA FAIR BLVD, ANTIOCH CA		PH: 9257795333	FX: 9257795333	map
LAKE UNITED DRUG 287 13TH ST, OAKLAND CA		PH: 5108321804	FX: 5108919278	map
LEE'S APOTHECARY-BAYWOOD PHCY 1 BAYWOOD AVE, SAN MATEO CA		PH: 41553426004	FX: 4158342988	map
LEOS MEDICAL CENTER PHARMACY 411 30TH ST, OAKLAND CA		PH: 4158343100	FX: 4158342988	map
LONGS DRUG STORE 1165 WEL CAMINO REAL, SUNNYVALE CA		PH: 4087320677	FX: 4153262351	map
MEDICAL PLAZA PHARMACY 1101 WELCH RD 3C-12, PALO ALTO CA		PH: 4153262300	FX: 4153262351	map

FIG. 23

RxInbox	NewRx	History	Administration	Help																																																							
New Rx compose SEND CANCEL																																																											
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">PHYSICIAN</td> <td style="width: 15%;">AGENT</td> <td colspan="3"></td> </tr> <tr> <td>Welby, John M ▼</td> <td>Dr. John M Welby</td> <td colspan="3"></td> </tr> <tr> <td>PATIENT</td> <td>NEW</td> <td>EDIT</td> <td>FIND</td> <td></td> </tr> <tr> <td>Wellton, Patricia A (HEALTH NET)</td> <td>DOB: 4/2/1946</td> <td>PH: (415) 222-8080</td> <td></td> <td></td> </tr> <tr> <td>PHARMACY</td> <td colspan="4" style="text-align: center;">FIND</td> </tr> <tr> <td></td> <td colspan="4">LAKE UNITED DRUG PH: 5108321804 FX: 5108919278 287 13TH ST, OAKLAND, CA 946 123900</td> </tr> <tr> <td>MEDICATION</td> <td colspan="4" style="text-align: center;">FIND</td> </tr> <tr> <td>Pick a medication</td> <td colspan="4"></td> </tr> <tr> <td>QTY <input type="text"/> REFILLS <input type="text"/> zero ▼</td> <td colspan="4">May Substitute: yes <input checked="" type="radio"/> no <input type="radio"/></td> </tr> <tr> <td>SIG</td> <td colspan="4" style="text-align: center;">◀ ▶</td> </tr> <tr> <td>NOTE</td> <td colspan="4" style="text-align: center;">◀ ▶</td> </tr> </table>					PHYSICIAN	AGENT				Welby, John M ▼	Dr. John M Welby				PATIENT	NEW	EDIT	FIND		Wellton, Patricia A (HEALTH NET)	DOB: 4/2/1946	PH: (415) 222-8080			PHARMACY	FIND					LAKE UNITED DRUG PH: 5108321804 FX: 5108919278 287 13TH ST, OAKLAND, CA 946 123900				MEDICATION	FIND				Pick a medication					QTY <input type="text"/> REFILLS <input type="text"/> zero ▼	May Substitute: yes <input checked="" type="radio"/> no <input type="radio"/>				SIG	◀ ▶				NOTE	◀ ▶			
PHYSICIAN	AGENT																																																										
Welby, John M ▼	Dr. John M Welby																																																										
PATIENT	NEW	EDIT	FIND																																																								
Wellton, Patricia A (HEALTH NET)	DOB: 4/2/1946	PH: (415) 222-8080																																																									
PHARMACY	FIND																																																										
	LAKE UNITED DRUG PH: 5108321804 FX: 5108919278 287 13TH ST, OAKLAND, CA 946 123900																																																										
MEDICATION	FIND																																																										
Pick a medication																																																											
QTY <input type="text"/> REFILLS <input type="text"/> zero ▼	May Substitute: yes <input checked="" type="radio"/> no <input type="radio"/>																																																										
SIG	◀ ▶																																																										
NOTE	◀ ▶																																																										

FIG. 24

RxInbox	NewRx	History	Administration	Help
Medication Search				
CONDITIONS CATEGORIES ABC DEF GHIJKLMNOP GO O P Q R S T U V W X Y Z				
next > 1-30 of 43				
<p>Search Results</p> <ul style="list-style-type: none"> ✓ acetaminophen-codiene 300 mg-30 (tablet) ✓ amitriptyline 10 mg (tablet) ✓ Astelin 137 mcg/inh (spray) ✓ Biaxin 250 mg (tablet) ✓ Capoten 25 mg (tablet) ✓ Celebrex 100 mg (capsules)  ✓ Claritin 10 mg (tablet) ✓ Coumadin 5 mg (tablet)  ✓ Darvocet N 100 napsylate 325 mg-50 mg (tablet) ✓ diazepam 5 mg (tablet)  ✓ digoxin 0.25 mg (tablet)  ✓ diltiazem 60 mg (tablet) ✓ Flexeril 10 mg (tablet)  ✓ Fosamax 10 mg (tablet) ✓ glyburide 5 mg (tablet) ✓ hydrochlorothiazide 25 mg (tablet) ✓ Isordil 10 mg (tablet) ✓ lactase 250 mg (capsule) ✓ Lo/Ovral 50 mcg-0.5 mg (tablet) ✓ Locoid 1% (ointment) ✓ medroxyprogesterone 750 2.5 mg (tablet) ✓ methocarbamol 750 mg (tablet) ✓ Mevacor 10 mg (tablet) ✓ Miocalcinc 200 iu/inh (spray)  ✓ Motrin 800 mg (tablet) ✓ Norvasc 5 mg (tablet)  ✓ Ortho-Novum 7/7/7 35 mcg-1 mg (tablet) ✓ phentermine 30 mg (capsule, extended release) ✓ Premarin 0.625 mg (tablet) ■ Prilosec 20 mg (enteric coated capsule)  				

FIG. 25

PHYSICIAN <input type="text" value="Welby, John M"/>	AGENT <input type="text" value="Dr. John M Welby"/>
PATIENT <input type="text" value="Wellton, Patricia A"/> (HEALTH NET)	
DOB: 4/21/1946 PH: (415) 222-8080	
NEW EDIT FIND	
PHARMACY <input type="text" value="LAKE UNITED DRUG"/> 287 13TH ST, OAKLAND, CA 946 123900	FIND <input type="text" value="PH: 5108321804 FX: 5108919278"/>
MEDICATION <input type="text" value="Coumadin 5 mg (tablet)"/>	
FIND <input checkbox"="" type="text" value="QTY <input type="/> REFILLS <input checked="" type="checkbox" value="zero"/> May Substitute: yes <input type="radio"/> no <input type="radio"/>	
SIG 	
NOTE 	

FIG. 26

Please review	
PHYSICIAN	AGENT
Welby, John M <input checked="" type="checkbox"/>	Dr. John M Welby
PATIENT	NEW EDIT FIND
Wellton, Patricia A DOB: 4/2/1946	PH: (415) 222-8080
(HEALTH NET)	
PHARMACY	FIND
LAKE UNITED DRUG PH: 5108321804 FX: 5108919278 287 13TH ST, OAKLAND, CA 946 123900	
MEDICATION	FIND
Coumadin 5 mg (tablet)	
QTY <input type="text" value="30"/>	REFILLS <input type="text" value="two"/> <input checked="" type="checkbox"/>
May Substitute: yes <input checked="" type="radio"/> no <input type="radio"/>	
SIG	
Take one tablet daily as directed	
NOTE	

FIG. 27

<p>Prior Authorization Request</p> <p><u>SEND BACK CANCEL</u></p>	
<p>Prior Authorization Request For Dr. John M Welby</p>	
Date	01/17/99
Payer	Health Net of California
Physician	John Welby
Physician ID	223458
Patient	Patricia A Wellton
Patient ID	23321944-02
Patient DOB	04/02/1946
Proposed Medication	Fosamax 10 mg (tablet)
Prior Medications Prescribed	
Reason for Authorization Request	
<p>Prior Authorization Request</p>	

FIG. 28

PRESCRIBER	Days	#Rx	#Fut	LOGINID	SPECIALTY	CLINIC	ROUTE
WEST RHONDA	4	15	3	WESTR	FAM	RIVERSIDE	WEB
ROGERS, BRUCE MD	4	1	3	ROGEB	OBG	RIVERSIDE	WEB
SIMPSON, DAVID MD	4	1	35	DSIMP	MED	RIVERSIDE	WEB
MEDIC, MARY	3	1	1	MEDIC	NEU	RIVERSIDE	WEB
KELLY, RICHARD	3	14	9	RICHK	FAM	RIVERSIDE	WEB
RISE, PAULA PA	3	13	5	PRISE	FAM	MORENO VALLEY	WEB
EVERETT, CATHERINE	3	3	4	EVERC	OBG	RIVERSIDE	WEB
SCOTT, GREGORY MD	3	3	0	SCOTG	SUR	RIVERSIDE	WEB
GOODEN, LAURA NP	3	26	5	LGOOD	FAM	RIVERSIDE	WEB

FIG. 29




FIG. 30

  script	<h2>Rx Lookup</h2> <p>HOME RESPONSE MONITOR</p> <p><input type="button" value="Lookup"/> <input type="button" value="Lookup"/></p>				
PIMS STATUS PATIENT DRUG SIG PHARM DOCTOR ASSIGNED TO PHARM MSG RESPONSE	OPEN PATIENT,ELAINE SYNTHROID 0.1MG TABLET TAKE 1 TABLET EVERY MORNING TEMECULA VALLEY DOC,DIANE M MD ENDOCRINOLOGY DOC, DIANE NONE NO NUMBER	E-SCRIPT RESPONDED PCP DIDOC Qry 100	LOGGED 6/9/99 2:04:45 PM DOB 05/25/00 Fill 8/18/98	FILED 6/9/99 2:05:00 PM MR# 00 0011XX-XX-XX Presc 4/15/97	
INSTRUCTIONS	RX# 209550ABC Ph: (909) 600-3380 Fax: I've never seen pt before,pls forward to a. miller=prior md				
Pharmacy Note:	<input type="text"/>				
(warning:forwarding or returning the authorization request will delete the current response)					
<input type="button" value="Return to DOC,DIANE"/> <input type="button" value="Forward to MILLER,HENRY,PCP"/> <input type="button" value="Reprint Response to Pharmacy"/>	<input type="button" value="Find Doc"/> <input type="button" value="Reprint Response Local"/>				

FIG. 31

RX In Box™																																				
<input type="button" value="REFRESH"/>	<input type="button" value="UNDO"/>	<input type="button" value="INBOX"/>	<input type="button" value="FUTURES"/>	<input type="button" value="LOGOFF"/>																																
<input type="button" value="script"/> <input type="button" value="Inbox For SCOTT,SAM T"/> <input type="button" value="WELBY,JOHN"/> <input type="button" value="GRIFFITH,SUZY L"/>			<input type="button" value="Prescription Group Monitor"/> <table border="1"> <thead> <tr> <th></th> <th>Immediate</th> <th>Days Late</th> <th>Futures</th> </tr> </thead> <tbody> <tr> <td>SCOTT,SAM T</td> <td>9</td> <td>4</td> <td>22</td> </tr> <tr> <td>WELBY,JOHN</td> <td>3</td> <td>0</td> <td>11</td> </tr> <tr> <td>GRIFFITH, SUZY L</td> <td>1</td> <td>0</td> <td>12</td> </tr> </tbody> </table>		Immediate	Days Late	Futures	SCOTT,SAM T	9	4	22	WELBY,JOHN	3	0	11	GRIFFITH, SUZY L	1	0	12	<input type="button" value="Referral Group Monitor"/> <table border="1"> <thead> <tr> <th>Action Items</th> <th>Days Late</th> <th>Encounter Results</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>0</td> <td>2</td> </tr> <tr> <td></td> <td>3</td> <td>2</td> </tr> <tr> <td></td> <td>6</td> <td>0</td> </tr> <tr> <td></td> <td>3</td> <td></td> </tr> </tbody> </table>	Action Items	Days Late	Encounter Results	1	0	2		3	2		6	0		3		<input type="button" value="New Referral"/> <input type="button" value="My Futures"/> WELBY, JOHN IMMEDIATES <input type="radio"/> 1 yr <input type="radio"/> 2 yr <input type="radio"/> 3 yr <input type="radio"/> 4 yr <input type="radio"/> Med Appt. <input type="radio"/> Chg Rx <input type="radio"/> Hold <input type="radio"/> 1 yr <input type="radio"/> 2 yr <input type="radio"/> 3 yr <input type="radio"/> 4 yr <input type="radio"/> Med Appt. <input type="radio"/> Chg Rx <input type="radio"/> Hold Pharmacy Message <input type="radio"/> AMITRPTYLINE 25 MG TABLET <input type="radio"/> Med Appt. <input type="radio"/> Chg Rx <input type="radio"/> Hold
	Immediate	Days Late	Futures																																	
SCOTT,SAM T	9	4	22																																	
WELBY,JOHN	3	0	11																																	
GRIFFITH, SUZY L	1	0	12																																	
Action Items	Days Late	Encounter Results																																		
1	0	2																																		
	3	2																																		
	6	0																																		
	3																																			
<input type="button" value="SEND"/>	<input type="button" value="SEND"/>	<input type="button" value="CANCEL"/>																																		

FIG. 32




FIG. 33

eScript	eScript Referrals <u>SUBMIT</u> <u>DELETE</u> <u>INBOX</u>		
REFERRAL			
PICK DEPT/TYPE			
Patient Information			
Referral Date	1/17/00	Name	Patricia Wellton
Appt		MR#	00-01-97743
Consult Status		Address	2 Main Street West Covina, CA 92344
PCP	John Welby 8-345-9343	Home Phone	562-934-1123
Action Required		Work Phone	562-222-2200
Referring Physician Input John Welby			
Dept/Reason	Cardiology	▼	Clinic
SUNSET/METRO			
Reason for Referral			
<u>SUBMIT</u> <u>DELETE</u> <u>INBOX</u>			

FIG. 34

eScript

eScript Referrals
SUBMIT DELETE INBOX HOLD
REFERRAL
PREREQUISITE CHECKOFF

Patient Information			
Referral Date	Name	Patricia Wellton	
Appt	1/17/00	MR#	00-01-97743
Consult Status		Address	2 Main Street West Covina, CA 92344
PCP	John Welby 8-345-9343	Home Phone	562-934-1123
Action Required		Work Phone	562-222-2200
Referring Physician Input John Welby			
Referring to OB/GYN-SUNSET/METRO CONDITION: INFERTILITY			
Recommended Prerequisites			
<input type="radio"/> Under 44 <input type="radio"/> 44 or Older		Patient Must Be Under 44	
<input type="radio"/> Under 6 Mos <input type="radio"/> Over 6 Mos		Patient Must Have Been Trying to Conceive For 6 Months or More With Same Partner	
<input type="radio"/> Yes <input type="radio"/> No		Patient Labs Ordered: HIV i & ii, RPR, Varicella, Rubella, HTLV-1, HepBsag, HepCab, Random Glucose	
<input type="radio"/> Yes <input type="radio"/> No		Partner Labs Ordered: HIV i & ii, RPR, HepBsag, HepCab, HTLV-1, Semen Analysis	
<input type="radio"/> Yes <input type="radio"/> No		Patient Given Prep Handout VIEW	
Note		IVF is NOT a covered benefit	
Reason for Referral			
33 Year Old. 4/98 Pregnancy terminated at 16 weeks due to Listeria infection. Required IV abx Post Partum for Endometritis. Now attempting to conceive for approx 1 year without success. Has used ovulation prediction kits for 7 months. Please evaluate. Pap and Cervical exam done.			
Additional Notes to Consultant:			
SUBMIT CANCEL INBOX HOLD			

FIG. 35

eScript Referrals						
LOGOFF						
CONSULTANT APPROVAL QUEUE						
AREA <input type="text" value="SUNSET/METRO"/>	<input type="checkbox"/>	DAYS-REF >= <input type="text" value="3"/>	<input checked="" type="checkbox"/>	DAYS-APPT>= <input type="text" value="0"/>	<input checked="" type="checkbox"/>	<input type="button" value="FIND"/>
URGENCY= <input type="checkbox"/> ALL	<input checked="" type="checkbox"/>	STATUS= <input type="checkbox"/> PENDING	<input checked="" type="checkbox"/>			
PATIENT	DAYS SINCE REFERRAL	DEPT	URGENCY	APPT LOCATION REQUESTED	TYPE OF CONSULT	REFERRING PHYSICIAN
✓ WELLTON, PATRICIA	15	OBG	ROUTINE	SUNSET	INFERTILITY	WELBY
✓ ROGERS, CINDY	4	OBG	URGENT	SUNSET	PELVIC PAIN	WELBY
SIMPSON, BARBARA	4	OBG	ROUTINE	SUNSET	CONTRACEPTION	JONES
MEDIC, MARY	3	OBG	ROUTINE	SUNSET	IRREGULAR PERIODS	SMITH
KELLY, RHONDA	3	OBG	ROUTINE	SUNSET	PREGNANCY	FLOWERS
RISE, PAULA	3	OBG	ROUTINE	SUNSET	CONTRACEPTION	CRAIG
EVERETT, CATHERINE	3	OBG	ROUTINE	SUNSET	PREGNANCY	MARTIN
GOODEN LAURA	3	OBG	ROUTINE	SUNSET	INFERTILITY	SCOTT

FIG. 36

eScript

eScript Referrals
APPROVE DENY HOLD
REFERRAL
REQUEST FROM PRIMARY MD

Patient Information

Referral Date	1/17/00	Name	Patricia Wellton
Appt		MR#	00-01-97743
Consult Status		Address	2 Main Street West Covina, CA 92344
PCP	John Welby 8-345-9343	Home Phone	562-934-1123
Action Required	Approval for Appt	Work Phone	562-222-2200

Referring Physician Input
John Welby

Referral to
OB/GYN-SUNSET/METRO
CONDITION: INFERTILITY

Prerequisites for Referral

Patient Must Be Under 44
Patient Must Have Been Trying to Conceive For 6 Months or More With Same Partner
Patient Labs Ordered
Partner Labs Ordered
Patient Given Prep Handout <input type="button" value="VIEW"/>
Note IVF is NOT a covered benefit

Referring Physician Comments

33 Year Old. 4/98 Pregnancy terminated at 16 weeks due to Listeria infection.
Required IV abx Post Partum for Endometritis. Now attempting to conceive for approx 1 year without success. Has used ovulation prediction kits for 7 months. Please evaluate. Pap and Cervical exam done.

Consultant Comments

APPT NEEDED=	<input type="text" value="10 min"/> <input checked="" type="checkbox"/>	APPT MUST BE WITH	<input type="text"/>	APPT
TYPE	<input type="text" value="INF-New"/> <input checked="" type="checkbox"/>			
DENIAL REASON=	<input type="text"/> <input checked="" type="checkbox"/>			
Return to	WELBY,JOHN			
Forward to	PCP:WELBY, JOHN		<input type="button" value="Find Doc"/>	
<u>APPROVE</u> <u>DENY</u> <u>HOLD</u>				

FIG. 37

eScript Referrals						
LOGOFF						
APPOINTMENT CENTER QUEUE						
AREA	<input type="text" value="LOSANGELES"/>	<input type="checkbox"/> DAYS-REF >= <input type="text" value="3"/>	<input checked="" type="checkbox"/> DAYS-APPT >= <input type="text" value="0"/>	<input type="checkbox"/> FIND		
STATUS=	<input type="checkbox"/> PENDING	<input type="checkbox"/> ▾				
PATIENT	DAYS SINCE REFERRAL	STATUS DEPT	CONSULTANT	APPT LOCATION	DAYS APPT CENTER	STATUS APPT CENTER
✓ WELLTON, PATRICIA	15	OBG	APPROVED	SUNSET	4	PENDING
ROGERS, CINDY	4	OBG	APPROVED	SUNSET	4	PENDING
SIMPSON, DAVID	4	NEU	APPROVED	SUNSET	4	PENDING
MEDIC, MARY	3	CRD	APPROVED	SUNSET	4	PENDING
KELLY, RICHARD	3	URO	APPROVED	SUNSET	4	PENDING
RISE, PAUL	3	ORP	APPROVED	SUNSET	4	PENDING
EVERETT, CATHERINE	3	ORP	APPROVED	SUNSET	4	PENDING
SCOTT, GREGORY	3	CRD	APPROVED	RIVERSIDE	4	PENDING
GOODEN, LAURA	3	OBG	APPROVED	SUNSET	4	PENDING

FIG. 38

eScript	eScript Referrals		
	<u>APPT SET</u>	CANCEL	UNABLE TO CONTACT
	APPOINTMENT		
	REQUEST FROM CONSULTING MD		
Patient Information			
Referral Date	1/17/00	Name	Patricia Wellton
Appt		MR#	00-01-97743
Consult Status	Approved FOR aPPT	Address	2 Main Street West Covina, CA 92344
PCP	John Welby 8-345-9343	Home Phone	562-934-1123
Action Required	Schedule Appt	Work Phone	562-222-2200
Referring Physician Input John Welby			
Referring Dept OB/GYN-SUNSET/METRO CONDITION: INFERTILITY 8-345-6954			
APPT NEEDED= 30 Min APPT MUST BE WITH DURINZI DAYS SINCE REFERRAL 15			
APPT DATE		APPT TIME	PROVIDER
APPT Type INF-New			
<u>APPT SET</u> CANCEL UNABLE TO CONTACT			

FIG. 39

CONSULTANT APPROVAL QUEUE									
PATIENT	Appt Date	Appt Time	DAY SINCE REFERRAL	DEPT URGENCY	APPT LOCATION	TYPE OF CONSULT	CONSULTANT	REFERRING PHYSICIAN	
✓ WELLTON, PATRICIA	Feb 23	0800	15	OBG ROUTINE	SUNSET	INFERTILITY	DURINZI	WELBY	
✓ ROGERS, CINDY	Feb 23	0800	4	OBG URGENT	SUNSET	PELVIC PAIN	NEVAREZ	WELBY	
SIMPSON, BARBARA	Feb 23	0900	4	OBG ROUTINE	SUNSET	CONTRACEPTION	SMITH	JONES	
MEDIC, MARY	Feb 23	0915	3	OBG ROUTINE	SUNSET	IRREGULAR PERIODS	JONES	SMITH	
KELLY, RHONDA	Feb 23	1100	3	OBG ROUTINE	SUNSET	PREGNANCY	WEST	FLOWERS	
RISE, PAULA	Feb 23	1200	3	OBG ROUTINE	SUNSET	CONTRACEPTION	MORGAN	CRAIG	
EVERETT, CATHERINE	Feb 23	1430	3	OBG ROUTINE	SUNSET	PREGNANCY	NEVAREZ	WEST	
SCOTT, GEORGIA	Feb 23	1445	3	OBG ROUTINE	SUNSET	PREGNANCY	NEVAREZ	MARTIN	
GOODEN, LAURA	Feb 23	1500	3	OBG ROUTINE	SUNSET	INFERTILITY	WEST	SCOTT	

FIG. 40

eScript

eScript Referrals

SUBMIT ENCOUNTER HOLD CANCEL
REFERRAL PENDING
APPOINTMENT WITH CONSULTANT

Patient Information

Referral Date	1/17/00	Name	Patricia Wellton
Appt	2/23/00 DURINZI	MR#	00-01-97743
Consult Status	Approved	Address	2 Main Street West Covina, CA 92344
PCP	John Welby 8-345-9343	Home Phone	562-934-1123
Action Required	Consultant Feedback	Work Phone	562-222-2200
Referral to OB/GYN-SUNSET/METRO CONDITION: INFERTILITY 8-345-6954			

Prerequisites

Patient Must Be Under 44
Patient Must Have Been Trying to Conceive For 6 Months or More With Same Partner
Patient Labs Ordered
Partner Labs Ordered
Patient Given Prep Handout VIEW
Note IVF is NOT a covered benefit
Referring Physician John Welby 8-345-9343

Reason For Referral

33 Year Old. 4/98 Pregnancy terminated at 16 weeks due to Listeria infection.
 Required IV abx Post Partum for Endometritis. Now attempting to conceive for approx 1 year without success. Has used ovulation prediction kits for 7 months. Please evaluate. Pap and Cervical exam done.

Consultant Comments

APPT NEEDED= None APPT MUST BE WITH APPT

TYPE INF-New

SCHEDULE APPT IN= 1 Week

SUBMIT ENCOUNTER HOLD CANCEL

FIG. 41

eScript Referrals					
Referrals InBox		NEW <u>REFERRAL</u>	ACTION RESULTS	LOGOFF	
		ITEMS			
John Welby					
Inbox For		Referrals Group Monitor	Prescription Group Monitor		
Scott, Sam T	1	Action Items	Immediate	Days Late	Futures
Welby, John M	3	Days Late	9	4	22
Griffith, Suzy L	6	Encounter Results	3	0	11
			1	0	12
Encounter Results					
Review	Forward	Request	Seen:		
Appt			Wellton, Patricia	2/23/00	MR# 00-01-98777
			Encounter Results		Infertility
			Consulting Physician:	Durinzi, Karen	
Review	Forward	Request	Seen:		
Appt			Smith , Allan	2/24/00	MR# 00-02-63388
			Encounter Results		Chest Pains
			Consulting Physician:	Jorgenson, Michael	
Review	Forward	Request	Seen:		
Appt			Fields, Sally W	2/23/00	MR# 00-92-00232
			Encounter Results		Pregnancy
			Consulting Physician:	Nevarez, Faustina	
			ACTION ITEMS	RESULTS	LOGOFF

FIG. 42

eScript ReferralsARCHIVE INBOX**CONSULTANT ENCOUNTER REPORT**

	Patient Information		
Referral Date	Name	Patricia Wellton	
Appt	2/23/00	MR#	00-01-97743
Consult Status	Completed	Address	2 Main Street West Covina, CA 92344
PCP	John Welby 8-345-9343	Home Phone	562-934-1123
Action Required	Review	Work Phone	562-222-2200
Reason for Referral	Referring Physician John Welby 8-345-9343		
	33 Year Old, 4/98 Pregnancy terminated at 16 weeks due to Listeria infection. Required IV abx Post Partum for Endometritis. Now attempting to conceive for approx 1 year without success. Has used ovulation prediction kits for 7 months. Please evaluate. Pap and Cervical exam done.		
Encounter Results	Consulting Physician Karen Durinzi 8-345-6954		
	Patient good candidate for fertility drugs. Will begin using Pergonal after all preeqs are complete. I will monitor patient during regimen. Suggest you see her within 6 mos. Thanks, Karen.		
	<u>ARCHIVE INBOX</u>		

FIG. 43

eScript Referrals					
Referrals InBox		<u>NEW</u>	<u>ACTION RESULTS</u>	<u>ITEMS</u>	<u>LOGOFF</u>
for		<u>REFERRAL</u>			
John Welby					
Group Monitor					
Inbox For	Action	Items	Referrals Group Monitor	Encounter Results	Prescription Group Monitor
			Days Late		Immediate Days Late Futures
<u>Scott, Sam T</u>	1	0	<u>2</u>		<u>9</u> <u>4</u> <u>22</u>
<u>Welby, John M</u>	2	0	<u>2</u>		<u>3</u> <u>0</u> <u>11</u>
<u>Griffith, Suzy L</u>	6	3	<u>0</u>		<u>1</u> <u>0</u> <u>12</u>
Encounter Results					
Review	Forward	Request	Smith, Allan	Seen:	MR# 00-02-63388
				2/24/00	
<u>Appt</u>			Encounter Results		Chest Pains
					Consulting Physician: Jorgenson, Michael
Review	Forward	Request	Fields, Sally W	Seen:	MR# 00-92-00232
				2/25/00	
<u>Appt</u>			Encounter Results		Pregnancy
					Consulting Physician: Nevarez, Faustina
					<u>ACTION</u> <u>PENDING</u> <u>LOGOFF</u>

FIG. 44




FIG. 45

PATIENT REFERRAL HISTORY						
PATIENT	DATE	DEPT	REFERRING	CONSULTING	INDICATION	APPT LOCATION
<u>WELLTON,</u>	FEB	OBG	WELBY	DURINZI	INFERTILITY	SUNSET
<u>PATRICIA</u>	23				JORGENSEN	IRREGULAR HEARTBEAT
					SUNSET	4
<u>WELLTON,</u>	JAN	CRD	WELBY			
<u>PATRICIA</u>	3					
<u>WELLTON,</u>	NOV	NEU	WELBY	ENSAT	MIGRAINE	FONTANA
<u>PATRICIA</u>	22					4

FIG. 46

eScript Referrals

ARCHIVE INBOX

CONSULTANT ENCOUNTER REPORT

Patient Information	
Referral Date	2/8/00
Appt	2/23/00
Consult Status	Completed
PCP	John Welby 8-345-9343
Action Required	Review
Reason for Referral	Referring Physician John Welby 8-345-
Encounter Results	33 Year Old, 4/98 Pregnancy terminated at 16 weeks due to Listeria infection. Required IV abx Post Partum for Endometritis. Now attempting to conceive for approx 1 year without success. Has used ovulation prediction kits for 7 months. Please evaluate. Pap and Cervical exam done.
Patient good candidate for fertility drugs. Will begin using Pergonal after all preeqs are complete. I will monitor patient during regimen. Suggest you see her within 6 mos. Thanks, Karen.	Consulting Physician Karen Durinzi 8-345-6954

ARCHIVE INBOX

FIG. 47

eScript Referrals		
Volume Report Generator		
Referral Creation	Detail	Physician ODept OLocation
Location	DEPT	ALL ▾
Doctor		
Referral Receipt	Detail	ODept OLocation
Location	DEPT	ALL ▾
LOS ANGELES ▾		
SORT BY	Sender ORecipient	Time Period OALLO
Select	Start Date	Stop
Date		
1	March	April
2	April	May
3	May	June
4	June	July
5	July	August
6	August	
SUBMIT DENY HOLD		

FIG 48

eScript
eScript Referrals

Volume Report Results						
		Next Report				
Provider	OPAS	Location	Dept	Number Ref	Number Denials	Avg Days to Appt
GAVIN, VANESSA MD	GAVIV	SUN	FAM	11	0	4
GUZMAN, ERWIN MD	GUZME	SUN	FAM	9	0	8
DERSARKISSAN, JACK MD	DERSA	SUN	FAM	8	0	2
MORRIS, NICOLE MD	MORRN	SUN	FAM	8	0	1
HLADON, PAUL	HLADO	SUN	FAM	7	0	4
KAPOOR, NARINDER MD	KAPOR	SUN	FAM	7	0	4
PIZANO, CAESAR MD	PIZAC	SUN	FAM	7	0	3

FIG 49

eScript Referrals

Time Lapse Report Generator	
Referral Creation	Detail <input type="checkbox"/> Physician <input checked="" type="checkbox"/> Dept <input type="checkbox"/> Location
Location	<input type="text" value="LOS ANGELES"/> <input type="button" value="▼"/>
Doctor	<input type="button" value="DEPT"/> <input type="button" value="ALL"/> <input type="button" value="▼"/>
Referral Receipt	Detail <input type="checkbox"/>
Location	<input type="text" value="LOS ANGELES"/> <input type="button" value="▼"/>
Referral Receipt	Detail <input type="checkbox"/>
Location	<input type="text" value="LOS ANGELES"/> <input type="button" value="▼"/>
SORT BY	<input type="checkbox"/> Sender <input checked="" type="checkbox"/> Recipient
Select	
Date	<input type="button" value="Start Date"/> <input type="button" value="Stop"/> <input type="button" value="Time Period"/> <input checked="" type="checkbox"/> ALL
	<input type="button" value="March"/> <input type="button" value="April"/> <input type="button" value="May"/> <input type="button" value="June"/> <input type="button" value="July"/> <input type="button" value="August"/> <input type="button" value="▼"/>
	<input type="button" value="March"/> <input type="button" value="April"/> <input type="button" value="May"/> <input type="button" value="June"/> <input type="button" value="July"/> <input type="button" value="August"/> <input type="button" value="▲"/>
	<input type="button" value="1"/> <input type="button" value="2"/> <input type="button" value="3"/> <input type="button" value="4"/> <input type="button" value="5"/> <input type="button" value="6"/> <input type="button" value="▼"/>
	<input type="button" value="1"/> <input type="button" value="2"/> <input type="button" value="3"/> <input type="button" value="4"/> <input type="button" value="5"/> <input type="button" value="6"/> <input type="button" value="▲"/>

FIG 50

eScript Referrals

Time Lapse Report Results

Referral Creation: Sunset/Los Angeles
 Referral Receipt Sunset OBG By Dept
 March 1-March 15 2000

Number of Referrals	Approved	Denied	Re-Directed	%Denied	Total
<u>123</u>	<u>8</u>	<u>12</u>		6.50%	131
Days From Referral Until Apt Date	Under 3	4-7	8-11	12-14	14+ %Over Total
	<u>2</u>	<u>22</u>	<u>39</u>	<u>56</u>	<u>4</u> 3.25% 123
Days From Referral Until Apt is Set	0	1	2-3	4-7	7+ %Over Total
	<u>33</u>	<u>32</u>	<u>45</u>	<u>4</u>	<u>9</u> 7.32% 123

FIG. 51

eScript Referrals							
Report Detail							
Referrals > 14 Days From Referral to Office Visit							
PATIENT	Apt Date	Appt Time	DEPT SINCE	URGRNCY	APPT	TYPE OF CONSULT	CONSULTANT REFERRING PHYSICIAN
WELLTON PATRICIA	Feb 23	0800	17	OBG ROUTINE	SUNSET	INFERTILITY	DURINZI WELBY
SIMPSON, BARBARA	Mar 3	0900	15	OBG ROUTINE	SUNSET	CONTRACEPTION	SMITH JONES
MEDIC, MARY	Mar 5	0915	15	OBG ROUTINE	SUNSET	IRREGULAR PERIODS	JONES SMITH
KELLY, RHONDA	Mar 9	1100	15	OBG ROUTINE	SUNSET	PREGNANCY	WEST FLOWERS

FIG 52

eScript

eScript Referrals
SUBMIT ENCOUNTER HOLD CANCEL
REFERRAL PENDING
APPOINTMENT WITH CONSULTANT

Patient Information

Referral Date	1/17/00	Name	Patricia Welton
Appt	2/23/00 DURINZI	MR#	00-01-97743
Consult Status	Approved	Address	2 Main Street West Covina, CA 92344
PCP	John Welby 8-345-9343	Home Phone	562-934-1123
Action Required	Consultant Feedback	Work Phone	562-222-2200
Referral to OB/GYN-SUNSET/METRO CONDITION: INFERTILITY 8-345-6954			

Prerequisites

Patient Must Be Under 44
Patient Must Have Been Trying to Conceive For 6 Months or More With Same Partner
Patient Labs Ordered
Partner Labs Ordered
Patient Given Prep Handout VIEW
Note IVF is NOT a covered benefit
Referring Physician John Welby 8-345-9343

Reason For Referral

33 Year Old. 4/98 Pregnancy terminated at 16 weeks due to Listeria infection. Required IV abx Post Partum for Endometritis. Now attempting to conceive for approx 1 year without success. Has used ovulation prediction kits for 7 months. Please evaluate. Pap and Cervical exam done.

Consultant Comments

APPT NEEDED= None APPT MUST BE WITH APPT

TYPE INF-New

SCHEDULE APPT IN= 1 Week

SUBMIT ENCOUNTER HOLD CANCEL

FIG. 53

eScript Referrals

REPORTS

OBG-REFERRALS BY INDICATION

OBG-REFERRALS BY LENGTH OF WAIT TO CONSULT

SUNSET-REFERRALS BY CONSULT DEPT

FIG. 54




FIG 55




FIG 56




FIG 57




Fig. 58A




Fig. 58B

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
28 September 2000 (28.09.2000)

PCT

(10) International Publication Number
WO 00/57341 A3

(51) International Patent Classification⁷: G06F 19/00,
17/60

David [US/US]; 2 Scenic Court, Danville, CA 94506 (US). REISS, Robert [US/US]; 225 Irving Street, Apartment 7, San Francisco, CA 94122 (US).

(21) International Application Number: PCT/US00/07716

(74) Agents: GLENN, Michael, A. et al.; Glenn Patent Group, Menlo Park, CA 94025 (US).

(22) International Filing Date: 22 March 2000 (22.03.2000)

(81) Designated States (*national*): AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW.

(25) Filing Language: English

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, SD, SL, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(26) Publication Language: English

(30) Priority Data:
60/125,461 22 March 1999 (22.03.1999) US

Published:

— With international search report.

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier application:

US 60/125,461 (CIP)
Filed on 22 March 2000 (22.03.2000)

(71) Applicant (*for all designated States except US*): ESCRIPT, INC. [US/US]; 2 Scenic Court, Danville, CA 94506 (US).

(72) Inventors; and
(75) Inventors/Applicants (*for US only*): WEINSTEIN,

[Continued on next page]

(54) Title: METHOD AND APPARATUS FOR MEDICAL COVERING GROUP REQUEST PROCESSING, REVIEW AND MANAGEMENT

	<p>Advertising Space</p> <p>1000</p> <p>Group Monitor For: East Bay Clinic 1006</p> <table border="1"> <thead> <tr> <th>Inbox For</th> <th>1002</th> <th>1004</th> <th>Immediate</th> <th>Days Late</th> <th>Futures</th> <th>1008</th> </tr> </thead> <tbody> <tr> <td>Smith, William</td> <td>1010</td> <td>5</td> <td>1012</td> <td>2</td> <td>1014</td> <td>51</td> </tr> <tr> <td>Doctor, Joe</td> <td>1020</td> <td>12</td> <td>3</td> <td>9</td> <td></td> <td>1016</td> </tr> <tr> <td>Surgeon, Frank</td> <td>1022</td> <td>0</td> <td>0</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>OBG, Louis</td> <td>1024</td> <td>0</td> <td>0</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Welby, John</td> <td>1026</td> <td>6</td> <td>1</td> <td>5</td> <td></td> <td>1030</td> </tr> </tbody> </table> <p>Rx InBox for: Smith, William W (IMMEDIATES)</p> <table border="1"> <tr> <td>PATIENT, SUSE K 1040</td> <td>PCP SMITH 1042</td> <td>MRF 00 000000-85-XX</td> </tr> <tr> <td>1058 2 days</td> <td>1052 CIPRO 500MG TABLET 1044</td> <td>QTY 10 FB 2/11/99 1050</td> </tr> <tr> <td></td> <td>TAKE 1 TABLET 2 TIMES A DAY FOR 5 DAYS 1048</td> <td>1046</td> </tr> <tr> <td></td> <td>FORWARD from YUN, SMITH MD RESIDENT-FAMILY PRACTICE 1054</td> <td></td> </tr> <tr> <td>PERSON, MARK S 1060</td> <td>PCP SMITH 1062</td> <td>MRF 00 000000-75-XX</td> </tr> <tr> <td>1078 BECLOVENT INHALER 1064</td> <td>QTY 16.8 1066</td> <td>FILL 2/13/97 1070</td> </tr> <tr> <td>ChangeDetails</td> <td>INHALE 2 PUFFS 2 TIMES DAILY, RINSE MOUTH AFTER USE (GENERIC FOR VANCERIL) 1072</td> <td></td> </tr> <tr> <td>HEALTHY, LAURA J 1068</td> <td>PCP SMITH</td> <td>MRF 00 000000-16-XX</td> </tr> <tr> <td></td> <td>HYDROCHLOROTHIAZIDE 25MG TB</td> <td>QTY 100 FILL 11/17/98</td> </tr> </table>	Inbox For	1002	1004	Immediate	Days Late	Futures	1008	Smith, William	1010	5	1012	2	1014	51	Doctor, Joe	1020	12	3	9		1016	Surgeon, Frank	1022	0	0	0			OBG, Louis	1024	0	0	0			Welby, John	1026	6	1	5		1030	PATIENT, SUSE K 1040	PCP SMITH 1042	MRF 00 000000-85-XX	1058 2 days	1052 CIPRO 500MG TABLET 1044	QTY 10 FB 2/11/99 1050		TAKE 1 TABLET 2 TIMES A DAY FOR 5 DAYS 1048	1046		FORWARD from YUN, SMITH MD RESIDENT-FAMILY PRACTICE 1054		PERSON, MARK S 1060	PCP SMITH 1062	MRF 00 000000-75-XX	1078 BECLOVENT INHALER 1064	QTY 16.8 1066	FILL 2/13/97 1070	ChangeDetails	INHALE 2 PUFFS 2 TIMES DAILY, RINSE MOUTH AFTER USE (GENERIC FOR VANCERIL) 1072		HEALTHY, LAURA J 1068	PCP SMITH	MRF 00 000000-16-XX		HYDROCHLOROTHIAZIDE 25MG TB	QTY 100 FILL 11/17/98
Inbox For	1002	1004	Immediate	Days Late	Futures	1008																																																																
Smith, William	1010	5	1012	2	1014	51																																																																
Doctor, Joe	1020	12	3	9		1016																																																																
Surgeon, Frank	1022	0	0	0																																																																		
OBG, Louis	1024	0	0	0																																																																		
Welby, John	1026	6	1	5		1030																																																																
PATIENT, SUSE K 1040	PCP SMITH 1042	MRF 00 000000-85-XX																																																																				
1058 2 days	1052 CIPRO 500MG TABLET 1044	QTY 10 FB 2/11/99 1050																																																																				
	TAKE 1 TABLET 2 TIMES A DAY FOR 5 DAYS 1048	1046																																																																				
	FORWARD from YUN, SMITH MD RESIDENT-FAMILY PRACTICE 1054																																																																					
PERSON, MARK S 1060	PCP SMITH 1062	MRF 00 000000-75-XX																																																																				
1078 BECLOVENT INHALER 1064	QTY 16.8 1066	FILL 2/13/97 1070																																																																				
ChangeDetails	INHALE 2 PUFFS 2 TIMES DAILY, RINSE MOUTH AFTER USE (GENERIC FOR VANCERIL) 1072																																																																					
HEALTHY, LAURA J 1068	PCP SMITH	MRF 00 000000-16-XX																																																																				
	HYDROCHLOROTHIAZIDE 25MG TB	QTY 100 FILL 11/17/98																																																																				

WO 00/57341 A3

(57) Abstract: Certain embodiments include a method for a first covering group member belonging to a covering group of using a request list containing a request list component for each of the covering group members. The covering group containing at least two covering group members. Each of the request list components further contains a request summary collection containing at least a past-due request summary and a immediately-due request summary. The method includes the user performing the following. Selecting a second of the covering group members belonging to the covering group. Selecting a first of the summaries of the request summary collection contained in the request list component for the second covering group member. Perceiving a request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising a requestor name, a requested item, a request response list containing at least two request responses.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 00/07716

A. CLASSIFICATION OF SUBJECT MATTER
 IPC 7 G06F19/00 G06F17/60

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, IBM-TDB, INSPEC, COMPENDEX

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 758 095 A (ALBAUM ET AL) 26 May 1998 (1998-05-26) column 2, line 65 -column 3, line 47	1,32,63, 94
A	column 6, line 24 -column 20, line 34; figures 1-71 ---	2-31, 33-62, 64-93, 95-124
A	WO 95 29455 A (FILLINGANE SAM D O) 2 November 1995 (1995-11-02) column 1, line 17 -column 3, line 28 column 6, line 12 -column 9, line 29; figures 1-4 ---	1,32,63, 94

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

Date of mailing of the international search report

20 October 2000

30/10/2000

Name and mailing address of the ISA
 European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl.
 Fax: (+31-70) 340-3016

Authorized officer

Schenkels, P

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 00/07716

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	OGURA H ET AL: "Online prescription order and prescription support in an integrated hospital information system" MEDICAL INFORMATICS, GB, LONDON, vol. 10, no. 4, 1985, pages 287-299, XP002086149 ISSN: 0959-8316 page 287, line 1 -page 292, line 45; figures 1-3 ----	1,32,63, 94
A	US 5 666 492 A (RHODES KEITH DANIEL ET AL) 9 September 1997 (1997-09-09) abstract column 2, line 55 -column 4, line 61 ----	1,32,63, 94
A	US 5 542 420 A (GOLDMAN ET AL) 6 August 1996 (1996-08-06) column 1, line 8 -column 5, line 25 ----	1,32,63, 94

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 00/07716

Patent document cited in search report		Publication date	Patent family member(s)			Publication date
US 5758095	A	26-05-1998	NONE			
WO 9529455	A	02-11-1995	NONE			
US 5666492	A	09-09-1997	AU	4758896 A	07-08-1996	
			CA	2210469 A	25-07-1996	
			EP	0811201 A	10-12-1997	
			WO	9622577 A	25-07-1996	
US 5542420	A	06-08-1996	AU	7092294 A	21-11-1994	
			CA	2161627 A	10-11-1994	
			WO	9425927 A	10-11-1994	